



2025-06-27

Time of Issue: 19:45:00 hours IST

(Night)

#### ALL INDIA WEATHER SUMMARY AND FORECAST BULLETIN

#### **Significant Weather Features**

#### West India:

- Extremely heavy rainfall (>20 cm/24 hours) likely at isolated places over Saurashtra on 27th June.
- **Heavy to very heavy rainfall** at isolated places likely over Konkan & Goa, Ghat areas of Madhya Maharashtra, Gujarat state during next 7 days.
- Light/moderate rainfall at most/many places likely over the region during next 7 days.

#### Northwest India:

- Isolated **heavy rainfall** likely over Punjab, Haryana, Himachal Pradesh, Uttarakhand, East Rajasthan during 27<sup>th</sup> June-03<sup>rd</sup> July; West Rajasthan, Jammu-Kashmir during 27<sup>th</sup>-29<sup>th</sup>; Uttar Pradesh during 28<sup>th</sup> June-03<sup>rd</sup> July with **very heavy rainfall** over Himachal Pradesh, Punjab on 29<sup>th</sup>; Haryana on 29<sup>th</sup> & 30<sup>th</sup>; Uttarakhand during 27<sup>th</sup> June-01<sup>st</sup> July, East Rajasthan on 27<sup>th</sup> and Uttar Pradesh during 29<sup>th</sup> June-02<sup>nd</sup> July.
- Light/moderate rainfall at most/many places accompanied with accompanied with **thunderstorm**, **lightning** & **gusty winds speed reaching 30-40 kmph** likely over Northwest India during next 7 days.

#### East & Central India:

- Isolated **heavy rainfall** over Madhya Pradesh, Chhattisgarh, Odisha, Jharkhand, Bihar, West Bengal & Sikkim during 27<sup>th</sup> June-03<sup>rd</sup> July; Vidarbha on 27<sup>th</sup> & during 30<sup>th</sup> June-02<sup>nd</sup> July; Andaman & Nicobar Islands on 28<sup>th</sup>; with **very heavy rainfall** over Madhya Pradesh on 27<sup>th</sup> June & during 01<sup>st</sup>-03<sup>rd</sup> July; Vidarbha on 27<sup>th</sup>; Chhattisgarh on 01<sup>st</sup> & 02<sup>nd</sup>; Gangetic West Bengal on 29<sup>th</sup> & 30<sup>th</sup>; Odisha on 30<sup>th</sup> June & 01<sup>st</sup> July and Jharkhand on 29<sup>th</sup> June.
- Light/moderate rainfall at most/many places accompanied with thunderstorm, lightning & gusty winds speed reaching 40-50 kmph likelyover Andaman & Nicobar Islands, Madhya Pradesh, Vidarbha, Chhattisgarh, Gangetic West Bengal, Bihar, Jharkhand, Odisha during next 7 days.

#### Northeast India:

• Light/moderate rainfall at most places accompanied with **thunderstorm**, **lightning and isolated heavy rainfall** likely to continueoverNortheast India during next 7 days with **very heavy rainfall** over Arunachal Pradesh on 01<sup>st</sup> July; Nagaland on 27<sup>th</sup> June & 02<sup>nd</sup> July.

#### South Peninsular India:

- Isolated **heavy rainfall** likely over Tamil Nadu on 27<sup>th</sup> & 28<sup>th</sup>; Coastal Karnataka during 27<sup>th</sup> June-03<sup>rd</sup> July; South Interior Karnataka on 27<sup>th</sup> June & during 0st-03<sup>rd</sup> July, Telangana on 27<sup>th</sup> June; Kerala on 29<sup>th</sup> June & 03<sup>rd</sup> July with **very heavy rainfall** over Kerala on 27<sup>th</sup> & 28<sup>th</sup> June.
- **Strong surface winds** (speed reaching 40-60 kmph) very likely over Karnataka, Coastal Andhra Pradesh & Yanam, Rayalaseema, Telangana during 27<sup>th</sup>-30<sup>th</sup> June.
- Light/moderate rainfall at many/some places over Kerala & Mahe, Lakshadweep, Coastal Karnataka; isolated to scattered rainfall accompanied with isolated **thunderstorm**, **lightning** over Coastal Andhra Pradesh & Yanam, Telangana, Interior Karnataka during next 7 days.



#### National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

#### **Main Weather Observations:**

- \* Rainfall distribution (from 0830 hours IST to 1730 hours IST of today): at most places over Konkan & Goa , Gangetic West Bengal and Lakshadweep ; at many places over West Uttar Pradesh, Odisha, Madhya Maharashtra , Sub-himalayan West Bengal & Sikkim, Bihar, Himachal Pradesh, Uttarakhand, Assam & Meghalaya, Tamilnadu Puducherry & Karaikal, Saurashtra & Kutch, Gujarat Region, West Rajasthan, Rayalaseema, Jharkhand, Nagaland, Manipur, Mizoram & Tripura, Andaman & Nicobar Islands, South Interior Karnataka, Marathawada, Kerala & Mahe, East Uttar Pradesh, North Interior Karnataka, Coastal Karnataka, Chhattisgarh, Coastal Andhra Pradesh & Yanam, Telangana, West Madhya Pradesh, Vidarbha, East Madhya Pradesh, Jammu & Kashmir and Ladakh and East Rajasthan; Dry over rest of the country.
- ❖ Significant rainfall recorded(in cm) (from 0830 hours IST to 1730 hours IST of today): West rajasthan: Jaisalmer (dist Jaisalmer) 7, Jodhpur (dist Jodhpur) 2; East uttar pradesh: Churk (dist Sonbhadra) 7, Varanasi (dist Varanasi) 2; Saurashtra & Kutch: Dwarka 7, Kutch 6; Gangetic west bengal: Haldia (dist Purba Medinipur) 6, Sagar Island (dist South 24 Parganas) 3; Madhya maharashtra: Mahabaleshwar (dist Satara) 3; East rajasthan: Alwar (dist Alwar) 3, Sikar (dist Sikar) 2; Jammu & kashmir and ladakh: Jammu (dist Jammu) 3; Konkan & goa: Matheran (dist Raigad) 3, Mumbai (colaba) (dist) 2; East madhya pradesh: Nowgong-obs (dist Chhatarpur) 2; Vidarbha: Yeotmal (dist Yavatmal) 2; West madhya pradesh: Hoshangabad (dist Narmadapuram) 2; Bihar: Dehri (dist Rohtas) 2; Assam & meghalaya: Dhubri (dist Dhubri) 2.
- ♦ Heavy Rainfall observed (from 0830 hours IST to 1730 hours IST of today): Heavy rain at isolated places over East Uttar Pradesh, Saurashtra & Kutch and West Rajasthan.
- \* Minimum Temperature Departures (as on 27-06-2025): markedly above normal(> 5.1°C) at few places over Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad; at isolated places over Assam & Meghalaya, Bihar, East Uttar Pradesh, West Uttar Pradesh, Himachal Pradesh, West Madhya Pradesh and East Madhya Pradesh. appreciably above normal(3.1°C to 5.0°C) at few places over Sub Himalayan West Bengal & Sikkim; at isolated places over Odisha, Haryana-Chandigarh-Delhi, West Rajasthan, Gujarat Region and Saurashtra & Kutch. above normal(1.6°C to 3.0°C) at many places over Andaman & Nicobar Islands and Uttarakhand; at most places over Punjab; at isolated places over Nagaland, Manipur, Mizoram & Tripura, Gangetic West Bengal, Madhya Maharashtra, Coastal Andhra Pradesh & Yanam, Rayalaseema, Tamil Nadu, Puducherry & Karaikal and Kerala & Mahe. near normal(-1.5°C to 1.5°C) at many places over Telangana and Lakshadweep; at most places over Arunachal Pradesh, Jharkhand, Konkan & Goa, Marathwada, Vidarbha, Chhattisgarh, Coastal Karnataka, North Interior Karnataka and South Interior Karnataka; at few places over East Rajasthan. The lowest minimum temperature of 19.2°C is reported at KHARGONE-OBS (MADHYA PRADESH), and MATHERAN (MAHARASHTRA) over the Plains of India.
- ❖ Maximum Temperature Departures (as on 27-06-2025): markedly above normal(> 5.1°C) at few places over Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad; at isolated places over Assam & Meghalaya, Odisha and West Uttar Pradesh. appreciably above normal(3.1°C to 5.0°C) at few places over Arunachal Pradesh; at isolated places over Sub Himalayan West Bengal & Sikkim and Tamil Nadu, Puducherry & Karaikal. above normal(1.6°C to 3.0°C) at few places over East Uttar Pradesh and Coastal Karnataka; at isolated places over Nagaland, Manipur, Mizoram & Tripura, Haryana-Chandigarh-Delhi, Himachal Pradesh, Rayalaseema and Kerala & Mahe. near normal(-1.5°C to 1.5°C) at many places over Andaman & Nicobar Islands, Punjab, Madhya Maharashtra and North Interior Karnataka; at most places over Bihar, Konkan & Goa, Telangana, South Interior Karnataka and Lakshadweep; at few places over Gangetic West Bengal, Uttarakhand, Marathwada, Vidarbha and Coastal Andhra Pradesh & Yanam; at isolated places over East Rajasthan and Saurashtra & Kutch. The highest maximum temperature of 41.2°C was reported at MORADABAD (UTTAR PRADESH).



#### National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences


#### Meteorological Analysis (Based on 1730 hours IST)

- The Northern Limit of Monsoon continue to pass through 27.0°N/68.5°E, 27.0°N/70.0°E, Jaisalmer, Bikaner, Jhunjhunu, Bharatpur, Rampur, Sonipat, Anup Nagar and 29.0°N/70.0°E.
- Conditions are becoming favourable for further advance of Southwest monsoon over remaining parts of the country during next 2- 3 days.
- The **upper air cyclonic circulation** over southwest Rajasthan extending upto 5.8 km above mean sea level tilting southwest wards with height persists.
- The east-west **trough** from the above cyclonic circulation over southwest Rajasthan to Bangladesh across East Rajasthan, north Madhya Pradesh, north Jharkhand, Gangetic West Bengal extending upto 5.8 km above mean sea level tilting southward with height persists.
- A fresh upper-air **cyclonic circulation** is likely to develop over north Bay of Bengal and adjoining coastal Bangladesh & West Bengal around 29<sup>th</sup> June, 2025. Under its influence **a low-pressure area** is likely to form over the same region during subsequent 24 hours.


#### Weather Outlook for subsequent 3 days


- Scattered to fairly widespread rainfall very likely over central India, ghat area of western coast, eastern India & northwest India.
- Isolated to scattered rainfall very likely over the south peninsula India & western India.











#### 27 June (Day 1)


- ♦ Heavy to Very Heavy Rainfall with isolated Extremely Heavy Rainfall very likely at isolated places over Saurashtra & Kutch.
- ♦ Heavy to Very Heavy Rainfall very likely at isolated places over East Rajasthan, Gujarat Region, Kerala & Mahe, Konkan & Goa, Madhya Maharashtra, Madhya Pradesh, Nagaland, Manipur, Mizoram and Tripura, Uttarakhand and Vidarbha.
- **Heavy Rainfall** very likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Bihar, Chhattisgarh, Costal Karnataka, East Uttar Pradesh, Haryana, Chandigarh & Delhi, Himachal Pradesh, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Jharkhand, Odisha, South Interior Karnataka, Tamil Nadu Puducherry & Karaikal, Telangana, West Bengal & Sikkim and West Rajasthan.
- **Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** very likely at isolated places over Andaman & Nicobar Islands, Bihar, Gangetic West Bengal, Gujarat State, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Jharkhand, Odisha, Rajasthan, Vidarbha and West Madhya Pradesh.
- ❖ Thunderstorm accompanied with Lightning very likely at isolated places over Andhra Pradesh, Arunachal Pradesh, Assam & Meghalaya, Chhattisgarh, East Madhya Pradesh, East Uttar Pradesh, Haryana, Chandigarh & Delhi, Himachal Pradesh, Marathwada, Nagaland, Manipur, Mizoram and Tripura, Punjab, Sub Himalayan West Bengal & Sikkim, Tamil Nadu Puducherry & Karaikal, Telangana and Uttarakhand.
- ❖ Strong Surface Winds very likely at isolated places over Coastal Andhra Pradesh, Kerala & Mahe, Konkan & Goa, Lakshadweep and Saurashtra & Kutch.
- ♦ Hot and Humid weather very likely at isolated places over Assam & Meghalaya and Nagaland, Manipur, Mizoram and Tripura.




#### National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

- ❖ Squally wind speed reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail along and off Somalia, Oman & adjoining Yemen coasts, most parts of westcentral Arabian Sea & adjoining, some parts of eastcentral, adjoining north Arabian Sea & adjoining southwest Arabian Sea.
- \*Squally weather with wind speed 40 50 kmph gusting to 60 kmph likely to prevail over most parts of eastcentral & adjoining areas of westcentral, northeast, south Arabian Sea, along and off Konkan, Goa, Karnataka, Kerala coasts, along and off Odisha coast and adjoining north Andhra Pradesh coast, along and off West Bengal coast, most parts of northwest and adjoining northeast Bay of Bengal, many parts of westcentral and adjoining eastcentral Bay of Bengal, over Gulf of Mannar.
- ❖ Squally weather with wind speed reaching 45 kmph to 55 kmph gusting to 65 kmph likely to prevail over western parts of eastcentral & adjoining westcentral Arabian Sea, few western parts of westcentral Bay of Bengal.







#### 28 June (Day 2)

- ♦ Heavy to Very Heavy Rainfall very likely at isolated places over Gujarat State, Kerala & Mahe, Madhya Maharashtra and Uttarakhand.
- ♦ Heavy Rainfall very likely at isolated places over Andaman & Nicobar Islands, Arunachal Pradesh, Assam & Meghalaya, Bihar, Chhattisgarh, Costal Karnataka, Haryana, Chandigarh & Delhi, Himachal Pradesh, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Jharkhand, Konkan & Goa, Madhya Pradesh, Nagaland, Manipur, Mizoram and Tripura, Odisha, Punjab, Rajasthan, Sub Himalayan West Bengal & Sikkim, Tamil Nadu Puducherry & Karaikal and Uttar Pradesh.
- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Andaman & Nicobar Islands, Bihar, Gangetic West Bengal, Gujarat State, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Jharkhand, Odisha, Rajasthan and West Madhya Pradesh.
- \* Thunderstorm accompanied with Lightning very likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Chhattisgarh, Coastal Andhra Pradesh, East Madhya Pradesh, Haryana, Chandigarh & Delhi, Himachal Pradesh, Nagaland, Manipur, Mizoram and Tripura, Punjab, Sub Himalayan West Bengal & Sikkim, Tamil Nadu Puducherry & Karaikal, Telangana, Uttar Pradesh, Uttarakhand and Vidarbha.
- \* Strong Surface Winds very likely at isolated places over Kerala & Mahe, Konkan & Goa, Lakshadweep and Saurashtra & Kutch.
- ♦ Hot and Humid weather very likely at isolated places over Assam & Meghalaya and Nagaland, Manipur, Mizoram and Tripura.
- \*Squally wind speed reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail along and off Somalia, Oman & adjoining Yemen coasts, most parts of westcentral Arabian Sea & adjoining, some parts of





#### National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

eastcentral, adjoining north Arabian Sea & adjoining southwest Arabian Sea.

- \*Squally weather with wind speed 40 50 kmph gusting to 60 kmph likely to prevail over most parts of eastcentral & adjoining areas of westcentral, northeast, south Arabian Sea, over Lakshadweep area, off south Gujarat, Konkan coasts, along and off Karnataka, Kerala, Odisha, West Bengal coasts, most parts of northwest and adjoining northeast Bay of Bengal, many parts of westcentral & adjoining eastcentral Bay of Bengal, some parts of southwest Bay of Bengal, over Gulf of Mannar.
- ❖ Squally weather with wind speed reaching 45 kmph to 55 kmph gusting to 65 kmph likely to prevail over western parts of eastcentral & adjoining westcentral Arabian Sea.







#### 29 June (Day 3)


- ♦ Heavy to Very Heavy Rainfall very likely at isolated places over Gangetic West Bengal, Gujarat Region, Haryana, Chandigarh & Delhi, Himachal Pradesh, Jharkhand, Konkan & Goa, Madhya Maharashtra, Punjab, Uttar Pradesh and Uttarakhand.
- Heavy Rainfall very likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Bihar, Chhattisgarh, Costal Karnataka, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Kerala & Mahe, Madhya Pradesh, Nagaland, Manipur, Mizoram and Tripura, Odisha, Rajasthan, Saurashtra & Kutch and Sub Himalayan West Bengal & Sikkim.
- **♦ Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** very likely at isolated places over Bihar, Gangetic West Bengal, Gujarat State, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Jharkhand and Raiasthan.
- ♦ Thunderstorm accompanied with Lightning very likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Chhattisgarh, Coastal Andhra Pradesh, Haryana, Chandigarh & Delhi, Himachal Pradesh, Madhya Pradesh, Nagaland, Manipur, Mizoram and Tripura, Punjab, Telangana, Uttar Pradesh, Uttarakhand and Vidarbha.
- \* Strong Surface Winds very likely at isolated places over Gangetic West Bengal, Konkan & Goa and Odisha.
- ♦ Hot and Humid weather very likely at isolated places over Assam & Meghalaya and Nagaland, Manipur, Mizoram and Tripura.
- ♦ Squally wind speed reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail along and off Somalia, Oman & adjoining Yemen coasts, most parts of westcentral Arabian Sea & adjoining, many parts of eastcentral, adjoining north Arabian Sea & adjoining southwest Arabian Sea.




#### National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

- ❖ Squally weather with wind speed 40 50 kmph gusting to 60 kmph likely to prevail over most parts of eastcentral & adjoining areas of westcentral, northeast, south Arabian Sea, off south Gujarat, Konkan coasts, along and off north Andhra Pradesh coast and adjoining south Odisha coast, most parts of westcentral Bay of Bengal and adjoining parts of northwest, eastcentral, southwest Bay of Bengal.
- ❖ Squally weather with wind speed reaching 45 kmph to 55 kmph gusting to 65 kmph likely to prevail over western parts of eastcentral & adjoining westcentral Arabian Sea, over Gulf of Mannar.







#### 30 June (Day 4)

- ♦ Heavy to Very Heavy Rainfall likely at isolated places over Gangetic West Bengal, Gujarat Region, Haryana, Chandigarh & Delhi, Konkan & Goa, Madhya Maharashtra, Odisha and Uttarakhand.
- **Heavy Rainfall** likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Bihar, Chhattisgarh, East Rajasthan, Himachal Pradesh, Jharkhand, Madhya Pradesh, Nagaland, Manipur, Mizoram and Tripura, Punjab, Saurashtra & Kutch, Sub Himalayan West Bengal & Sikkim, Uttar Pradesh and Vidarbha.
- **Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** likely at isolated places over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad.
- **♦ Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Bihar, Gangetic West Bengal, Gujarat State, Jharkhand and Rajasthan.
- ♦ Thunderstorm accompanied with Lightning likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Chhattisgarh, Coastal Andhra Pradesh, Haryana, Chandigarh & Delhi, Madhya Pradesh, Nagaland, Manipur, Mizoram and Tripura, Punjab, Telangana, Uttar Pradesh, Uttarakhand and Vidarbha.
- \* Strong Surface Winds likely at isolated places over Gangetic West Bengal and Odisha.
- Squally wind speed reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail along and off Somalia, Oman & adjoining Yemen coasts, most parts of westcentral Arabian Sea & adjoining, many parts of eastcentral, adjoining, some parts of north Arabian Sea & adjoining southwest Arabian Sea.
- ♦ Squally weather with wind speed 40 50 kmph gusting to 60 kmph likely to prevail over most parts of eastcentral & adjoining areas of westcentral, south Arabian Sea, most parts of northeast Arabian Sea, along and off Gujarat, Konkan coasts, many parts of central Bay of Bengal and adjoining parts of northwest, southeast Bay of





#### National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Bengal.

❖ Squally weather with wind speed reaching 45 kmph to 55 kmph gusting to 65 kmph likely to prevail over western parts of eastcentral & adjoining westcentral Arabian Sea.









#### 1 July (Day 5)

- ♦ Heavy to Very Heavy Rainfall likely at isolated places over Arunachal Pradesh, Chhattisgarh, Gujarat Region, Konkan & Goa, Madhya Maharashtra, Madhya Pradesh, Odisha, Uttar Pradesh and Uttarakhand.
- ♦ Heavy Rainfall likely at isolated places over Assam & Meghalaya, Bihar, Costal Karnataka, East Rajasthan, Haryana, Chandigarh & Delhi, Himachal Pradesh, Jharkhand, Nagaland, Manipur, Mizoram and Tripura, Saurashtra & Kutch, South Interior Karnataka, Vidarbha and West Bengal & Sikkim.
- **❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** likely at isolated places over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad.
- **❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Bihar, Gangetic West Bengal, Gujarat State, Jharkhand and Rajasthan.
- ❖ Thunderstorm accompanied with Lightning likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Chhattisgarh, Coastal Andhra Pradesh, Haryana, Chandigarh & Delhi, Madhya Pradesh, Marathwada, Nagaland, Manipur, Mizoram and Tripura, Punjab, Telangana, Uttar Pradesh, Uttarakhand and Vidarbha.
- **Strong Surface Winds** likely at isolated places over Gangetic West Bengal and Odisha.

No Fishermen Warning









#### 2 July (Day 6)

- ♦ Heavy to Very Heavy Rainfall likely at isolated places over Chhattisgarh, Konkan & Goa, Madhya Maharashtra, Madhya Pradesh, Nagaland, Manipur, Mizoram and Tripura and Uttar Pradesh.
- ♦ Heavy Rainfall likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Bihar, Costal Karnataka, East Rajasthan, Gujarat State, Haryana, Chandigarh & Delhi, Himachal Pradesh, Jharkhand, Odisha, Punjab, South Interior Karnataka, Uttarakhand, Vidarbha and West Bengal & Sikkim.
- **❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** likely at isolated places over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad.
- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) likely at isolated places over Rajasthan.
- ❖ Thunderstorm accompanied with Lightning likely at isolated places over Haryana, Chandigarh & Delhi, Marathwada, Punjab, Uttar Pradesh and Uttarakhand.

No Fishermen Warning







#### 3 July (Day 7)

- ❖ Heavy to Very Heavy Rainfall likely at isolated places over East Rajasthan, Madhya Maharashtra and Madhya Pradesh.
- ♦ Heavy Rainfall likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Bihar, Chhattisgarh, Costal Karnataka, Gujarat State, Haryana, Chandigarh & Delhi, Himachal Pradesh, Jharkhand, Kerala & Mahe, Konkan & Goa, Nagaland, Manipur, Mizoram and Tripura, Odisha, Punjab, South Interior Karnataka, Sub Himalayan West Bengal & Sikkim, Uttar Pradesh, Uttarakhand and West Rajasthan.
- **❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** likely at isolated places over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad.
- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) likely at isolated places over Rajasthan.
- **♦ Thunderstorm accompanied with Lightning** likely at isolated places over Haryana, Chandigarh & Delhi, Punjab, Uttar Pradesh and Uttarakhand.

No Fishermen Warning



#### National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

# 24 hours Outlook for the Flash Flood Risk (FFR) till 1730 IST of 28-06-2025:

Low to Moderate flash flood risk likely over few watersheds & neighbourhoods of following Met Sub-divisions during next 24 hours.

Himachal Pradesh - Shimla and Sirmaur districts.

Uttarakhand - Almora, Bageshwar, Chamoli, Champawat, Dehradun, Nanital, Pauri Garhwal, Pithoragarh, Rudraprayag, Tehri Garwal and Uttarkashi districts.

Surface runoff/ Inundation may occur at some fully saturated soils & low-lying areas over Area of Concern (AoC) as shown in map due to expected rainfall occurrence in next 24 hours.


# 

# 24 hours Outlook for the Flash Flood Risk (FFR) till 1730 IST of 28-06-2025 :

Low to Moderate flash flood risk likely over few watersheds & neighbourhoods of following Met Sub-divisions during next 24 hours.

**Saurashtra & Kutch** – Jamnagar, Devbhumi Dwarka, Porbandar, Junagarh and Rajkot districts.

Surface runoff/ Inundation may occur at some fully saturated soils & low-lying areas over Area of Concern (AoC) as shown in map due to expected rainfall occurrence in next 24 hours.





# Table-1

# 7 Days Rainfall Forecast

r Days Raillian i Olecast								
S.No.	Subdivision	27-	28-	29-	30-	1- Jul	2- Jul	3- Jul
		Jun	Jun	Jun	Jun			
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
1	ANDAMAN & NICOBAR ISLANDS	FWS	WS	WS	FWS	FWS	FWS	FWS
2	ARUNACHAL PRADESH	SCT	FWS	FWS	FWS	FWS	FWS	FWS
3	ASSAM & MEHGHALAYA	SCT	SCT	FWS	FWS	FWS	FWS	FWS
4	N. M. M. & T.	FWS	FWS	FWS	WS	WS	WS	WS
5	S.H. WEST BENGAL & SIKKIM	FWS	WS	WS	WS	FWS	WS	WS
6	GANGETIC WEST BENGAL	WS	WS	WS	WS	WS	FWS	FWS
7	ODISHA	FWS	FWS	FWS	WS	WS	FWS	FWS
8	JHARKHAND	WS	WS	WS	WS	WS	WS	WS
9	BIHAR	FWS	FWS	FWS	FWS	FWS	FWS	FWS
10	EAST UTTAR PRADESH	SCT	FWS	FWS	FWS	FWS	FWS	FWS
11	WEST UTTAR PRADESH	ISOL	SCT	FWS	FWS	FWS	FWS	FWS
12	UTTARAKHAND	FWS	FWS	WS	WS	WS	FWS	FWS
13	HARYANA, CHD & DELHI	SCT	FWS	WS	WS	WS	FWS	SCT
14	PUNJAB	SCT	SCT	WS	WS	FWS	SCT	SCT
15	HIMACHAL PRADESH	WS	FWS	WS	WS	FWS	FWS	FWS
16	JAMMU AND KASHMIR AND LADAKH	FWS	SCT	SCT	SCT	SCT	SCT	SCT
17	WEST RAJASTHAN	FWS	FWS	SCT	SCT	ISOL	ISOL	ISOL
18	EAST RAJASTHAN	FWS	FWS	FWS	FWS	FWS	SCT	FWS
19	WEST MADHYA PRADESH	WS	FWS	FWS	FWS	WS	WS	WS
20	EAST MADHYA PRADESH	WS	FWS	FWS	WS	WS	WS	WS
21	GUJRAT REGION	WS	WS	WS	WS	WS	WS	WS
22	SAURASHTRA & KUTCH	WS	WS	WS	FWS	FWS	FWS	WS
23	KONKAN & GOA	WS	WS	WS	WS	WS	WS	WS
24	MADHYA MAHARASHTRA	SCT	SCT	SCT	SCT	SCT	SCT	FWS
25	MARATHWADA	ISOL	ISOL	ISOL	ISOL	ISOL	SCT	ISOL
26	VIDARBHA	FWS	SCT	SCT	SCT	FWS	WS	FWS
27	CHATTISGARH	FWS	FWS	SCT	FWS	FWS	FWS	FWS
28	COASTAL ANDHRA PRADESH	FWS	SCT	ISOL	ISOL	SCT	FWS	FWS
29	TELANGANA	SCT	ISOL	ISOL	ISOL	SCT	SCT	SCT
30	RAYALASEEMA	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	SCT
31	TAMILNADU & PUDUCHERRY	ISOL	SCT	ISOL	ISOL	ISOL	ISOL	ISOL
	COSTAL KARNATAKA	WS	WS	WS	WS	WS	WS	WS
33	NORTH INTERIOR KARNATAKA	SCT	SCT	ISOL	ISOL	SCT	SCT	SCT
34	SOUTH INTERIOR KARNATAKA	SCT	SCT	ISOL	ISOL	SCT	SCT	SCT
35	KERALA	WS	WS	FWS	SCT	SCT	FWS	WS
36	LAKSHDWEEP	WS	WS	FWS	SCT	SCT	FWS	WS

Legend	Category	%Stations
WS	Widespread/Most Places	76-100
FWS	Fairly Widespread/Many Places	51-75
SCT	Scattered/ A Few Places	26-50
ISOL	Isolated Places	1-25
DRY	No Rain	0

Fig. 1: Maximum Temperatures Dated 2025-06-27




Fig. 3: Minimum Temperatures Dated 2025-06-27




Fig. 2: Departure of Maximum Temp. Dated 2025-06-27







Fig. 4: Departure of Minimum Temp. Dated 2025-06-27











#### Impact & Action Suggested due to extremely heavy falls/ very heavy rainfall:

Extremely heavy rainfall (>20 cm/24 hours) likely at isolated places over Saurashtra on 27<sup>th</sup> June. Very heavy rainfall at isolated places likely over Konkan & Goa, Ghat areas of Madhya Maharashtra, Gujarat state during next 7 days; Himachal Pradesh, Punjab on 29<sup>th</sup>; Haryana on 29<sup>th</sup> & 30<sup>th</sup>; Uttarakhand during 27<sup>th</sup>

- June-01st July, East Rajasthan, Vidarbha on 27th and Uttar Pradesh during 29th June-02nd July; Madhya
- Pradesh on 27<sup>th</sup> June & during 01<sup>st</sup>-03<sup>rd</sup> July; Chhattisgarh on 01<sup>st</sup> & 02<sup>nd</sup>; Gangetic West Bengal on 29<sup>th</sup> & 30<sup>th</sup>; Odisha on 30<sup>th</sup> June & 01<sup>st</sup> July and Jharkhand on 29<sup>th</sup> June; Kerala on 27<sup>th</sup> & 28<sup>th</sup> June.

#### **Impact Expected**

Localized Flooding of roads, water logging in low lying areas and closure of underpasses mainly in urban areas of the above region.

Occasional reduction in visibility due to heavy rainfall.

Disruption of traffic in major cities due to water logging in roads leading to increased travel time.

Minor damage to kutcha roads.

Possibilities of damage to vulnerable structure.

Localized Landslides/Mudslides/landslips/mud slips/land sinks/mud sinks.

Damage to horticulture and standing crops in some areas due to inundation.

It may lead to riverine flooding in some river catchments (for riverine flooding please visit Web page of CWC)7

#### **Action Suggested**

Check for traffic congestion on your route before leaving for your destination.

Follow any traffic advisories that are issued in this regard.

Avoid going to areas that face the water logging problems often.

Avoid staying in vulnerable structure.

#### Agromet advisories for various parts of the country

#### Agromet advisories for likely impact of Heavy / Heavy to Very Heavy / Extremely Heavy Rainfall

In **Gujarat** postpone sowing of rice nurseries, groundnut, pearl millet, sorghum, pigeon pea, green gram, and black gram. Ensure proper drainage facilities in already sown rice nurseries, sugarcane fields, banana and mango plantations to prevent waterlogging. Provide support to sugarcane and banana to prevent lodging. In **Saurashtra & Kutch**, Drain out excess rain water from vegetable nurseries and horticultural plantations. Undertake propping in sugarcanes with strong bamboo or tie the leaves together in a clump to protect against wind and heavy rain.

In **Konkan & Goa** make arrangements to drain out excess water from rice nurseries, fields of finger millet, groundnut and orchards to prevent waterlogging. In *ghat* areas of Madhya Maharashtra, drain out excess water from rice



#### National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

nurseries, vegetables and orchards to prevent waterlogging. In **Vidarbha**, keep already harvested produce at safer places and provide mechanical support to newly planted orchards and vegetables to prevent them from lodging.

In **West Madhya Pradesh**, postpone harvesting of maize. Postpone sowing of pearl millet, soybean, pigeon pea and paddy nurseries. Make necessary arrangements to drain out excess water from vegetables and orchards to avoid waterlogging. In **East Madhya Pradesh**, harvest matured maize, green gram and black gram during favourable weather and store in safe places. Ensure proper drainage in already sown / transplanted fields.

In **Chhattisgarh**, ensure proper drainage in rice nurseries.

In **Sub-Montane and Low Hills Sub-Tropical Zone** of **Himachal Pradesh**, provide drainage in maize and vegetable fields. Strengthen the support for creepers and tall vegetable crops (tomato, capsicum etc.). In **Mid Hills Sub-Humid Zone** of **Himachal Pradesh**, harvest matured fruits of plum, pear and stone fruit to minimize losses due to heavy rains. Make proper drainage channels in the fields of maize, apple, pear, pomegranate, kiwi, cucumber and tomato to avoid waterlogging. Provide support to cucumber vines and tomato plants to prevent lodging.

In **Uttarakhand**, make proper drainage channels in rice nurseries, pigeon pea, groundnut, maize, soybean, barnyard millet and finger millet to avoid waterlogging. In **Bhabar and Tarai Zone** of **Uttarakhand**, harvest matured spring maize crop and vegetables (pumpkin, tomato, okra, chilly, French bean etc.) and store in safe place during clear weather.

In **East Rajasthan**, harvest the matured vegetables such as okra and cucurbits and store them in safe place. Make arrangement for draining out excess water from the fields of groundnut and green gram.

In **Jharkhand**, make necessary arrangements to drain out excess water from already sown maize fields, rice and vegetable nurseries.

In **Odisha**, ensure proper drainage from already sown rice nurseries, fields of maize and vegetables to prevent waterlogging. Cover rice and vegetable nurseries with plastic sheets to prevent washing away of seeds.

In **South Interior Karnataka**, cover young seedlings of rice with plastic sheets or agro-shade nets to protect them from heavy rains. Provide adequate drainage to remove excess water from rice nurseries, coffee, cardamom, coconut and arecanut plantations to prevent water logging. Provide support to sugarcane and banana to prevent logging.

In ghat regions of **Tamilnadu**, provide adequate drainage in rice nurseries, sorghum, maize, pulses, groundnut, sugarcane, orchards and vegetable crops.

In **Kerala**, ensure proper drainage facilities in rice nurseries, transplanted rice fields, coconut and banana plantations to prevent water logging. Undertake propping in banana to protect the plants from heavy rains.

#### **Livestock / Fishery**

Keep the animals inside the shed during heavy rainfall and provide them balanced feed.

Store feed and fodder in a safe place to prevent spoilage.


Construct an outlet with proper netting around the ponds to drain out excess water, thereby preventing fish from escaping in case of overflow.

#### Agromet advisories for likely impact of Thunderstorm / Gusty Winds / Squally Winds

Provide mechanical support to horticultural crops and staking or support to vegetables and young fruit plants / fruit-bearing plants to avoid lodging due to strong winds.



# **LEGENDS**



#### SPATIAL DISTRIBUTION (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/ A Few Places)
51-75	Fairly Widespred (FWS/ Many Places)	1-25	Isolated (ISOL)

#### Subdivision Colour

NO WARNING

WATCH (BE UPDATED)

ALERT (BE PREPARED TO TAKE ACTION

WARNING (TAKE ACTION)

### Probabilistic Forecast

Terms	Probability of Occurrence (%)		
Unlikely	< 25		
Likely	25 - 50		
Very Likely	50 - 75		
Most Likely	> 75		

Heavy Rain







Thunderstorm & Lightning Strong surface winds








**Cold Wave** 







Hot & Humid



179	WARNING	Proba	bilistic Forecast		
	WARNING (TAKE ACTION)	Terms	Probability of Occurrence (%		
	ALERT ( BE PREPARED)	Unlikely Likely	< 25 25 - 50		
	WATCH (BE UPDATED)	Very Likely	50 - 75		
	NO WARNING ( NO ACTION)	Most Likely	>75		
10	Heavy: 64.5 to 115.5 mm/cm *				
/ ***	Very Heavy: 115.6 to 204.4 mm/cm*				
ain/ Snow	Extremely Heavy: > 204.4 mm/cm *				
	When maximum temperature of a s		° C for plains and ≥30° C fo		
	(a) Based on Departure from normal Heat Wave: Maximum Temperature Dep		0 C to 6 40 C		
	Severe Heat Wave: Maximum Temperature Dep				
1+	(b). Based on Actual maximum tem		marco.o o		
leat Wave	Heat Wave: When actual maximum temp				
	Severe Heat Wave: When actual maxim	um temperature ≥47°C			
	( c). Criteria for heat wave for coas				
	When maximum temperature departure is temperature ≥37°C	s >4.5°C from normal. I	leat Wave may be described provi		
		alua soco			
Î+	When maximum temperature rema Warm Night: When minimum temperature	Control of the Contro	1 A 9C		
arm Night	Severe Warm Night: When minimum temperatu		Alter Militar		
			0.000		
	When minimum temperature of a	station ≤10°C for	plains and ≤0°C for hilly re		
	(a). Based on departure		i line		
0	Cold Wave: Minimum Temperature Depa				
<b>Q</b> -	Severe Cold Wave: Minimum Temperatu	S. Service			
Cold Wave	(b) Based on actual Minimum Temperature (for Plains only)				
Join wave	Cold Wave : When Minimum Temperature is ≤ 4.0 °C  Severe Cold Wave: When Minimum Temperature is ≤ 2.0 °C				
		mperature is \$ 2.0 °C			
	( c) For Coastal Stations When Minimum Temperature departure	is <-4.5 °C & actual	Minimum Temperature is < 15 °C		
n	When minimum temperature of a s Based on departure	station \$10°C for pi	ains and Surc for nilly regio		
ñ-	Cold Day: Maximum Temperature Depa	rture from normal -4.5	°C to -6.4 °C.		
Cold Day	Severe Cold Day: Maximum Temperatu	and the same of th	A CHICAGO CONTRACTOR C		
_	Phenomenon of small droplets		r and the horizontal visib		
0	Moderate Fog: When the visibility between  Dense Fog: when the visibility between	100000000000000000000000000000000000000			
Fog	Very Dense Fog: when the visibility < 50				
		CONTRACTOR OF THE PROPERTY OF			
41	Sudden electrical discharges manif	fested by a flash of	light (Lightning) and a sharp		
understorm	Sudden electrical discharges manif sound (thunder)	.co.co by a masm or	g (Eightinig) and a sharp		
gran.					
No.	An ensemble of particles of dust or	r sand energetically	lifted to great heights by a s		
Dust/Sand	turbulent wind.	and geneally	and the second s		
Storm					
"	Ice deposits on ground				
2)	Air temperature ≤4°C ( over Plains)				
Frost					
	A strong wind that rises sudde	enly, lasts for atl	east 1 minute.		
(P)	Moderate: Wind speed 52-61 kmph				
Squall	Severe: Wind speed 62-87 kmph				
Squall	Very Severe: Wind speed >87 kmph				
10021002	Effect of various waves in the sea	over specific area			
CLL	Rough to very rough: Wind speed 41-6	A SECURIOR STATE OF THE PARTY O			
Sea State	High to very high: Wind speed 63-117 kmph (2		AND DESCRIPTION OF THE PROPERTY OF THE PROPERT		
Jea State	Phenomenal: Wind speed >117 kmph (>	ros knots) & Wave heig	nt > 14 metre		
	Cyclonic Storm: Wind speed 62-87 kmp	oh (34-47 knots)			
	Cyclothic Storin. Wind Speed 02-07 Mills				
6	Severe Cyclonic Storm: Wind speed 82-87 king	8-117 kmph (48-63 kno	ts)		
9	Severe Cyclonic Storm: Wind speed 8 Very Severe Cyclonic Storm: Wind speed	eed 118-165 kmph (64	- 89 knots)		
S rclone	Severe Cyclonic Storm: Wind speed 8	eed 118-165 kmph (64 ind speed 166-220 kmp	- 89 knots)		