



## National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

2025-08-10

Time of Issue: 20:00:00 hours IST

(Night)

#### ALL INDIA WEATHER SUMMARY AND FORECAST BULLETIN

#### **Significant Weather Features**

### Weather, Forecast and Warnings:

#### **Northwest India:**

Isolated **heavy rainfall** likely over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad on 10<sup>th</sup> & 16<sup>th</sup>; Himachal Pradesh on 10<sup>th</sup>,15<sup>th</sup> & 16<sup>th</sup>; Punjab on 10<sup>th</sup>,11<sup>th</sup>,14<sup>th</sup> & 15th, Haryana, Chandigarh & Delhi on 10<sup>th</sup>, 11<sup>th</sup> & during 13<sup>th</sup>

-15<sup>th</sup>; West Uttar Pradesh on 10<sup>th</sup> & 16<sup>th</sup>; East Uttar Pradesh on 12<sup>th</sup> & 15<sup>th</sup>; East Rajasthan on 15<sup>th</sup> & 16<sup>th</sup> August with **extremely heavy rainfall** likely over Uttarakhand on 13<sup>th</sup>; **very heavy rainfall** over Jammu-Kashmir during 13<sup>th</sup>-15<sup>th</sup>; Himachal Pradesh during 11<sup>th</sup>-14<sup>th</sup>; Uttarakhand on during 10<sup>th</sup> -12<sup>th</sup> & 14<sup>th</sup> -16<sup>th</sup>; West Uttar Pradesh on 13<sup>th</sup> & 15<sup>th</sup>; East Uttar Pradesh on 13<sup>th</sup> & 14<sup>th</sup> August.

Light/moderate rainfall at many places accompanied with thunderstorm & lightning likely over Himachal Pradesh on 10<sup>th</sup> August; Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad & Uttarakhand during next 7 days.

#### **Northeast India:**

Light/moderate rainfall at many places accompanied with thunderstorm, lightning and isolated **heavy rainfall** likely to continue over Arunachal Pradesh on 10<sup>th</sup>, 11<sup>th</sup> & 13<sup>th</sup>; Assam & Meghalaya during 10<sup>th</sup>, 11<sup>th</sup> &14<sup>th</sup>; Nagaland, Manipur, Mizoram & Tripura on 10<sup>th</sup>, 13<sup>th</sup> & 14<sup>th</sup> with isolated **very heavy rainfall over** Arunachal Pradesh on 12<sup>th</sup> and Assam & Meghalaya on 12<sup>th</sup> & 13<sup>th</sup> August.

Light/moderate rainfall at many places accompanied with thunderstorm & lightning likely during next 3 days.

### South Peninsular India:

Isolated **heavy rainfall** likely over Tamil Nadu, Rayalaseema on 10<sup>th</sup>; North Interior Karnataka during 14<sup>th</sup> - 16<sup>th</sup>; South Interior Karnataka on 15<sup>th</sup> & 16<sup>th</sup>; Coastal Andhra Pradesh & Yanam on 10<sup>th</sup>,12<sup>th</sup>, 13<sup>th</sup> & 16<sup>th</sup>; Rayalaseema on 10<sup>th</sup>,14<sup>th</sup> &15<sup>th</sup>; Telangana during 10<sup>th</sup>-12<sup>th</sup>; Coastal Karnataka during 14<sup>th</sup> -16<sup>th</sup> August with isolated **very heavy rainfall over Coastal Andhra Pradesh & Yanam on 14<sup>th</sup> & 15<sup>th</sup>; Telangana during 13<sup>th</sup>-16<sup>th</sup> August.** 

Strong surface winds (speed reaching 40-50 kmph) very likely over South Peninsular India during next 2 days.

Light to moderate rainfall at most/many places accompanied with thunderstorm & lightning likely over, Rayalaseema, Coastal Andhra Pradesh & Yanam and Telangana during next 5 days & Karnataka during 14<sup>th</sup> -16<sup>th</sup>.

#### **East & Central India:**

Isolated heavy rainfall likely over West Madhya Pradesh on 10<sup>th</sup>, 14<sup>th</sup> & 16<sup>th</sup>; East Madhya Pradesh during 10<sup>th</sup>-16<sup>th</sup>; Vidarbha on 12<sup>th</sup>, 15 &16<sup>th</sup>; Chhattisgarh on 12<sup>th</sup>; Andaman & Nicobar Islands on 11<sup>th</sup>; Sub-Himalayan West Bengal & Sikkim on 10<sup>th</sup>,13<sup>th</sup> & 14<sup>th</sup>; Bihar during 10<sup>th</sup>-13<sup>th</sup>; Odisha on 15<sup>th</sup> & 16<sup>th</sup> August with isolated very heavy rainfall over West Madhya Pradesh on 15<sup>th</sup>; Vidarbha on 13<sup>th</sup> & 14<sup>th</sup>; Chhattisgarh on during 13<sup>th</sup>-16<sup>th</sup>; Sub-Himalayan West Bengal & Sikkim on 11<sup>th</sup> & 12<sup>th</sup>; Odisha during 12<sup>th</sup> & 14<sup>th</sup> August.

Light to moderate rainfall at most/many places accompanied with thunderstorm & lightning likely over the region during next 5 days.

#### West India:

Isolated heavy rainfall likely over Madhya Maharashtra during 14<sup>th</sup> - 16<sup>th</sup>; Konkan & Goa during 12<sup>th</sup>-16<sup>th</sup> August with isolated very heavy rainfall over Gujarat Region on 10<sup>th</sup> August.

Light to moderate rainfall at many/some places very likely over the region during next 7 days.



## National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

#### **Main Weather Observations:**

- ❖ Rainfall distribution (from 0830 hours IST to 1730 hours IST of today): at most places over Arunachal Pradesh and Coastal Karnataka; at many places over Odisha, Konkan & Goa , Sub-himalayan West Bengal & Sikkim, Madhya Maharashtra , Himachal Pradesh, Assam & Meghalaya, Uttarakhand, Marathawada, Tamilnadu Puducherry & Karaikal, Bihar, East Uttar Pradesh, Jammu & Kashmir and Ladakh, Jharkhand, Punjab, West Uttar Pradesh, Gangetic West Bengal, Nagaland, Manipur, Mizoram & Tripura, East Rajasthan, Kerala & Mahe, Gujarat Region, West Madhya Pradesh, Saurashtra & Kutch, Chhattisgarh, Coastal Andhra Pradesh & Yanam, Telangana, Rayalaseema, South Interior Karnataka, North Interior Karnataka and East Madhya Pradesh; Dry over rest of the country.
- ❖ Significant rainfall recorded(in cm) (from 0830 hours IST to 1730 hours IST of today): East uttar pradesh: Ballia-obs2 (dist Ballia) 7; Saurashtra & kutch: Daman (dist Daman) 6; Tamilnadu puducherry & karaikal: Tiruppattur (dist Tirupathur) 5; Assam & meghalaya: Cherrapunji (dist East Khasi Hills) 5; **Bihar**: Patna-airport (dist Patna) 3; Konkan & goa: Ratnagiri (dist Ratnagiri), Matheran (dist Raigad) 3 Each; East madhya pradesh: Damoh-obs (dist Damoh) 3; **Odisha**: Chandbali (dist Bhadrak) 3.
- ♦ Heavy Rainfall observed (from 0830 hours IST to 1730 hours IST of today): Heavy rain at isolated places over East Uttar Pradesh
- \* Minimum Temperature Departures (as on 10-08-2025): markedly above normal(> 5.1°C) at most places over Himachal Pradesh; at few places over West Madhya Pradesh; at isolated places over Assam & Meghalaya, Gangetic West Bengal and East Madhya Pradesh. appreciably above normal(3.1°C to 5.0°C) at isolated places over Sub Himalayan West Bengal & Sikkim, Odisha, Bihar, Gujarat Region, Saurashtra & Kutch and Tamil Nadu, Puducherry & Karaikal. above normal(1.6°C to 3.0°C) at most places over Andaman & Nicobar Islands; at few places over Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad, East Rajasthan and Kerala & Mahe; at isolated places over Haryana-Chandigarh-Delhi, West Rajasthan, Madhya Maharashtra, Vidarbha, Chhattisgarh, Coastal Andhra Pradesh & Yanam and South Interior Karnataka. near normal(-1.5°C to 1.5°C) at many places over Jharkhand and Rayalaseema; at most places over Nagaland, Manipur, Mizoram & Tripura, East Uttar Pradesh, West Uttar Pradesh, Punjab, Konkan & Goa, Marathwada, Telangana, Coastal Karnataka, North Interior Karnataka and Lakshadweep; at few places over Arunachal Pradesh. The lowest minimum temperature of 19.0°C is reported at HALFLONG (ASSAM) over the Plains of India.
- \* Maximum Temperature Departures (as on 10-08-2025): markedly above normal(> 5.1°C) at isolated places over Assam & Meghalaya and Madhya Maharashtra. appreciably above normal(3.1°C to 5.0°C) at many places over Vidarbha and Chhattisgarh; at few places over Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad; at isolated places over Odisha, Himachal Pradesh, East Rajasthan, East Madhya Pradesh and Telangana. above normal(1.6°C to 3.0°C) at many places over Jharkhand and Gujarat Region; at few places over Gangetic West Bengal, Punjab, West Rajasthan and West Madhya Pradesh; at isolated places over Andaman & Nicobar Islands, Nagaland, Manipur, Mizoram & Tripura, Sub Himalayan West Bengal & Sikkim, East Uttar Pradesh, Haryana-Chandigarh-Delhi, Saurashtra & Kutch, Marathwada, Coastal Andhra Pradesh & Yanam, Rayalaseema, South Interior Karnataka and Kerala & Mahe. near normal(-1.5°C to 1.5°C) at many places over Bihar, West Uttar Pradesh, Uttarakhand and Tamil Nadu, Puducherry & Karaikal; at most places over Konkan & Goa, Coastal Karnataka, North Interior Karnataka and Lakshadweep; at few places over Arunachal Pradesh. The highest maximum temperature of 39.1°C is reported at SRIGANGANAGAR (RAJASTHAN).



## National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences


## Meteorological Analysis (Based on 1730 hours IST)


- The monsoon trough at mean sea level now passes through Faridkot, Ludhiana, Najibabad, Shahjahanpur, Valmiki Nagar, Jalpaiguri and thence east-northeastwards to Arunachal Pradesh.
- ❖ The **upper air cyclonic circulation** over central parts of Uttar Pradesh extending upto 4.5 km above mean sea level titling southwards with height persists.
- ❖ The upper air cyclonic circulation over northeast Arabian sea and adjoining Gujarat at 3.1 km above mean sea level persists.
- ❖ The **upper air cyclonic circulation** over north interior Karnataka and neighbourhood between 4.5 & 5.8 km above mean sea level persists.
- ❖ The upper air cyclonic circulation over northeast Assam extending upto 1.5 km above mean sea level persists.
- ❖ The **Western Disturbance** a cyclonic circulation over north Pakistan & neighbourhood between 3.1 & 5.8 km above mean sea level persists.
- ❖ A Low-Pressure area is likely to form over northwest & adjoining westcentral Bay of Bengal around 13<sup>th</sup> August, 2025.

#### Weather Outlook for subsequent 3 days

• Fairly widespread to widespread rainfall likely over the most parts of the country.









## 10 August (Day 1)

- Heavy to Very Heavy Rainfall very likely at isolated places over Gujarat Region, Sub Himalayan West Bengal & Sikkim and Uttarakhand.
- ♦ Heavy Rainfall very likely at isolated places over Andhra Pradesh, Arunachal Pradesh, Assam & Meghalaya, Bihar, Haryana, Chandigarh & Delhi, Himachal Pradesh, Interior Karnataka, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Madhya Pradesh, Nagaland, Manipur, Mizoram and Tripura, Punjab, Saurashtra & Kutch, Tamil Nadu Puducherry & Karaikal, Telangana and West Uttar Pradesh.
- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Andaman & Nicobar Islands, Bihar, Gangetic West Bengal, Interior Karnataka, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad and Jharkhand.
- ❖ Thunderstorm accompanied with Lightning very likely at isolated places over Andhra Pradesh, Arunachal Pradesh, Assam & Meghalaya, Chhattisgarh, Gujarat State, Himachal Pradesh, Konkan & Goa, Madhya Pradesh, Maharashtra, Nagaland, Manipur, Mizoram and Tripura, Odisha, Tamil Nadu Puducherry & Karaikal, Telangana, Uttarakhand and West Uttar Pradesh.
  - Squally wind with speed reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail along and off Somalia, few parts of westcentral Arabian Sea and some parts of southwest Arabian Sea.
  - Squally weather with wind speed reaching 40 50 kmph gusting to 60 kmph likely to prevail over Gulf of Mannar, along and off Sri-Lanka coast, some parts of southwest Bay of Bengal and south coastal Andhra Pradesh & adjoining westcentral Bay of Bengal.









### 11 August (Day 2)

- Heavy to Very Heavy Rainfall very likely at isolated places over Himachal Pradesh, Sub Himalayan West Bengal & Sikkim and Uttarakhand.
- ♦ Heavy Rainfall very likely at isolated places over Andaman & Nicobar Islands, Arunachal Pradesh, Assam & Meghalaya, Bihar, East Madhya Pradesh, Haryana, Chandigarh & Delhi, Punjab and Telangana.
- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Andaman & Nicobar Islands, Bihar, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad and Jharkhand.
- ❖ Thunderstorm accompanied with Lightning very likely at isolated places over Andhra Pradesh, Arunachal Pradesh, Assam & Meghalaya, Chhattisgarh, Madhya Pradesh, Maharashtra, Nagaland, Manipur, Mizoram and Tripura, Odisha, Telangana and Uttarakhand.
  - Squally wind with speed reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail along and off Somalia & Oman coasts, some parts of southwest Arabian Sea and adjoining some parts of westcentral Arabian sea.
  - Squally weather with wind speed reaching 40 50 kmph gusting to 60 kmph likely to prevail over Gulf of Mannar, adjoining Comorin area, along and off Sri-Lanka coast, many parts of southwest Bay of Bengal, adjoining parts of southeast Bay of Benga, over Andaman sea.









## 12 August (Day 3)

- ♦ Heavy to Very Heavy Rainfall very likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Himachal Pradesh, Odisha, Sub Himalayan West Bengal & Sikkim and Uttarakhand.
- ♦ Heavy Rainfall very likely at isolated places over Bihar, Chhattisgarh, Coastal Andhra Pradesh, East Madhya Pradesh, East Uttar Pradesh, Konkan & Goa, Telangana and Vidarbha.
- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Andaman & Nicobar Islands, Bihar, Gangetic West Bengal, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad and Jharkhand.
- ❖ Thunderstorm accompanied with Lightning very likely at isolated places over Andhra Pradesh, Arunachal Pradesh, Assam & Meghalaya, Chhattisgarh, East Uttar Pradesh, Madhya Pradesh, Maharashtra, Nagaland, Manipur, Mizoram and Tripura, Odisha, Telangana and Uttarakhand.
  - Squally wind with speed reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail along and off Somalia, Yemen, Oman coasts, most parts of westcentral Arabian sea & adjoining, some parts of eastcentral Arabian sea, few parts of southwest Arabian Sea, southern parts of north Arabian sea east.
  - Squally weather with wind speed reaching 40 50 kmph gusting to 60 kmph likely to prevail along and off north Gujarat coast & adjoining northeast Arabian Sea over Gulf of Mannar and adjoining Comorin area, along and off Sri-Lanka coast, over southwest Bay of Bengal & adjoining parts of southeast, westcentral Bay of Bengal and over Andaman sea.









#### 13 August (Day 4)

- Heavy to Very Heavy Rainfall with isolated Extremely Heavy Rainfall likely at isolated places over Uttarakhand.
- ♦ Heavy to Very Heavy Rainfall likely at isolated places over Assam & Meghalaya, Chhattisgarh, Himachal Pradesh, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Odisha, Telangana, Uttar Pradesh and Vidarbha.
- ♦ Heavy Rainfall likely at isolated places over Arunachal Pradesh, Bihar, Coastal Andhra Pradesh, East Madhya Pradesh, Haryana, Chandigarh & Delhi, Konkan & Goa, Nagaland, Manipur, Mizoram and Tripura and Sub Himalayan West Bengal & Sikkim.
- **❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Bihar, Gangetic West Bengal, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad and Jharkhand.
- ❖ Thunderstorm accompanied with Lightning likely at isolated places over Andhra Pradesh, Chhattisgarh, Konkan & Goa, Madhya Pradesh, Maharashtra, Odisha, Telangana, Uttar Pradesh and Uttarakhand.
  - Squally wind with speed reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail along and off Somalia, Yemen, Oman coasts, most parts of westcentral Arabian sea & adjoining, some parts of eastcentral Arabian sea, few parts of southwest Arabian Sea, southern parts of north Arabian sea east.
  - Squally weather with wind speed reaching 40 50 kmph gusting to 60 kmph likely to prevail along and off north Gujarat coast & adjoining northeast Arabian Sea, along and off Konkan & Goa coasts, over Gulf of Mannar and adjoining Comorin area, along and off Sri-Lanka coast, over southwest Bay of Bengal & adjoining, many parts of southeast, southern parts of central Bay of Bengal, over Andaman sea, along and off north Andhra Pradesh, south Odisha coast, adjoining sea areas.









## 14 August (Day 5)

- ♦ Heavy to Very Heavy Rainfall likely at isolated places over Chhattisgarh, Coastal Andhra Pradesh, Himachal Pradesh, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Odisha, Telangana, Uttar Pradesh, Uttarakhand and Vidarbha.
- ♦ Heavy Rainfall likely at isolated places over Assam & Meghalaya, Coastal Karnataka, Haryana, Chandigarh & Delhi, Konkan & Goa, Madhya Maharashtra, Madhya Pradesh, Nagaland, Manipur, Mizoram and Tripura, North Interior Karnataka, Punjab, Rayalaseema and Sub Himalayan West Bengal & Sikkim.
- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) likely at isolated places over Bihar, Gangetic West Bengal, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad and Jharkhand.
- ❖ Thunderstorm accompanied with Lightning likely at isolated places over Andhra Pradesh, East Madhya Pradesh, Interior Karnataka, Konkan & Goa, Madhya Maharashtra, Marathwada, Odisha, Telangana and Uttarakhand.
  - Squally wind with speed reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail along and off Somalia, Yemen, Oman coasts, most parts of westcentral Arabian sea & adjoining, some parts of eastcentral Arabian sea, few parts of southwest Arabian Sea, southern parts of north Arabian sea east.
  - Squally weather with wind speed reaching 40 50 kmph gusting to 60 kmph likely to prevail along and off north Gujarat coast & adjoining northeast Arabian Sea, along and off Konkan & Goa coasts, over Gulf of Mannar and adjoining Comorin area, along and off Sri-Lanka coast, over southwest Bay of Bengal & adjoining, many parts of southeast, southern parts of central Bay of Bengal, over Andaman sea, along and off north Andhra Pradesh, south Odisha coast, adjoining sea areas.









## 15 August (Day 6)

- ♦ Heavy to Very Heavy Rainfall likely at isolated places over Chhattisgarh, Coastal Andhra Pradesh, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Telangana, Uttarakhand, West Madhya Pradesh and West Uttar Pradesh.
- ❖ Heavy Rainfall likely at isolated places over East Madhya Pradesh, East Rajasthan, East Uttar Pradesh, Haryana, Chandigarh & Delhi, Himachal Pradesh, Karnataka, Konkan & Goa, Madhya Maharashtra, Odisha, Punjab, Rayalaseema and Vidarbha.
- ❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph) likely at isolated places over Interior Karnataka.
- **❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Bihar and Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad.
- **❖ Thunderstorm accompanied with Lightning** likely at isolated places over Madhya Maharashtra, Marathwada, Telangana and Uttarakhand.

No Fishermen Warning







## 16 August (Day 7)

- \* Heavy to Very Heavy Rainfall likely at isolated places over Chhattisgarh, Telangana and Uttarakhand.
- ♦ Heavy Rainfall likely at isolated places over Coastal Andhra Pradesh, East Rajasthan, Himachal Pradesh, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Karnataka, Konkan & Goa, Madhya Maharashtra, Madhya Pradesh, Odisha, Vidarbha and West Uttar Pradesh.
- **❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** likely at isolated places over Interior Karnataka.
- **❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Bihar and Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad.
- **❖ Thunderstorm accompanied with Lightning** likely at isolated places over Madhya Maharashtra, Marathwada, Telangana and Uttarakhand.

No Fishermen Warning



## National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences


### **Flash Flood Warnings**

# 24 hours Outlook for the Flash Flood Risk (FFR) till 1730 IST of 11-08-2025:

Low to Moderate flash flood risk likely over few watersheds & neighbourhoods of following Met Sub-divisions during next 24 hours.

**Uttarakhand** - Almora, Bageshwar, Chamoli, Champawat, Dehradun, Nanital, Pauri Garhwal, Pithoragarh, Rudraprayag, Tehri Garwal and Uttarkashi districts.

Surface runoff/ Inundation may occur at some fully saturated soils & low-lying areas over Area of Concern (AoC) as shown in map due to expected rainfall occurrence in next 24 hours.




# 24 hours Outlook for the Flash Flood Risk (FFR) till 1730 IST of 11-08-2025:

Low to Moderate flash flood risk likely over few watersheds & neighbourhoods of following Met Subdivisions during next 24 hours.

Assam & Meghalaya - Chirang and Kokrajhar districts.

**Sub-Himalayan West Bengal & Sikkim** - East Sikkim, North Sikkim, South Sikkim, West Sikkim, Jalpaiguri and Kochbihar districts.

Surface runoff/ Inundation may occur at some fully saturated soils & low-lying areas over Area of Concern (AoC) as shown in map due to expected rainfall occurrence in next 24 hours





National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

# Table-1

# 7 Days Rainfall Forecast

S No	S.No. Subdivision 10- 11- 12- 13- 14- 15- 16-								
0.140.	Cubalvision	Aug							
			-	-	-		_	-	
4	AND AMAN & NICODAD IOLANDO	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	
	ANDAMAN & NICOBAR ISLANDS	FWS	WS	WS	WS	WS	FWS	FWS	
	ARUNACHAL PRADESH	FWS	FWS	WS	FWS	SCT	SCT	SCT	
	ASSAM & MEHGHALAYA	WS	FWS	FWS	WS	WS	FWS	FWS	
	N. M. M. & T.	FWS	FWS	FWS	WS	WS	FWS	FWS	
5	S.H. WEST BENGAL & SIKKIM	WS	WS	WS	FWS	FWS	FWS	FWS	
	GANGETIC WEST BENGAL	SCT	SCT	FWS	FWS	FWS	FWS	FWS	
7		SCT	SCT	FWS	FWS	FWS	FWS	FWS	
8	JHARKHAND	FWS	FWS	FWS	WS	WS	FWS	FWS	
	BIHAR	SCT	SCT	FWS	FWS	SCT	SCT	SCT	
10	EAST UTTAR PRADESH	SCT	SCT	FWS	WS	WS	FWS	SCT	
11	WEST UTTAR PRADESH	SCT	SCT	SCT	FWS	WS	WS	SCT	
12	UTTARAKHAND	WS							
13	HARYANA, CHD & DELHI	SCT	SCT	ISOL	SCT	FWS	FWS	SCT	
14	PUNJAB	SCT	SCT	ISOL	SCT	FWS	FWS	SCT	
15	HIMACHAL PRADESH	WS	WS	WS	WS	WS	WS	FWS	
16	JAMMU AND KASHMIR AND LADAKH	SCT	SCT	SCT	FWS	WS	WS	SCT	
17	WEST RAJASTHAN	DRY	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	
18	EAST RAJASTHAN	ISOL	ISOL	ISOL	ISOL	SCT	SCT	SCT	
19	WEST MADHYA PRADESH	SCT	SCT	FWS	FWS	FWS	WS	WS	
20	EAST MADHYA PRADESH	FWS	FWS	FWS	WS	WS	WS	WS	
21	GUJRAT REGION	SCT	SCT	SCT	SCT	SCT	SCT	FWS	
22	SAURASHTRA & KUTCH	SCT							
23	KONKAN & GOA	FWS	FWS	WS	WS	WS	WS	WS	
24	MADHYA MAHARASHTRA	SCT	ISOL	ISOL	SCT	SCT	SCT	SCT	
25	MARATHWADA	SCT	ISOL	ISOL	ISOL	SCT	SCT	SCT	
26	VIDARBHA	FWS	FWS	FWS	WS	WS	WS	WS	
27	CHATTISGARH	SCT	FWS	WS	WS	WS	WS	WS	
28	COASTAL ANDHRA PRADESH	SCT	SCT	FWS	FWS	WS	WS	FWS	
29	TELANGANA	WS							
30	RAYALASEEMA	SCT	SCT	SCT	FWS	FWS	FWS	SCT	
31	TAMILNADU & PUDUCHERRY	SCT	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	
32		WS							
	NORTH INTERIOR KARNATAKA	WS	FWS	FWS	FWS	FWS	WS	WS	
	SOUTH INTERIOR KARNATAKA	WS	FWS	FWS	FWS	FWS	FWS	FWS	
	KERALA	FWS	FWS	FWS	FWS	WS	WS	WS	
36		FWS							
3	- 11 (O. 10 TT LEI	. 770	. 775	. ***	. 770	. 775	. ,,,	. 770	

Legend	Category	%Stations
WS	Widespread/Most Places	76-100
FWS	Fairly Widespread/Many Places	51-75
SCT	Scattered/ A Few Places	26-50
ISOL	Isolated Places	1-25
DRY	No Rain	0

Page 12



Fig. 1: Maximum Temperatures Dated 2025-08-10




Fig. 3: Minimum Temperatures Dated 2025-08-10




Fig. 2: Departure of Maximum Temp. Dated 2025-08-10






Fig. 4: Departure of Minimum Temp. Dated 2025-08-10









## National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

#### Impact & Action Suggested due to

**Extremely heavy rainfall** likely over Uttarakhand on 13<sup>th</sup> August; **very heavy rainfall** over Gujarat Region on 10<sup>th</sup> August; Jammu-Kashmir during 13<sup>th</sup>-15<sup>th</sup>; Himachal Pradesh during 11<sup>th</sup>-14<sup>th</sup>; Uttarakhand on during 10<sup>th</sup> -12<sup>th</sup> & 14<sup>th</sup> -16<sup>th</sup>; West Uttar Pradesh on 13<sup>th</sup> & 15<sup>th</sup>; East Uttar Pradesh, Vidarbha on 13<sup>th</sup> & 14<sup>th</sup>; Arunachal Pradesh on 12<sup>th</sup>; Assam & Meghalaya on 12<sup>th</sup> & 13<sup>th</sup>; over Coastal Andhra Pradesh & Yanam on 14<sup>th</sup> & 15<sup>th</sup>; Telangana during 13<sup>th</sup>-16<sup>th</sup>; West Madhya Pradesh on 15<sup>th</sup>; Chhattisgarh on during 13<sup>th</sup> -16<sup>th</sup>; Sub-Himalayan West Bengal & Sikkim on 11<sup>th</sup> & 12<sup>th</sup>; Odisha during 12<sup>th</sup> & 14<sup>th</sup> August.

#### **Impact Expected**

Localized Flooding of roads, water logging in low lying areas and closure of underpasses mainly in urban areas of the above region.

Occasional reduction in visibility due to heavy rainfall.

Disruption of traffic in major cities due to water logging in roads leading to increased travel time.

Minor damage to kutcha roads.

Possibilities of damage to vulnerable structure.

Localized Landslides/Mudslides/landslips/mudslips/landsinks/mudsinks.

Damage to horticulture and standing crops in some areas due to inundation.

It may lead to riverine flooding in some river catchments (for riverine flooding please visit Web page of CWC)

### **Action Suggested**

Check for traffic congestion on your route before leaving for your destination.

Follow any traffic advisories that are issued in this regard.

Avoid going to areas that face the water logging problems often.

Avoid staying in vulnerable structure.

## Agromet advisories for various parts of the country

#### Agromet advisories for likely impact of Heavy / Heavy to Very Heavy / Extremely Heavy Rainfall

In Uttarakhand, make necessary arrangements to drain out excess water from the fields of already sown / transplanted rice, sugarcane, maize, black gram, green gram, groundnut, pigeon pea, finger millet, soybean and vegetables in Bhabar and Tarai Zone; and from barnyard millet, finger millet, green gram and black gram in Sub Humid Sub Tropic Zone. In Hill Zone, strengthen the bunds to prevent surface runoff of water. Postpone sowing of vegetable pea till soil attains optimum moisture level. Maintain proper drainage channels in vegetable and crop fields. Undertake harvesting of matured capsicum fruits. Postpone sowing of vegetable pea until the soil attains optimum moisture, especially under excessive wet soil conditions.





## National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

In Himachal Pradesh, provide proper drainage channels in maize, ginger, turmeric and vegetable fields in Mid Hills Sub Humid Zone; and rice, maize and vegetable fields in Sub Montane and Low Hills Sub Tropical Zone. In High Hills Sub Temperate Wet Zone, undertake harvesting of ripened tomato and cover the cauliflower nursery with plastic sheets to prevent damage from heavy rainfall.

In Madhya Pradesh, provide adequate drainage in the fields of maize, soybean, blackgram, cotton, and pigeon pea in Vindhyan Plateau Zone; maize, soybean, cotton, sugarcane and vegetables in Satpura Plateau Zone; rice, soybean, maize, sugarcane and vegetables in Central Narmada Valley Zone and soybean, pigeon pea, cotton and vegetables in Nimar Valley Zone.

In Bihar, make provisions to drain out excess water from standing crops such as maize, nurseries of onion, chilli, and cauliflower in North West Alluvial Plain Zone; maize, finger millet, ragi, kodo, sava, china etc. in North East Alluvial Zone.

In Sub-Himalayan West Bengal, make provision to drain out excess water from rice, ginger, vegetable fields and fruit orchards in Hill Zone and aman paddy and vegetable fields in Terai Zone. Cover the chilli seedlings with plastic to protect them from heavy rains in Terai Zone.

In Arunachal Pradesh, ensure proper drainage in rice, maize, finger millet, soybean, vegetables, and fruit orchards to avoid waterlogging. Provide strong support to fruit-bearing plants to prevent them from bending or breaking during heavy rains.

In Assam, to prevent waterlogging, ensure proper drainage in Sali rice, green gram and pigeon pea fields and banana orchards in Lower Brahmaputra Valley Zone; Sali rice and sugarcane fields in North Bank Plain Zone and Sali rice fields in Upper Brahmaputra Valley Zone.

In Meghalaya, ensure proper drainage in rice, maize, turmeric, chilli, okra and bitter gourd fields to prevent waterlogging. Provide staking/support to tall and fragile crops like banana, papaya, bottle gourd etc. to prevent lodging.

In Tamil Nadu, ensure proper drainage in sorghum fields to prevent waterlogging, especially in heavy soils and low-lying areas. Ensure proper drainage around the coconut plants to avoid root rot.

In West Uttar Pradesh, maintain proper drainage in fields of rice, pigeon pea, sugarcane and vegetable crops in South Western Semi-Arid Zone.

In Telangana, drain out excess water from rice nurseries and recently transplanted rice as well as from fields of cotton, maize, red gram, soybean, sugarcane, and vegetables.

#### **Livestock / Fishery**

Keep the animals inside the shed during heavy rainfall and provide them balanced feed.

Store feed and fodder in a safe place to prevent spoilage.


Construct an outlet with proper netting around the ponds to drain out excess water, thereby preventing fish from escaping in case of overflow.

#### Agromet advisories for likely impact of Thunderstorm / Gusty Winds / Squally Winds)

Provide mechanical support to horticultural crops and staking or support to vegetables and young fruit plants / fruit-bearing plants to avoid lodging due to strong winds.



# **LEGENDS**



## SPATIAL DISTRIBUTION (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/ A Few Places)
51-75	Fairly Widespred (FWS/ Many Places)	1-25	Isolated (ISOL)

## Subdivision Colour

## NO WARNING

WATCH (BE UPDATED)


ALERT (BE PREPARED TO TAKE ACTION

	Terms	Probability of Occurrence
	Unlikely	< 25
	Likely	25 - 50
V	ery Likely	50 - 75
M	ost Likely	> 75

Probabilistic Forecast

# WARNING (TAKE ACTION)

Very Heavy Rain Heavy Rain Thunderstorm & Lightning Hailstrom





(%)

Strong surface winds

**Heat Wave** 

Hot Day



Hot & Humid

**Cold Wave** 





	LE	GENDS			
	WARNING	Probabilistic Forecast			
	WARNING (TAKE ACTION)	Terms	Probability of Occurrence (%)		
	ALERT ( BE PREPARED)	Unlikely Likely	< 25 25 - 50		
	WATCH (BE UPDATED)	Very Likely	50 - 75		
	NO WARNING ( NO ACTION)	Most Likely	> 75		
10	Heavy: 64.5 to 115.5 mm/cm *				
1000	Very Heavy: 115.6 to 204.4 mm/cm*  Extremely Heavy: > 204.4 mm/cm *				
/ Snow	Extremely neavy. > 204.4 minischi	70			
	When maximum temperature of a sta (a) Based on Departure from normal	tion reaches ≥40	0° C for plains and ≥30° C for hilly reg		
	Heat Wave: Maximum Temperature Depart	ure from normal 4.5	5º C to 6.4º C		
	Severe Heat Wave: Maximum Temperature				
î+	(b). Based on Actual maximum temper	erature			
t Wave	Heat Wave: When actual maximum temper				
	Severe Heat Wave: When actual maximum				
	(c). Criteria for heat wave for coastal		Heat Wave may be described provided maxim		
	temperature ≥37°C	4.5 C IIOII IIOIIIai. I	leat wave may be described provided maxim		
0	When maximum temperature remain	ns 40°C			
J+	Warm Night: When minimum temperature	departure 4.5 °C to 6			
n Night	Severe Warm Night: When minimum temp	erature departure >	3.4 °C.		
	140				
	When minimum temperature of a s  (a). Based on departure	tation ≤10°C foi	plains and ≤0°C for hilly regions.		
	Cold Wave: Minimum Temperature Departu	ure from normal -4.5	5 °C to -6.4 °C.		
<b>N</b> _	Severe Cold Wave: Minimum Temperature	Departure from nor	mal ≤ -6.5 °C		
<b>5</b>	(b) Based on actual Minimum Tempe	erature (for Plain	s only)		
d Wave	Cold Wave : When Minimum Temperature				
	Severe Cold Wave: When Minimum Temperature is ≤ 2.0 °C				
	(c) For Coastal Stations	< 4.5°C 0 anti-	Minimum Townson in 2 45 °C		
	When Minimum Temperature departure is	S-4.5 C & actual	Minimum Temperature is \$ 15 C		
0	When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions Based on departure				
1-	Cold Day: Maximum Temperature Departur	re from normal -4.5	°C to -6.4 °C.		
old Day	Severe Cold Day: Maximum Temperature				
	Di				
	Moderate Fog: When the visibility between		r and the horizontal visibility < 1k		
0	Dense Fog: when the visibility between 50				
Fog	Very Dense Fog: when the visibility < 50 m				
-					
44	Sudden electrical discharges manifes	sted by a flash of	light (Lightning) and a sharp rumbling		
derstorm	sound (thunder)				
~					
Section		and energetically	lifted to great heights by a strong and		
	turbulent wind.				
st/Sand Storm	les denseits en ensemb				
	Ice deposits on ground				
torm 55	Ice deposits on ground Air temperature ≤4°C ( over Plains)				
torm 55	Air temperature ≤4°C ( over Plains)	ly, lasts for at	east 1 minute		
sorm		ly, lasts for atl	east 1 minute.		
ss rost	Air temperature ≤4°C (over Plains)  A strong wind that rises sudden	ly, lasts for atl	east 1 minute.		
ss rost	A strong wind that rises sudden  Moderate: Wind speed 52-61 kmph	ly, lasts for atl	east 1 minute.		
	Air temperature ≤4°C (over Plains)  A strong wind that rises sudden  Moderate: Wind speed 52-61 kmph  Severe: Wind speed 62-87 kmph  Very Severe: Wind speed >87 kmph		east 1 minute.		
storm srost	Air temperature ≤4°C (over Plains)  A strong wind that rises sudden Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph	ver specific area			
rost quali	Air temperature ≤4°C (over Plains)  A strong wind that rises sudden Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph  Effect of various waves in the sea ov Rough to very rough: Wind speed 41-62 High to very high: Wind speed 63-117 kmp	ver specific area kmph (22-33 knots) oh ( 34-63 knots) & \	& Wave height 2.5-6 metre Wave height 6-14 metre		
ss rost	Air temperature ≤4°C ( over Plains)  A strong wind that rises sudden Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph  Effect of various waves in the sea over Rough to very rough: Wind speed 41-62	ver specific area kmph (22-33 knots) oh ( 34-63 knots) & \	& Wave height 2.5-6 metre Wave height 6-14 metre		
rost	Air temperature ≤4°C (over Plains)  A strong wind that rises sudden Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph  Effect of various waves in the sea ov Rough to very rough: Wind speed 41-62 High to very high: Wind speed 63-117 kmph Phenomenal: Wind speed >117 kmph (>63	ver specific area kmph (22-33 knots) oh ( 34-63 knots) & V knots) & Wave heig	& Wave height 2.5-6 metre Wave height 6-14 metre		
ss rost	Air temperature ≤4°C (over Plains)  A strong wind that rises sudden Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph  Effect of various waves in the sea ov Rough to very rough: Wind speed 41-62 High to very high: Wind speed 63-117 kmp	ver specific area kmph (22-33 knots) oh ( 34-63 knots) & V knots) & Wave heig (34-47 knots)	& Wave height 2.5-6 metre  Wave height 6-14 metre  ht >14 metre		
rost	Air temperature ≤4°C (over Plains)  A strong wind that rises suddent Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph  Effect of various waves in the sea ov Rough to very rough: Wind speed 41-62 High to very high: Wind speed 63-117 kmp Phenomenal: Wind speed >117 kmph (>63  Cyclonic Storm: Wind speed 88-1 Very Severe Cyclonic Storm: Wind speed	ver specific area kmph (22-33 knots) & 1 ch (34-63 knots) & 1 knots) & Wave heig (34-47 knots) 117 kmph (48-63 knots) 118-165 kmph (64	& Wave height 2.5-6 metre  Wave height 6-14 metre  ht >14 metre  sts) - 89 knots)		
ss rost	Air temperature ≤4°C (over Plains)  A strong wind that rises suddent Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph  Effect of various waves in the sea over Rough to very rough: Wind speed 41-62 High to very high: Wind speed 63-117 kmph Phenomenal: Wind speed >117 kmph (>63  Cyclonic Storm: Wind speed 62-87 kmph (Severe Cyclonic Storm: Wind speed 88-1	ver specific area kmph (22-33 knots) bh ( 34-63 knots) & 1 knots) & Wave heig (34-47 knots) 117 kmph (48-63 knot 1118-165 kmph (64 speed 166-220 kmg	& Wave height 2.5-6 metre  Wave height 6-14 metre  ht >14 metre  sts) - 89 knots)		