



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

2025-08-13

Time of Issue: 08:48:00 hours IST

(Morning)

ALL INDIA WEATHER SUMMARY AND FORECAST BULLETIN

Significant Weather Features

Weather, Forecast and Warnings :

Northwest India:

- Extremely heavy rainfall very likely at isolated places over Uttarakhand on 13th August.
- Isolated **heavy rainfall** likely over Jammu-Kashmirduring 13th-15th; Himachal Pradesh, Uttarakhand during 13th-18th; Haryana, Chandigarh, West Uttar Pradesh during 13th-15th; East Uttar Pradesh on 13th & 14th; East Rajasthan during 15th-18th August with **very heavy rainfall** over Jammu, Himachal Pradesh on 13th & 14th; Uttarakhand during 14th-18th; Uttar Pradesh on 13th & 14th August.
- Light/moderate rainfall at many places accompanied with thunderstorm & lightning likely over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad & Uttarakhand during next 7 days.

Northeast India:

- Light/moderate rainfall at many places accompanied with thunderstorm, lightning and isolated heavy rainfall likely to continue over Arunachal Pradesh on 13th; Assam & Meghalaya during 13th-17th, Nagaland, Manipur, Mizoram & Tripura during 13th-15th August.
- Light/moderate rainfall at many places accompanied with thunderstorm & lightning likely during next 2 days.

South Peninsular India:

- Extremely heavy rainfall very likely at isolated places over Telangana on 13th & 14th August.
- Isolated **heavy rainfall** likely over Karnataka during 14th-18th; Rayalaseema on 13th & 14th; Coastal Andhra Pradesh & Yanam, Telangana during 13th-18th; Tamil Nadu, Puducherry & Karaikal on 13th, Kerala on 13th, 17th & 18th August with isolated **very heavy rainfall over Coastal Andhra Pradesh & Yanam on 13th & 14th, Rayalaseema on 13th; Telangana during 13th-16th August.**
- Strong surface winds (speed reaching 40-50 kmph) very likely over South Peninsular India during next 2 days.
- Light to moderate rainfall at most/many places accompanied with thunderstorm & lightning likely over Rayalaseema, Coastal Andhra Pradesh & Yanam and Telangana during next 5 days.

East & Central India:

- Isolated heavy rainfall likely over West Madhya Pradesh, Vidarbha; Chhattisgarh during 13th-18th; Sub-Himalayan West Bengal & Sikkim on 14th, 17th & 18th; Bihar on 14th; Odisha on 16th August with isolated very heavy rainfall over West Madhya Pradesh on 18th; Vidarbha, Chhattisgarh on 13th, 14th, 17th & 18th; Sub-Himalayan West Bengal & Sikkim on 13th; Bihar on 13th and Odisha during 13th-15th August.
- Light to moderate rainfall at most/many places accompanied with thunderstorm & lightning likely over the region during next 5 days.

West India:

- Isolated **heavy rainfall** likely over Madhya Maharashtra, Konkan & Goa during 13th-18th; Marathawada during 13th-16th; Gujarat Region during 16th-18th; Saurashtra & Kutch on 18th August **with isolated very heavy rainfall over Konkan & Goa, ghat areas of Madhya Maharashtra during 15th-18th August.**
- Light to moderate rainfall at many/some places very likely over the region during next 5 days.



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Main Weather Observations:

- * Rainfall distribution (from 0830 hours IST to 1730 hours IST of yesterday): at most places over Nagaland, Manipur, Mizoram & Tripura, Arunachal Pradesh, Haryana Chandigarh & Delhi, Kerala & Mahe, Coastal Karnataka, Andaman & Nicobar Islands and Lakshadweep; at many places over West Uttar Pradesh, Odisha, Sub-himalayan West Bengal & Sikkim, Konkan & Goa, Madhya Maharashtra, Assam & Meghalaya, Himachal Pradesh, East Madhya Pradesh, Bihar, Jharkhand, Punjab, Gangetic West Bengal, Jammu & Kashmir and Ladakh, Uttarakhand, West Madhya Pradesh, East Uttar Pradesh, Gujarat Region, South Interior Karnataka, North Interior Karnataka, Tamilnadu Puducherry & Karaikal, Rayalaseema, Telangana, Chhattisgarh, Vidarbha, Saurashtra & Kutch and Coastal Andhra Pradesh & Yanam; Dry over rest of the country.
- ❖ Significant rainfall recorded(in cm) (from 0830 hours IST to 1730 hours IST of yesterday): East madhya pradesh: Umaria (dist Umaria) 7; Sub-himalayan west bengal & sikkim: Bagdogra AP (dist Darjeeling) 4; Coastal andhra pradesh & yanam: Kakinada (dist Kakinada), Ongole (dist Prakasam) 3 Each.
- ♦ Heavy Rainfall observed (from 0830 hours IST to 1730 hours IST of yesterday): Heavy rain at isolated places over East Madhya Pradesh.
- ♦ Minimum Temperature Departures (as on 12-08-2025): markedly above normal(> 5.1°C) at few places over West Madhya Pradesh; at isolated places over Assam & Meghalaya, Bihar, East Uttar Pradesh, West Uttar Pradesh, Himachal Pradesh, Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad and East Madhya Pradesh. appreciably above normal(3.1°C to 5.0°C) at isolated places over Sub Himalayan West Bengal & Sikkim, Gangetic West Bengal, Odisha, Gujarat Region and Saurashtra & Kutch. above normal(1.6°C to 3.0°C) at few places over Nagaland, Manipur, Mizoram & Tripura, West Rajasthan and East Rajasthan; at isolated places over Punjab, Vidarbha, Chhattisgarh and Tamil Nadu, Puducherry & Karaikal. near normal(-1.5°C to 1.5°C) at many places over Uttarakhand, Haryana-Chandigarh-Delhi, Telangana, Rayalaseema and Kerala & Mahe; at most places over Andaman & Nicobar Islands, Jharkhand, Konkan & Goa, Madhya Maharashtra, Marathwada, Coastal Andhra Pradesh & Yanam, Coastal Karnataka, North Interior Karnataka, South Interior Karnataka and Lakshadweep. The lowest minimum temperature of 19.0°C was reported at HALFLONG (ASSAM), MATHERAN (MAHARASHTRA), and JEUR (MAHARASHTRA) over the Plains of India.
- ♦ Maximum Temperature Departures (as on 12-08-2025): markedly above normal(> 5.1°C) at isolated places over Odisha and Chhattisgarh. appreciably above normal(3.1°C to 5.0°C) at few places over Gangetic West Bengal, Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad and Vidarbha; at isolated places over Assam & Meghalaya, East Rajasthan, Gujarat Region, Madhya Maharashtra, Coastal Andhra Pradesh & Yanam, Telangana and Tamil Nadu, Puducherry & Karaikal. above normal(1.6°C to 3.0°C) at many places over Jharkhand; at few places over Nagaland, Manipur, Mizoram & Tripura, Bihar, West Madhya Pradesh, Saurashtra & Kutch, Konkan & Goa and Marathwada; at isolated places over Sub Himalayan West Bengal & Sikkim, East Uttar Pradesh, West Uttar Pradesh, Himachal Pradesh, East Madhya Pradesh and Kerala & Mahe. near normal(-1.5°C to 1.5°C) at many places over Uttarakhand and South Interior Karnataka; at most places over West Rajasthan, Coastal Karnataka and Lakshadweep; at few places over Andaman & Nicobar Islands, Haryana-Chandigarh-Delhi and North Interior Karnataka. The highest maximum temperature of 37.0°C was reported at BOUDH (ORISSA).





National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Meteorological Analysis (Based on 0530 hours IST)

- The **monsoon trough** at mean sea level now passes through Bhatinda, Ambala, Bareilly, Varanasi, Daltonganj, Jharsuguda and thence south-southeastwards to centre of low pressure area over Westcentral & adjoining northwest Bay of Bengal off North Andhra Pradesh and South Odisha coasts.
- Under the influence of the upper air cyclonic circulation over west central Bay of Bengal & neighbourhood, a
 Low Pressure area has formed over Westcentral & adjoining northwest Bay of Bengal off North Andhra
 Pradesh and South Odisha coasts at 0530 hrs IST of today, the 13th August 2025. The associated upper air
 cyclonic circulation extends upto 7.6 km above mean sea level tilting southwards with height. It is likely to move
 west-northwestwards and become well marked low during next 24 hours. It is likely to move across North
 Coastal Andhra Pradesh and south Odisha during next 48 hours.
- The **upper air cyclonic circulation** over northwest Uttar Pradesh extending upto 0.9 km above mean sea level persists.
- The **upper air cyclonic circulation** over northeast Assam extending upto 3.1 km above mean sea level persists.
- The **trough** now runs from northeast Uttar Pradesh to upper air cyclonic circulation associated with the low pressure area over Westcentral & adjoining northwest Bay of Bengal off North Andhra Pradesh and South Odisha coasts across Chhattisgarh upto 1.5 km above mean sea level.
- The **upper air cyclonic circulation** over North Interior Karnataka & neighbourhood at 5.8 km above mean sea level persists.
- The **east-west trough** now runs from central parts of Bay of Bengal to the cyclonic circulation over North Interior Karnataka across the centre of low pressure area over Westcentral & adjoining northwest Bay of Bengal off North Andhra Pradesh and South Odisha coasts at 5.8 km above mean sea level.
- The **Western Disturbance** as a cyclonic circulation over north Pakistan & adjoining Jammu & Kashmir between 3.1 & 5.8 km above mean sea level has moved away.







13 August (Day 1)


- ♦ Heavy to Very Heavy Rainfall with isolated Extremely Heavy Rainfall very likely at isolated places over Coastal Andhra Pradesh, Telangana and Uttarakhand.
- ♦ Heavy to Very Heavy Rainfall very likely at isolated places over Bihar, Chhattisgarh, Himachal Pradesh, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Odisha, Rayalaseema, Sub Himalayan West Bengal & Sikkim, Uttar Pradesh and Vidarbha.
- ♦ Heavy Rainfall very likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Haryana, Chandigarh & Delhi, Kerala & Mahe, Konkan & Goa, Madhya Maharashtra, Madhya Pradesh, Marathwada, Nagaland, Manipur, Mizoram and Tripura, North Interior Karnataka, Punjab and Tamil Nadu Puducherry & Karaikal.
- ❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph) very likely at isolated places over Andaman & Nicobar Islands, Chhattisgarh, North Interior Karnataka and Vidarbha.
- ♦ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Bihar, Gangetic West Bengal, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Jharkhand, Odisha, Rayalaseema, South Interior Karnataka and Telangana.
- ♦ Thunderstorm accompanied with Lightning very likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Coastal Andhra Pradesh, Kerala & Mahe, Konkan & Goa, Madhya Maharashtra, Madhya Pradesh, Marathwada, Nagaland, Manipur, Mizoram and Tripura, Tamil Nadu Puducherry & Karaikal, Uttar Pradesh and Uttarakhand.
- ♦ Strong Surface Winds very likely at isolated places over Andaman & Nicobar Islands, Andhra Pradesh, Konkan & Goa and Odisha.




National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

- Squally wind with speed reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail along and off Somalia, Oman coasts, most parts of westcentral Arabian sea, few parts of southwest Arabian Sea, some parts of northwest Arabian sea.
- Squally weather with wind speed reaching 40 50 kmph gusting to 60 kmph likely to prevail along and
 off north Gujarat coast & adjoining northeast & eastcentral Arabian Sea, along and off konkan & Goa coasts,
 over Gulf of Mannar and adjoining Comorin area, along and off Sri-Lanka coast, over south & central Bay of
 Bengal & adjoining northwest Bay of Bengal, over Andaman sea, along and off Andhra Pradesh, Odisha
 coast, adjoining sea areas.







14 August (Day 2)

- ❖ Heavy to Very Heavy Rainfall with isolated Extremely Heavy Rainfall very likely at isolated places over Telangana.
- ♦ Heavy to Very Heavy Rainfall very likely at isolated places over Chhattisgarh, Coastal Andhra Pradesh, Himachal Pradesh, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Odisha, Uttar Pradesh and Uttarakhand.
- ♦ Heavy Rainfall very likely at isolated places over Assam & Meghalaya, Bihar, Haryana, Chandigarh & Delhi, Interior Karnataka, Konkan & Goa, Madhya Pradesh, Maharashtra, Nagaland, Manipur, Mizoram and Tripura, Punjab, Rayalaseema and Sub Himalayan West Bengal & Sikkim.
- **❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** very likely at isolated places over Andaman & Nicobar Islands, Chhattisgarh, North Interior Karnataka and Vidarbha.
- ♦ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Bihar, Gangetic West Bengal, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Jharkhand, Odisha, Rayalaseema, South Interior Karnataka and Telangana.
- **Thunderstorm accompanied with Lightning** very likely at isolated places over Coastal Andhra Pradesh, East Rajasthan, Konkan & Goa, Madhya Maharashtra, Madhya Pradesh, Marathwada, Nagaland, Manipur, Mizoram and Tripura and Uttarakhand.
- **Strong Surface Winds** very likely at isolated places over Andaman & Nicobar Islands, Andhra Pradesh, Konkan & Goa and Odisha.
 - Squally wind with speed reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail along and off Somalia, Oman coasts, most parts of westcentral Arabian sea & adjoining east central & northwest





National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Arabian sea, some parts of southwest Arabian Sea.

*Squally weather with wind speed reaching 40 - 50 kmph gusting to 60 kmph likely to prevail along and off along and off konkan & Goa coasts, over Gulf of Mannar and adjoining Comorin area, along and off Sri-Lanka coast, over south & central Bay of Bengal & adjoining, some parts of north Bay of. Bengal, over Andaman sea, along and off Andhra Pradesh, Odisha coast, adjoining sea areas.









15 August (Day 3)

- ♦ Heavy to Very Heavy Rainfall very likely at isolated places over Konkan & Goa, Madhya Maharashtra, Odisha, Telangana and Uttarakhand.
- Heavy Rainfall very likely at isolated places over Assam & Meghalaya, Chhattisgarh, Coastal Andhra Pradesh, East Rajasthan, Haryana, Chandigarh & Delhi, Himachal Pradesh, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Karnataka, Madhya Pradesh, Marathwada, Nagaland, Manipur, Mizoram and Tripura, Punjab, Vidarbha and West Uttar Pradesh.
- **♦ Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** very likely at isolated places over Andaman & Nicobar Islands, North Interior Karnataka and Telangana.
- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Bihar, Gangetic West Bengal, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Jharkhand, Odisha, Rayalaseema and South Interior Karnataka.
- **Thunderstorm accompanied with Lightning** very likely at isolated places over Chhattisgarh, Coastal Andhra Pradesh, East Rajasthan, Gujarat State, Madhya Pradesh, Maharashtra, Nagaland, Manipur, Mizoram and Tripura and Uttarakhand.
- ❖ Strong Surface Winds very likely at isolated places over Andaman & Nicobar Islands, Andhra Pradesh, Konkan & Goa and Odisha.









16 August (Day 4)

- ♦ Heavy to Very Heavy Rainfall likely at isolated places over Konkan & Goa, Madhya Maharashtra, Telangana and Uttarakhand.
- ♦ Heavy Rainfall likely at isolated places over Assam & Meghalaya, Chhattisgarh, East Rajasthan, Gujarat Region, Himachal Pradesh, Karnataka, Madhya Pradesh, Marathwada, Odisha, Vidarbha and West Uttar Pradesh.
- **♦ Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** likely at isolated places over North Interior Karnataka and Telangana.
- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) likely at isolated places over Bihar, Gangetic West Bengal, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Jharkhand, Odisha, Rayalaseema and South Interior Karnataka.
- ♦ Thunderstorm accompanied with Lightning likely at isolated places over Chhattisgarh, Coastal Andhra Pradesh, East Rajasthan, Gujarat State, Madhya Pradesh, Maharashtra and Uttarakhand.
- * Strong Surface Winds likely at isolated places over Andhra Pradesh, Konkan & Goa and Odisha.









17 August (Day 5)

- ♦ Heavy to Very Heavy Rainfall likely at isolated places over Chhattisgarh, Konkan & Goa, Madhya Maharashtra, Uttarakhand and Vidarbha.
- ♦ Heavy Rainfall likely at isolated places over Assam & Meghalaya, Coastal Andhra Pradesh, East Rajasthan, Gujarat Region, Himachal Pradesh, Karnataka, Kerala & Mahe, Madhya Pradesh, Sub Himalayan West Bengal & Sikkim and Telangana.
- **♦ Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Bihar, Interior Karnataka, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad and Telangana.
- * Thunderstorm accompanied with Lightning likely at isolated places over Rajasthan and Uttarakhand.









18 August (Day 6)

- ♦ Heavy to Very Heavy Rainfall likely at isolated places over Chhattisgarh, Coastal Karnataka, Konkan & Goa, Madhya Maharashtra, Uttarakhand, Vidarbha and West Madhya Pradesh.
- ♦ Heavy Rainfall likely at isolated places over Coastal Andhra Pradesh, East Madhya Pradesh, East Rajasthan, Gujarat State, Haryana, Chandigarh & Delhi, Himachal Pradesh, Interior Karnataka, Kerala & Mahe, Punjab, Sub Himalayan West Bengal & Sikkim and Telangana.
- **♦ Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Bihar, Interior Karnataka, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad and Telangana.
- * Thunderstorm accompanied with Lightning likely at isolated places over Rajasthan and Uttarakhand.







19 August (Day 7)

- ♦ Heavy to Very Heavy Rainfall likely at isolated places over Chhattisgarh, Coastal Karnataka, Konkan & Goa, Madhya Maharashtra, Uttarakhand, Vidarbha and West Madhya Pradesh.
- ♦ Heavy Rainfall likely at isolated places over Coastal Andhra Pradesh, East Madhya Pradesh, East Rajasthan, Gujarat State, Haryana, Chandigarh & Delhi, Himachal Pradesh, Interior Karnataka, Kerala & Mahe, Punjab, Sub Himalayan West Bengal & Sikkim and Telangana.
- **♦ Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Bihar, Interior Karnataka, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad and Telangana.
- * Thunderstorm accompanied with Lightning likely at isolated places over Rajasthan and Uttarakhand.



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Flash Flood Warnings


24 hours Outlook for the Flash Flood Risk (FFR) till 0530 IST of 14-08-2025 :

Low to Moderate flash flood risk likely over few watersheds & neighbourhoods of following Met Subdivisions during next 24 hours.

Himachal Pradesh - Shimla and Sirmaur districts.

Uttarakhand - Almora, Bageshwar, Chamoli, Champawat, Dehradun, Nanital, Pauri Garhwal, Pithoragarh, Rudraprayag, Tehri Garwal and Uttarkashi districts.

Surface runoff/ Inundation may occur at some fully saturated soils & low-lying areas over Area of Concern (AoC) as shown in map due to expected rainfall occurrence in next 24 hours.




24 hours Outlook for the Flash Flood Risk (FFR) till 0530 IST of 14-08-2025 :

Low to Moderate flash flood risk likely over few watersheds & neighbourhoods of following Met Subdivisions during next 24 hours.

Bihar - Arariya, Kishanganj, Purnia and Supaul districts.

Sub-Himalayan West Bengal & Sikkim - East Sikkim, North Sikkim, South Sikkim, West Sikkim, Darjeeling, Jalpaiguri, Kochbihar and Uttar_Dinajpur districts.

Surface runoff/ Inundation may occur at some fully saturated soils & low-lying areas over Area of Concern (AoC) as shown in map due to expected rainfall occurrence in next 24 hours.





National Weather Forecasting Centre
Indian Meteorological Department
Ministry of Earth Sciences

Table-1

7 Days Rainfall Forecast

	r Days Railli	an i		Jou	JL			
S.No.	Subdivision	13-	14-	15-	16-	17-	18-	19-
		Aug						
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
1	ANDAMAN & NICOBAR ISLANDS	WS	WS	WS	WS	FWS	FWS	FWS
2	ARUNACHAL PRADESH	FWS	FWS	SCT	SCT	SCT	SCT	SCT
3	ASSAM & MEHGHALAYA	WS	FWS	SCT	FWS	FWS	FWS	FWS
4	N. M. M. & T.	FWS	SCT	FWS	FWS	SCT	SCT	SCT
5	S.H. WEST BENGAL & SIKKIM	WS	WS	FWS	FWS	WS	WS	WS
6	GANGETIC WEST BENGAL	SCT	FWS	FWS	SCT	FWS	FWS	FWS
7	ODISHA	FWS	WS	FWS	FWS	SCT	SCT	SCT
8	JHARKHAND	FWS	FWS	FWS	SCT	SCT	FWS	FWS
9	BIHAR	FWS	SCT	SCT	SCT	SCT	SCT	SCT
10	EAST UTTAR PRADESH	WS	FWS	SCT	SCT	ISOL	SCT	SCT
11	WEST UTTAR PRADESH	FWS	WS	FWS	FWS	SCT	SCT	SCT
12	UTTARAKHAND	WS						
13	HARYANA, CHD & DELHI	FWS	FWS	FWS	SCT	SCT	FWS	FWS
14	PUNJAB	FWS	FWS	FWS	SCT	SCT	FWS	FWS
15	HIMACHAL PRADESH	WS	WS	WS	FWS	FWS	WS	WS
16	JAMMU AND KASHMIR AND LADAKH	FWS	WS	WS	SCT	SCT	FWS	FWS
17	WEST RAJASTHAN	ISOL	ISOL	ISOL	ISOL	SCT	FWS	FWS
18	EAST RAJASTHAN	ISOL	ISOL	SCT	FWS	FWS	FWS	FWS
19	WEST MADHYA PRADESH	FWS	FWS	FWS	WS	WS	WS	WS
20	EAST MADHYA PRADESH	FWS	WS	WS	WS	WS	WS	WS
21	GUJRAT REGION	SCT	SCT	FWS	WS	WS	WS	WS
22	SAURASHTRA & KUTCH	SCT	SCT	SCT	SCT	FWS	WS	WS
23	KONKAN & GOA	WS						
24	MADHYA MAHARASHTRA	SCT	SCT	FWS	FWS	FWS	WS	WS
25	MARATHWADA	SCT	SCT	FWS	FWS	WS	FWS	FWS
26	VIDARBHA	WS						
27	CHATTISGARH	WS						
28	COASTAL ANDHRA PRADESH	WS	WS	FWS	SCT	SCT	SCT	SCT
29	TELANGANA	WS						
30	RAYALASEEMA	WS	WS	FWS	SCT	SCT	ISOL	ISOL
31	TAMILNADU & PUDUCHERRY	SCT	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
32	COSTAL KARNATAKA	WS						
33	NORTH INTERIOR KARNATAKA	FWS	WS	WS	WS	WS	WS	WS
34	SOUTH INTERIOR KARNATAKA	FWS						
35	KERALA	WS						
36	LAKSHDWEEP	WS	FWS	FWS	FWS	WS	WS	WS

Legend	Category	%Stations
WS	Widespread/Most Places	76-100
FWS	Fairly Widespread/Many Places	51-75
SCT	Scattered/ A Few Places	26-50
ISOL	Isolated Places	1-25
DRY	No Rain	0

Fig. 1: Maximum Temperatures Dated 2025-08-13




Fig. 3: Minimum Temperatures Dated 2025-08-13




Fig. 2: Departure of Maximum Temp. Dated 2025-08-13






Fig. 4: Departure of Minimum Temp. Dated 2025-08-13









National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Extremely heavy rainfall very likely at isolated places Uttarakhand on 13th and Telangana on 13th & 14th August

Very heavy rainfall over Jammu, Himachal Pradesh during 13th & 14th; Uttarakhand during 14th-18th; Uttar Pradesh on 13th & 14th; Coastal Andhra Pradesh & Yanam on 13th & 14th, Rayalaseema on 13th; Telangana during 13th-16th; West Madhya Pradesh on 18th; Vidarbha, Chhattisgarh on 13th, 14th, 17th & 18th; Sub-Himalayan West Bengal & Sikkim on 13th; Bihar on 13th and Odisha during 13th-15th and Konkan & Goa, ghat areas of Madhya Maharashtra during 15th-18th August.

Impact Expected

Localized Flooding of roads, water logging in low lying areas and closure of underpasses mainly in urban areas of the above region.

Occasional reduction in visibility due to heavy rainfall.

Disruption of traffic in major cities due to water logging in roads leading to increased travel time.

Minor damage to kutcha roads.

Possibilities of damage to vulnerable structure.

Localized Landslides/Mudslides/landslips/mudslips/landsinks/mudsinks.

Damage to horticulture and standing crops in some areas due to inundation.

It may lead to riverine flooding in some river catchments (for riverine flooding please visit Web page of CWC)

Action Suggested

Check for traffic congestion on your route before leaving for your destination.

Follow any traffic advisories that are issued in this regard.

Avoid going to areas that face the water logging problems often.

Avoid staying in vulnerable structure.

Agromet advisories for various parts of the country

- In Uttarakhand, make necessary arrangements to drain out excess water from the fields of already sown / transplanted rice, sugarcane, maize, black gram, green gram, groundnut, pigeon pea, finger millet, soybean and vegetables in Bhabar and Tarai Zone; and from barnyard millet, finger millet, green gram and black gram in Sub Humid Sub Tropic Zone. In Hill Zone, strengthen the bunds to prevent surface runoff of water. Postpone sowing of vegetable pea till soil attains optimum moisture level. Maintain proper drainage channels in vegetable and crop fields. Undertake harvesting of matured capsicum fruits. Postpone sowing of vegetable pea until the soil attains optimum moisture, especially under excessive wet soil conditions.
- In Himachal Pradesh, provide proper drainage channels in maize, ginger, turmeric and vegetable fields in Mid
 Hills Sub Humid Zone; and rice, maize and vegetable fields in Sub Montane and Low Hills Sub Tropical
 Zone. In High Hills Sub Temperate Wet Zone, undertake harvesting of ripened tomato and cover the
 cauliflower nursery with plastic sheets to prevent damage from heavy rainfall.



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

- In West Uttar Pradesh, maintain proper drainage in fields of rice, pigeon pea, sugarcane and vegetable crops in South Western Semi Arid Zone.
- In **Bihar**, make provisions to drain out excess water from standing crops such as maize, nurseries of onion, chilli, and cauliflower in **North West Alluvial Plain Zone**; maize, finger millet, ragi, kodo, sava, china etc. in **North East Alluvial Zone**.
- In **Sub-Himalayan West Bengal**, make provision to drain out excess water from rice, ginger, vegetable fields and fruit orchards in **Hill Zone** and *aman* paddy and vegetable fields in **Terai Zone**. Cover the chilli seedlings with plastic to protect them from heavy rains in **Terai Zone**.
- In Madhya Pradesh, provide adequate drainage in the fields of maize, soybean, blackgram, cotton, and pigeon pea in Vindhyan Plateau Zone; maize, soybean, cotton, sugarcane and vegetables in Satpura Plateau Zone; rice, soybean, maize, sugarcane and vegetables in Central Narmada Valley Zone and soybean, pigeon pea, cotton and vegetables in Nimar Valley Zone.
- In Arunachal Pradesh, ensure proper drainage in rice, maize, finger millet, soybean, vegetables, and fruit
 orchards to avoid waterlogging. Provide strong support to fruit-bearing plants to prevent them from bending or
 breaking during heavy rains.
- In **Assam**, to prevent waterlogging, ensure proper drainage in *Sali* rice, green gram and pigeon pea fields and banana orchards in **Lower Brahmaputra Valley Zone**; *Sali* rice and sugarcane fields in **North Bank Plain Zone and** *Sali* rice fields in **Upper Brahmaputra Valley Zone**.
- In **Meghalaya**, ensure proper drainage in rice, maize, turmeric, chilli, okra and bitter gourd fields to prevent waterlogging. Provide staking/support to tall and fragile crops like banana, papaya, bottle gourd etc. to prevent lodging.
- In **Tamil Nadu**, ensure proper drainage in sorghum fields to prevent waterlogging, especially in heavy soils and low-lying areas. Ensure proper drainage around the coconut plants to avoid root rot.
- In **Telangana**, drain out excess water from rice nurseries and recently transplanted rice as well as from fields of cotton, maize, red gram, soybean, sugarcane, and vegetables.

Livestock / Fishery


- Keep the animals inside the shed during heavy rainfall and provide them balanced feed.
- Store feed and fodder in a safe place to prevent spoilage.
- Construct an outlet with proper netting around the ponds to drain out excess water, thereby preventing fish from escaping in case of overflow.

Agromet advisories for likely impact of Thunderstorm / Gusty Winds / Squally Winds

 Provide mechanical support to horticultural crops and staking or support to vegetables and young fruit plants / fruit-bearing plants to avoid lodging due to strong winds.



LEGENDS



SPATIAL DISTRIBUTION (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/ A Few Places)
51-75	Fairly Widespred (FWS/ Many Places)	1-25	Isolated (ISOL)

Subdivision Colour

NO WARNING


WATCH (BE UPD

ALERT (BE PREI

	Terms	Probability of Occurrence (%)
	Unlikely	< 25
DATED)	Likely	25 - 50
DADED TO TAKE ACTION	Very Likely	50 - 75
PARED TO TAKE ACTION	Most Likely	> 75

WARNING (TAKE ACTION)








	Very	Heavy	Rair
4	Very	Heavy	Rair

Hailstrom



Probabilistic Forecast



Dust Strom



Heat Wave Cold Day



Ground Frost

Hot Day

FOG FOG



		EGENDS		
	WARNING	Probal	oilistic Forecast	
	WARNING (TAKE ACTION)	Terms	Probability of Occurrence (%	
	ALERT (BE PREPARED)	Unlikely Likely	< 25 25 - 50	
	WATCH (BE UPDATED)	Very Likely	50 - 75	
	NO WARNING (NO ACTION)	Most Likely	>75	
:/0	Heavy: 64.5 to 115.5 mm/cm * Very Heavy: 115.6 to 204.4 mm/cm*			
n/ Snow	Extremely Heavy: > 204.4 mm/cm *			
	When maximum temperature of a s (a) Based on Departure from normal		°C for plains and ≥30°C for	
	Heat Wave: Maximum Temperature Dep	arture from normal 4.5	C to 6.4° C.	
Î+	Severe Heat Wave: Maximum Temperat		mal ≥6.5° C	
at Wave	(b). Based on Actual maximum tem			
	Heat Wave: When actual maximum temp Severe Heat Wave: When actual maxim			
	(c). Criteria for heat wave for coast	tal stations		
	When maximum temperature departure is temperature ≥37°C	s >4.5°C from normal. H	eat Wave may be described provide	
î+	When maximum temperature rema			
m Night	Warm Night: When minimum temperatur Severe Warm Night: When minimum ter			
	Severe manni rright. When minimum ter	inperature departure >0	i T Vi	
	When minimum temperature of a	station ≤10°C for	plains and ≤0°C for hilly re	
	(a). Based on departure			
	Cold Wave: Minimum Temperature Depa			
<u>]</u> -	Severe Cold Wave: Minimum Temperatu			
old Wave	(b) Based on actual Minimum Temperature (for Plains only) Cold Wave : When Minimum Temperature is ≤ 4.0 °C			
	Severe Cold Wave: When Minimum Temperature is ≤ 2.0 °C			
	(c) For Coastal Stations			
	When Minimum Temperature departure	is ≤-4.5 °C & actual N	Minimum Temperature is ≤ 15 °C	
	When minimum temperature of a s	station ≤10°C for pla	ains and ≤0°C for hilly region	
1-	Based on departure			
Cold Day	Cold Day: Maximum Temperature Depar			
oola bay	Severe Cold Day: Maximum Temperatur	re Departure from norm	al ≤ -6.5 °C	
	Phenomenon of small droplets	-	and the horizontal visibi	
(Moderate Fog: When the visibility between Dense Fog: when the visibility between			
Fog	Very Dense Fog: when the visibility < 50			
44	Sudden electrical discharges manif	ested by a flash of	ight (Lightning) and a sharp	
understorm	sound (thunder)		, , , , , , , , , , , , , , , , , , , ,	
Dust/Sand	An ensemble of particles of dust or turbulent wind.	sand energetically	lifted to great heights by a st	
Storm	taroalent wind.			
"	Ice deposits on ground			
22	Air temperature ≤4°C (over Plains)			
Frost				
	A strong wind that rises sudde	enly, lasts for atle	east 1 minute.	
	Moderate: Wind speed 52-61 kmph			
€	Severe: Wind speed 62-87 kmph			
Squall	Very Severe: Wind speed >87 kmph			
Squall	Very Severe: Wind speed >87 kmph			
Squall	Effect of various waves in the sea		Ways height 2 E C mater	
Squall	Effect of various waves in the sea Rough to very rough: Wind speed 41-6	32 kmph (22-33 knots) 8		
"	Effect of various waves in the sea	62 kmph (22-33 knots) & mph (34-63 knots) & V	/ave height 6-14 metre	
Squall ea State	Effect of various waves in the sea Rough to very rough: Wind speed 41-6 High to very high: Wind speed 63-117 k Phenomenal: Wind speed >117 kmph (>	62 kmph (22-33 knots) & cmph (34-63 knots) & W 63 knots) & Wave heigt	/ave height 6-14 metre	
W.	Effect of various waves in the sea Rough to very rough: Wind speed 41-6 High to very high: Wind speed 63-117 k Phenomenal: Wind speed >117 kmph (> Cyclonic Storm: Wind speed 62-87 kmph	62 kmph (22-33 knots) 8 kmph (34-63 knots) & W +63 knots) & Wave heigt h (34-47 knots)	/ave height 6-14 metre nt >14 metre	
	Effect of various waves in the sea Rough to very rough: Wind speed 41-6 High to very high: Wind speed 63-117 kmph (> Cyclonic Storm: Wind speed 62-87 kmp Severe Cyclonic Storm: Wind speed 88	32 kmph (22-33 knots) & cmph (34-63 knots) & W +63 knots) & Wave heigl oh (34-47 knots) 8-117 kmph (48-63 knot	/ave height 6-14 metre nt >14 metre	
	Effect of various waves in the sea Rough to very rough: Wind speed 41-6 High to very high: Wind speed 63-117 k Phenomenal: Wind speed >117 kmph (> Cyclonic Storm: Wind speed 62-87 kmph	32 kmph (22-33 knots) & 4mph (34-63 knots) & W 463 knots) & Wave height 50h (34-47 knots) 8-117 kmph (48-63 knotal) 8eed 118-165 kmph (64 -	/ave height 6-14 metre nt >14 metre ss) 89 knots)	