



# National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

2025-08-15

Time of Issue: 19:30:00 hours IST

(Night)

#### ALL INDIA WEATHER SUMMARY AND FORECAST BULLETIN

### **Significant Weather Features**

### West India:

- Extremely heavy rainfall very likely at isolated places over Konkan & Goa during 16<sup>th</sup> -18<sup>th</sup>; Ghat areas of Madhya Maharashtraon 17<sup>th</sup> & 18<sup>th</sup>; Gujarat Region on 18<sup>th</sup> August.
- Isolated heavy rainfall likely over Madhya Maharashtra, Konkan & Goa, Gujarat State during next 7 days; Marathawada during 15<sup>th</sup> -19<sup>th</sup> August with isolated very heavy rainfall over Konkan & Goa during next 7 days; Ghat areas of Madhya Maharashtra & Gujarat Region during 16<sup>th</sup>-21<sup>th</sup>; Marathawada on 15<sup>th</sup> & 18<sup>th</sup>; Saurashtra & Kutch during 18<sup>th</sup> -20<sup>th</sup> August.
- Light to moderate rainfall at many/some places very likely over the region during next 5 days.

### Northwest India:

- Isolated **heavy rainfall** likely over East Rajasthan & Uttarakhand during next 7 days; Himachal Pradesh during 15<sup>th</sup>- 20<sup>th</sup>, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad 15<sup>th</sup>, 17<sup>th</sup> & 18<sup>th</sup>; Punjab during 15<sup>th</sup> -19<sup>th</sup>; Haryana Chandigarh & Delhi during 15<sup>th</sup> -18<sup>th</sup>; West Uttar Pradesh on 16<sup>th</sup> & 21<sup>st</sup>, East Uttar Pradesh on 20<sup>th</sup>; West Rajasthan on 19<sup>th</sup> August with **very heavy rainfall over Uttarakhand on 16<sup>th</sup> & 17<sup>th</sup>; East Rajasthan on 18<sup>th</sup> & 19<sup>th</sup> August.**
- Light/moderate rainfall at most/many places accompanied with thunderstorm & lightning likely over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Uttarakhand & Rajasthan during next 7 days.

#### East & Central India:

- Isolated heavy rainfall likely over Madhya Pradesh & Chhattisgarh during next 7 days; Vidarbha during next 7 days except on 19<sup>th</sup>; Andaman & Nicobar Islands on 15<sup>th</sup>; Sub-Himalayan West Bengal & Sikkim on 17<sup>th</sup>, 18<sup>th</sup> & 21<sup>st</sup>; Jharkhand on 19<sup>th</sup>, Odisha on 15<sup>th</sup> & during 17<sup>th</sup> -21<sup>st</sup> August with isolated very heavy rainfall over East Madhya Pradesh on 15<sup>th</sup>; West Madhya Pradesh on 15<sup>th</sup>, 16<sup>th</sup>, 18<sup>th</sup> & 19<sup>th</sup>; Chhattisgarh on 15th & during 19<sup>th</sup>-21<sup>th</sup> August.
- Light to moderate rainfall at most/many places accompanied with thunderstorm & lightning likely over the region during next 5 days.

### South Peninsular India:

- Isolated heavy rainfall likely over Coastal Karnataka & Telangana during the next 7 days; North Interior Karnataka 15<sup>th</sup> & 19<sup>th</sup>; Kerala & Mahe, Coastal Andhra Pradesh & Yanam during 15<sup>th</sup>-18<sup>th</sup>; South Interior Karnataka on 18<sup>th</sup> & 19<sup>th</sup> August with isolated very heavy rainfall over Telangana during 15<sup>th</sup> 19<sup>th</sup>; Coastal Andhra Pradesh & Yanam on 17<sup>th</sup> & 18<sup>th</sup>; Coastal Karnataka on 18<sup>th</sup> & 19<sup>th</sup> August.
- Strong surface winds (speed reaching 40-50 kmph) very likely over South Peninsular India till 19<sup>th</sup> August.
- Light to moderate rainfall at most/many places accompanied with thunderstorm & lightning likely over Rayalaseema, Tamil Nadu, Coastal Andhra Pradesh & Yanam and Telangana during next 5 days.

### Northeast India:

- Isolated heavy rainfall likely to continue over Assam & Meghalaya during next 7 days; Arunachal Pradesh, Nagaland, Manipur, Mizoram & Tripura during 16<sup>th</sup>-21<sup>th</sup> August with very heavy rainfall over Arunachal Pradesh & Nagaland, Manipur, Mizoram & Tripura on 20<sup>th</sup> & 21<sup>st</sup>; Assam & Meghalaya on 16<sup>th</sup>, 20<sup>th</sup> & 21<sup>st</sup> August.
- Light/moderate rainfall at many places accompanied with thunderstorm & lightning likely during next 3 days.



# National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

#### **Main Weather Observations:**

- \* Significant rainfall recorded(in cm) (from 0830 hours IST to 1730 hours IST of today): Kerala & Mahe: Thrissur (dist Thrissur) 10, Kozhikode (calicut) (dist Kozhikode) 3, Karipur, Kozhikode (dist Kozhikode) 2; Tamilnadu Puducherry & Karaikal: Valparai(upasitri) (dist Coimbatore) 6; Konkan & Goa: Harnai (dist Ratnagiri) 5, Mumbai (santacruz) AP, Mumbai (colaba) (dist), Matheran (dist Raigad), Panjim (dist North Goa) 2 Each; Andaman & Nicobar Islands: Long Island, Mayabandar (dist North And Middle Andaman) 4 Each, Port Blair, Hut Bay (dist South Andaman) 3 Each; Odisha: Bhubaneshwar-cuttack (dist Khordha) 4, Bolangir (dist Balangir) 2; Gujarat Region: Surat (dist Surat) 4; Vidarbha: Nagpur-sonegaon Airport (dist Nagpur) 4; Madhya Maharashtra: Mahabaleshwar (dist Satara), Ahmednagar (dist Ahmednagar) 3 Each; Coastal Karnataka: Mangalore (bajpe) AP (dist Dakshina Kannada) 3, Honavar (dist Uttara Kannada) 2; Uttarakhand: Pantnagar (dist Udham Singh Nagar) 3; Chhattisgarh: Jagdalpur (dist Bastar) 2; Gangetic West Bengal: Sri Niketan (dist Birbhum) 2.
- ♦ Heavy Rainfall observed (from 0830 hours IST to 1730 hours IST of today):Heavy rain at isolated places over Kerala & Mahe.
- \* Minimum Temperature Departures (as on 15-08-2025): markedly above normal(> 5.1°C) at many places over East Madhya Pradesh; at few places over Assam & Meghalaya and West Madhya Pradesh; at isolated places over East Uttar Pradesh, West Uttar Pradesh, Himachal Pradesh and Saurashtra & Kutch. appreciably above normal(3.1°C to 5.0°C) at few places over Gujarat Region; at isolated places over Sub Himalayan West Bengal & Sikkim, Odisha, Bihar, Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad, West Rajasthan and Madhya Maharashtra. above normal(1.6°C to 3.0°C) at many places over Vidarbha; at few places over East Rajasthan, Chhattisgarh and Lakshadweep; at isolated places over Gangetic West Bengal, Uttarakhand, Tamil Nadu, Puducherry & Karaikal and South Interior Karnataka. near normal(-1.5°C to 1.5°C) at many places over Haryana-Chandigarh-Delhi, Marathwada and Kerala & Mahe; at most places over Andaman & Nicobar Islands, Nagaland, Manipur, Mizoram & Tripura, Jharkhand, Punjab, Konkan & Goa, Coastal Andhra Pradesh & Yanam, Telangana, Rayalaseema, Coastal Karnataka and North Interior Karnataka. The lowest minimum temperature of 18.4°C is reported at MATHERAN (MAHARASHTRA) over the Plains of India.
- \* Maximum Temperature Departures (as on 15-08-2025): markedly above normal(> 5.1°C) at isolated places over West Rajasthan. appreciably above normal(3.1°C to 5.0°C) at few places over Arunachal Pradesh and West Madhya Pradesh; at isolated places over Assam & Meghalaya, Odisha, East Rajasthan, East Madhya Pradesh, Gujarat Region, Saurashtra & Kutch and Chhattisgarh. above normal(1.6°C to 3.0°C) at many places over Sub Himalayan West Bengal & Sikkim; at most places over Nagaland, Manipur, Mizoram & Tripura; at few places over Bihar, East Uttar Pradesh and Vidarbha; at isolated places over Gangetic West Bengal, Jharkhand, West Uttar Pradesh, Himachal Pradesh and Coastal Andhra Pradesh & Yanam. near normal(-1.5°C to 1.5°C) at many places over Uttarakhand, Punjab, Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad, Madhya Maharashtra, Telangana, Tamil Nadu, Puducherry & Karaikal and South Interior Karnataka; at most places over Konkan & Goa and Lakshadweep; at few places over Haryana-Chandigarh-Delhi, Rayalaseema, Coastal Karnataka, North Interior Karnataka and Kerala & Mahe; at isolated places over Andaman & Nicobar Islands and Marathwada. The highest maximum temperature of 40.5°C is reported at BARMER (RAJASTHAN).



# National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences


#### Meteorological Analysis (Based on 1730 hours IST)

- The low-pressure area over south Odisha & adjoining north Andhra Pradesh coast persisted at 1730 hrs IST of today, the 15<sup>th</sup> August 2025. The associated upper air cyclonic circulation extended upto 7.6 km above mean sea level tilting southwestwards with height.
- The **monsoon trough** at mean sea level now passes through Bikaner, Ajmer, Kota, Damoh, Rajnandgaon and thence centre of low-pressure area over south Odisha & adjoining north Andhra Pradesh.
- The **upper air cyclonic circulation** over Jammu-Kashmir & neighbourhood at 3.1 km above mean sea level persisted.
- The **upper air cyclonic circulation** over Northeast Arabian Sea & adjoining south Gujarat & Konkan & Goa at 3.1 km above mean sea level persisted.
- The **trough** from the southern parts of Gangetic West Bengal to eastcentral Arabian Sea across the upper air cyclonic circulation associated with the low-pressure area over south Odisha & adjoining north Andhra Pradesh, north Telangana, south Maharashtra between 3.1 & 4.5 km above mean sea level tilting southward with height persisted.
- The upper air cyclonic circulation over northeast Assam at 1.5 km above mean sea level persisted.

<b>Weather</b>	<b>Outlook</b>	for subsec	juent 3 da	VS

Fairly widespread to widespread rainfall likely over the most parts of the country.





### 15 August (Day 1)


- ♦ Heavy to Very Heavy Rainfall very likely at isolated places over Chhattisgarh, Konkan & Goa, Madhya Pradesh, Marathwada and Telangana.
- ♦ Heavy Rainfall very likely at isolated places over Andaman & Nicobar Islands, Assam & Meghalaya, Coastal Andhra Pradesh, Coastal Karnataka, East Rajasthan, Gujarat State, Haryana, Chandigarh & Delhi, Himachal Pradesh, Kerala & Mahe, Madhya Maharashtra, North Interior Karnataka, Odisha, Punjab, Uttarakhand and Vidarbha.
- ❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph) very likely at isolated places over Andaman & Nicobar Islands, Andhra Pradesh, Kerala & Mahe, Lakshadweep and Tamil Nadu Puducherry & Karaikal.
- ♦ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Bihar, Gangetic West Bengal, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Jharkhand, Odisha and Telangana.
- ♦ Thunderstorm accompanied with Lightning very likely at isolated places over Assam & Meghalaya, Chhattisgarh, Gujarat Region, Madhya Pradesh, Nagaland, Manipur, Mizoram and Tripura, Rajasthan, Uttarakhand and Vidarbha.
- ❖ Strong Surface Winds very likely at isolated places over Andhra Pradesh, Kerala & Mahe, Lakshadweep and Tamil Nadu Puducherry & Karaikal.
  - Squally wind with speed reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail along and off Somalia, Yemen, Oman coasts, most parts of westcentral Arabian sea and adjoining areas southwest, eastcentral Arabian Sea.




# National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

• Squally weather with wind speed reaching 40 - 50 kmph gusting to 60 kmph likely to prevail along and off Konkan, Goa, Karnataka, Kerala coasts, over Lakshadweep, Comorin areas, Gulf of Mannar, along and off Sri-Lanka coast, over most parts of south, central Bay of Bengal & adjoining, some parts of north Bay of Bengal, over Andaman Sea, along and off Andhra Pradesh, south Odisha coasts & adjoining sea areas.







### 16 August (Day 2)


- ♦ Heavy to Very Heavy Rainfall with isolated Extremely Heavy Rainfall very likely at isolated places over Konkan & Goa.
- ♦ Heavy to Very Heavy Rainfall very likely at isolated places over Assam & Meghalaya, Gujarat Region, Madhya Maharashtra, Telangana, Uttarakhand and West Madhya Pradesh.
- ♦ Heavy Rainfall very likely at isolated places over Arunachal Pradesh, Chhattisgarh, Coastal Andhra Pradesh, Coastal Karnataka, East Madhya Pradesh, East Rajasthan, Haryana, Chandigarh & Delhi, Himachal Pradesh, Kerala & Mahe, Marathwada, Nagaland, Manipur, Mizoram and Tripura, North Interior Karnataka, Punjab, Saurashtra & Kutch, Vidarbha and West Uttar Pradesh.
- ❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph) very likely at isolated places over Andaman & Nicobar Islands, Andhra Pradesh, Coastal Karnataka, Kerala & Mahe, Lakshadweep and Tamil Nadu Puducherry & Karaikal.
- ♦ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Bihar, Gangetic West Bengal, Interior Karnataka, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Jharkhand, Odisha and Telangana.
- ❖ Thunderstorm accompanied with Lightning very likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Chhattisgarh, Gujarat Region, Madhya Pradesh, Nagaland, Manipur, Mizoram and Tripura, Rajasthan, Uttarakhand and Vidarbha.
- ♦ Strong Surface Winds very likely at isolated places over Andhra Pradesh, Karnataka, Kerala & Mahe, Lakshadweep and Tamil Nadu Puducherry & Karaikal.



# National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

- Squally wind with speed reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail along and off Somalia, Yemen, Oman coasts, most parts of westcentral Arabian sea and adjoining and many parts of southwest, eastcentral Arabian Sea.
- Squally weather with wind speed reaching 40 50 kmph gusting to 60 kmph likely to prevail along and off Konkan, Goa, Karnataka, Kerala coasts, over Lakshadweep, Comorin areas, along and off Sri-Lanka coast, over most parts of south, central Bay of Bengal & adjoining, some parts of north Bay of Bengal, over Andaman Sea, along and off Andhra Pradesh coast & adjoining sea areas, over Andaman Sea.
- Squally weather with wind speed reaching 45 55 kmph gusting to 65 kmph likely to prevail over many
  parts of south Bay of Bengal, over Gulf of Mannar.





### 17 August (Day 3)

- ♦ Heavy to Very Heavy Rainfall with isolated Extremely Heavy Rainfall very likely at isolated places over Konkan & Goa and Madhya Maharashtra.
- ♦ Heavy to Very Heavy Rainfall very likely at isolated places over Coastal Andhra Pradesh, Gujarat Region, Telangana and Uttarakhand.
- Heavy Rainfall very likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Chhattisgarh, Coastal Karnataka, East Rajasthan, Haryana, Chandigarh & Delhi, Himachal Pradesh, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Kerala & Mahe, Madhya Pradesh, Marathwada, Nagaland, Manipur, Mizoram and Tripura, North Interior Karnataka, Odisha, Punjab, Saurashtra & Kutch, Sub Himalayan West Bengal & Sikkim and Vidarbha.
- ❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph) very likely at isolated places over Andhra Pradesh, Coastal Karnataka and Lakshadweep.
- ♦ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Andaman & Nicobar Islands, Bihar, Gangetic West Bengal, Interior Karnataka, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Jharkhand, Kerala & Mahe, Odisha and Telangana.
- ♦ Thunderstorm accompanied with Lightning very likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Chhattisgarh, Gujarat Region, Madhya Pradesh, Nagaland, Manipur, Mizoram and Tripura, Rajasthan, Uttarakhand and Vidarbha.
- ❖ Strong Surface Winds very likely at isolated places over Andhra Pradesh, Karnataka, Kerala & Mahe and Lakshadweep.
  - Squally wind with speed reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail along and





# National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

off Somalia, Yemen, Oman coasts, most parts of westcentral Arabian sea and adjoining and many parts of southwest, eastcentral Arabian Sea.

- Squally weather with wind speed reaching 40 50 kmph gusting to 60 kmph likely to prevail along and
  off Karnataka, Kerala coasts, over Lakshadweep, Comorin areas, Gulf of Mannar, along and off Sri-Lanka
  coast, over most parts of south, central Bay of Bengal & adjoining, some parts of north Bay of Bengal, over
  Andaman Sea, along and off Andhra Pradesh coast & adjoining sea areas, over Andaman Sea.
- Squally weather with wind speed reaching 45 55 kmph gusting to 65 kmph likely to prevail along and off Konkan, Goa coasts, over many parts of south & adjoining central Bay of Bengal.







### 18 August (Day 4)

- ♦ Heavy to Very Heavy Rainfall with isolated Extremely Heavy Rainfall likely at isolated places over Gujarat Region, Konkan & Goa and Madhya Maharashtra.
- ♦ Heavy to Very Heavy Rainfall likely at isolated places over Coastal Andhra Pradesh, Coastal Karnataka, East Rajasthan, Marathwada, Saurashtra & Kutch, Telangana and West Madhya Pradesh.
- ♦ Heavy Rainfall likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Chhattisgarh, East Madhya Pradesh, Haryana, Chandigarh & Delhi, Himachal Pradesh, Interior Karnataka, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Kerala & Mahe, Nagaland, Manipur, Mizoram and Tripura, Odisha, Punjab, Sub Himalayan West Bengal & Sikkim, Uttarakhand and Vidarbha.
- ❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph) likely at isolated places over Andhra Pradesh and Coastal Karnataka.
- ♦ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) likely at isolated places over Bihar, Gangetic West Bengal, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Jharkhand, North Interior Karnataka, Odisha and Telangana.
- ♦ Thunderstorm accompanied with Lightning likely at isolated places over Chhattisgarh, Gujarat Region, Madhya Pradesh, Rajasthan, Uttarakhand and Vidarbha.
- ♦ Strong Surface Winds likely at isolated places over Andhra Pradesh, Coastal Karnataka and North Interior Karnataka.
  - Squally wind with speed reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail along and off Somalia, Yemen, Oman coasts, most parts of westcentral Arabian sea and adjoining and many parts of





# National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

southwest, eastcentral Arabian Sea.

- Squally weather with wind speed reaching 40 50 kmph gusting to 60 kmph likely to prevail along and off Karnataka coast, over Lakshadweep, Comorin areas, Gulf of Mannar, along and off Sri-Lanka coast, over most parts of south, central Bay of Bengal & adjoining, some parts of north Bay of Bengal, over Andaman Sea, along and off Andhra Pradesh coast & adjoining sea areas, over Andaman Sea.
- Squally weather with wind speed reaching 45 55 kmph gusting to 65 kmph likely to prevail along and off south Gujarat, Konkan, Goa coasts, over many parts of south & adjoining central Bay of Bengal.







### 19 August (Day 5)

- ♦ Heavy to Very Heavy Rainfall likely at isolated places over Chhattisgarh, Coastal Karnataka, East Rajasthan, Gujarat State, Konkan & Goa, Madhya Maharashtra, Telangana and West Madhya Pradesh.
- **Heavy Rainfall** likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, East Madhya Pradesh, Himachal Pradesh, Interior Karnataka, Jharkhand, Marathwada, Nagaland, Manipur, Mizoram and Tripura, Odisha, Punjab, Uttarakhand and West Rajasthan.
- **♦ Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** likely at isolated places over Andhra Pradesh and Coastal Karnataka.
- ♦ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) likely at isolated places over Bihar, Gangetic West Bengal, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Jharkhand, North Interior Karnataka, Odisha and Telangana.
- ❖ Thunderstorm accompanied with Lightning likely at isolated places over Chhattisgarh, Madhya Pradesh, Rajasthan, Uttarakhand and Vidarbha.
- ♦ Strong Surface Winds likely at isolated places over Andhra Pradesh, Coastal Karnataka and North Interior Karnataka.
  - Squally wind with speed reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail along and
    off Somalia, Yemen, Oman coasts, most parts of westcentral Arabian sea and adjoining and many parts of
    southwest, eastcentral Arabian Sea.
  - Squally weather with wind speed reaching 40 50 kmph gusting to 60 kmph likely to prevail along and off Karnataka coast, over Comorin areas, Gulf of Mannar, along and off Sri-Lanka coast, over most parts of south, central Bay of Bengal & adjoining, some parts of north Bay of Bengal, over Andaman Sea, along and





# National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

off Andhra Pradesh coast & adjoining sea areas, over Andaman Sea.

• Squally weather with wind speed reaching 45 - 55 kmph gusting to 65 kmph likely to prevail along and off south Gujarat, Konkan, Goa coasts, over most parts of south & central Bay of Bengal.









### 20 August (Day 6)

- ♦ Heavy to Very Heavy Rainfall likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Chhattisgarh, Gujarat State, Konkan & Goa, Madhya Maharashtra and Nagaland, Manipur, Mizoram and Tripura.
- ♦ Heavy Rainfall likely at isolated places over Bihar, Coastal Karnataka, East Rajasthan, East Uttar Pradesh, Himachal Pradesh, Madhya Pradesh, Odisha, Telangana, Uttarakhand and Vidarbha.
- **♦ Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Bihar, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad and Telangana.
- \* Thunderstorm accompanied with Lightning likely at isolated places over Rajasthan and Uttarakhand.

No Fishermen Warning







### 21 August (Day 7)

- ♦ Heavy to Very Heavy Rainfall likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Chhattisgarh, Gujarat Region, Konkan & Goa, Madhya Maharashtra and Nagaland, Manipur, Mizoram and Tripura.
- ♦ Heavy Rainfall likely at isolated places over Bihar, Coastal Karnataka, East Rajasthan, Madhya Pradesh, Odisha, Saurashtra & Kutch, Sub Himalayan West Bengal & Sikkim, Telangana, Uttarakhand, Vidarbha and West Uttar Pradesh.
- **❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Bihar and Telangana.
- \* Thunderstorm accompanied with Lightning likely at isolated places over Rajasthan and Uttarakhand.

No Fishermen Warning



# National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences


### **Flash Flood Warnings**

# 24 hours Outlook for the Flash Flood Risk (FFR) till 1730 IST of 16-08-2025:

Low to Moderate flash flood risk likely over few watersheds & neighbourhoods of following Met Sub-divisions during next 24 hours.

**Konkan & Goa -** Mumbai City, Palghar, Raigarh, Ratnagiri, Suburban Mumbai and Thane districts.

Surface runoff/ Inundation may occur at some fully saturated soils & low-lying areas over Area of Concern (AoC) as shown in map due to expected rainfall occurrence in next 24 hours.





National Weather Forecasting Centre
Indian Meteorological Department
Ministry of Earth Sciences

# Table-1

# 7 Days Rainfall Forecast

S.No.   Subdivision		1 Dayo Raim	<u> </u>		Jou				
Day 1 Day 2 Day 3 Day 4 Day 5 Day 6 Day 7	S.No.	Subdivision							
1 ANDAMAN & NICOBAR ISLANDS			Aug	Aug	Aug	Aug	Aug	Aug	Aug
ARUNACHAL PRADESH			Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
ASSAM & MEHGHALAYA	1	ANDAMAN & NICOBAR ISLANDS	WS	WS	WS	WS	WS	WS	WS
4   N. M. M. & T.   SCT   FWS   FWS   FWS   FWS   WS     5   S.H. WEST BENGAL & SIKKIM   FWS   FWS   FWS   FWS   FWS   FWS   FWS     6   GANGETIC WEST BENGAL   FWS   SCT   FWS   FWS   FWS   FWS   FWS     7   ODISHA   FWS   SCT   FWS   FWS   FWS   FWS   FWS     8   JHARKHAND   SCT   SCT   SCT   SCT   SCT   SCT   SCT   SCT     9   BIHAR   ISOL   SCT   SCT   SCT   SCT   FWS   FWS     10   EAST UTTAR PRADESH   ISOL   SCT   SCT   SCT   FWS   FWS     11   WEST UTTAR PRADESH   ISOL   SCT   SCT   SCT   FWS   FWS     12   UTTARAKHAND   FWS   WS   FWS   FWS   FWS     13   HARYANA, CHD & DELHI   SCT   FWS   FWS   FWS     14   PUNJAB   SCT   SCT   SCT   SCT   SCT   SCT     15   HIMACHAL PRADESH   WS   FWS   FWS   SCT   SCT     16   JAMMU AND KASHMIR AND LADAKH   WS   SCT   FWS   SCT   SCT     17   WEST RAJASTHAN   ISOL   SCT   SCT   FWS   SCT   SCT     18   EAST RAJASTHAN   FWS   FWS   FWS   FWS     19   WEST MADHYA PRADESH   FWS   FWS   FWS   FWS     19   WEST MADHYA PRADESH   FWS   FWS   FWS   FWS     10   EAST MADHYA PRADESH   FWS   FWS   FWS   FWS     11   WEST RAJASTHAN   SCT   SCT   FWS   SCT   SCT     12   GUJRAT REGION   WS   WS   WS   WS   WS   WS     14   GUJRAT REGION   WS   WS   WS   WS   WS   WS     15   GANGANA & GOA   WS   WS   WS   WS   WS   WS     16   GANGANA & GOA   WS   WS   WS   WS   WS   WS     17   GANGANA & GOA   WS   WS   WS   WS   WS   WS     18   COASTAL ANDHRA PRADESH   FWS   FWS   FWS   FWS   FWS   FWS     19   SCT   SCT   FWS   FWS	2	ARUNACHAL PRADESH	SCT	SCT	SCT	SCT	SCT	FWS	FWS
5         S.H. WEST BENGAL & SIKKIM         FWS	3	ASSAM & MEHGHALAYA	SCT	FWS	FWS	FWS	FWS	WS	WS
6         GANGETIC WEST BENGAL         FWS         SCT         FWS	4	N. M. M. & T.	SCT	FWS	FWS	FWS	FWS	WS	WS
7         ODISHA         FWS         SCT         FWS         FWS <td>5</td> <td>S.H. WEST BENGAL &amp; SIKKIM</td> <td>FWS</td> <td>FWS</td> <td>WS</td> <td>WS</td> <td>FWS</td> <td>FWS</td> <td>WS</td>	5	S.H. WEST BENGAL & SIKKIM	FWS	FWS	WS	WS	FWS	FWS	WS
B	6	GANGETIC WEST BENGAL	FWS	SCT	FWS	FWS	FWS	FWS	FWS
9   BIHAR   ISOL   SCT   SCT   SCT   FWS   FWS   TWS   TWS	7	ODISHA	FWS	SCT	FWS	FWS	FWS	FWS	FWS
10	8	JHARKHAND	SCT	SCT	FWS	FWS	FWS	FWS	FWS
11   WEST UTTAR PRADESH	9	BIHAR	ISOL	SCT	SCT	SCT	SCT	FWS	FWS
12 UTTARAKHAND	10	EAST UTTAR PRADESH	ISOL	ISOL	SCT	SCT	SCT	FWS	FWS
13         HARYANA, CHD & DELHI         SCT         FWS         FWS         SCT         FWS         SCT	11	WEST UTTAR PRADESH	ISOL	SCT	SCT	SCT	FWS	FWS	FWS
14         PUNJAB         SCT         SCT         FWS         SCT         SCT </td <td>12</td> <td>UTTARAKHAND</td> <td>FWS</td> <td>WS</td> <td>WS</td> <td>FWS</td> <td>FWS</td> <td>FWS</td> <td>FWS</td>	12	UTTARAKHAND	FWS	WS	WS	FWS	FWS	FWS	FWS
15         HIMACHAL PRADESH         WS         FWS         SCT	13	HARYANA, CHD & DELHI	SCT	FWS	FWS	FWS	SCT	FWS	SCT
16         JAMMU AND KASHMIR AND LADAKH         WS         SCT         FWS         SCT         SCT           17         WEST RAJASTHAN         ISOL         ISOL         SCT         SCT         SCT         SCT           18         EAST RAJASTHAN         FWS         WS	14	PUNJAB	SCT	SCT	SCT	FWS	SCT	SCT	SCT
17         WEST RAJASTHAN         ISOL         ISOL         SCT         FWS         WS         <	15	HIMACHAL PRADESH	WS	FWS	FWS	WS	WS	FWS	FWS
18         EAST RAJASTHAN         FWS         WS	16	JAMMU AND KASHMIR AND LADAKH	WS	SCT	FWS	WS	FWS	SCT	SCT
19         WEST MADHYA PRADESH         FWS         WS         WS <td>17</td> <td>WEST RAJASTHAN</td> <td>ISOL</td> <td>ISOL</td> <td>SCT</td> <td>SCT</td> <td>FWS</td> <td>SCT</td> <td>SCT</td>	17	WEST RAJASTHAN	ISOL	ISOL	SCT	SCT	FWS	SCT	SCT
20         EAST MADHYA PRADESH         FWS         FWS         FWS         WS         WS<	18	EAST RAJASTHAN	FWS	FWS	FWS	FWS	FWS	FWS	FWS
21         GUJRAT REGION         WS	19	WEST MADHYA PRADESH	FWS	WS	WS	WS	WS	WS	WS
22         SAURASHTRA & KUTCH         FWS         WS         SCT         SCT         FWS         WS	20	EAST MADHYA PRADESH	FWS	FWS	FWS	FWS	WS	WS	WS
23         KONKAN & GOA         WS         PWS	21	GUJRAT REGION	WS	WS	WS	WS	WS	WS	WS
24MADHYA MAHARASHTRASCTFWSFWSFWSFWSSCT25MARATHWADAWSFWSFWSFWSFWSFWSSCT26VIDARBHAFWSFWSFWSFWSFWSWSWSWS27CHATTISGARHFWSFWSFWSFWSWSWSWSWS28COASTAL ANDHRA PRADESHSCTSCTFWSFWSSCTSCTSCT29TELANGANAWSWSFWSFWSFWSSCTSCT30RAYALASEEMASCTSCTFWSFWSSCTISOL <t< td=""><td>22</td><td>SAURASHTRA &amp; KUTCH</td><td>FWS</td><td>WS</td><td>WS</td><td>WS</td><td>WS</td><td>WS</td><td>WS</td></t<>	22	SAURASHTRA & KUTCH	FWS	WS	WS	WS	WS	WS	WS
25 MARATHWADA  26 VIDARBHA  FWS FWS FWS FWS WS WS WS WS WS 27 CHATTISGARH  FWS FWS FWS FWS FWS WS WS WS WS WS 28 COASTAL ANDHRA PRADESH  Z9 TELANGANA  RAYALASEEMA  30 RAYALASEEMA  SCT SCT FWS FWS FWS SCT SCT SCT SCT 30 ISOL ISOL ISOL ISOL ISOL ISOL ISOL ISOL	23	KONKAN & GOA	WS	WS	WS	WS	WS	WS	WS
26VIDARBHAFWSFWSFWSFWSFWSWSWS27CHATTISGARHFWSFWSFWSFWSWSWS28COASTAL ANDHRA PRADESHSCTSCTFWSFWSSCTSCT29TELANGANAWSWSFWSFWSFWSSCTSCT30RAYALASEEMASCTSCTFWSFWSSCTISOLISOL31TAMILNADU & PUDUCHERRYISOLISOLISOLISOLISOLISOLISOLISOL32COSTAL KARNATAKAWSWSWSWSWSWSWS33NORTH INTERIOR KARNATAKAFWSFWSFWSFWSFWSSCT34SOUTH INTERIOR KARNATAKASCTSCTFWSFWSFWSFWS35KERALAWSWSWSWSWSFWSFWS	24	MADHYA MAHARASHTRA	SCT	FWS	FWS	WS	FWS	FWS	SCT
27 CHATTISGARH  28 COASTAL ANDHRA PRADESH  29 TELANGANA  30 RAYALASEEMA  31 TAMILNADU & PUDUCHERRY  32 COSTAL KARNATAKA  33 NORTH INTERIOR KARNATAKA  34 SOUTH INTERIOR KARNATAKA  35 KERALA  56 COASTAL ANDHRA PRADESH  57 SCT SCT FWS FWS SCT SCT SCT  58 SCT SCT FWS FWS SCT ISOL ISOL ISOL ISOL ISOL ISOL  58 SCT SCT FWS FWS WS W	25	MARATHWADA	WS	FWS	FWS	WS	FWS	FWS	SCT
28 COASTAL ANDHRA PRADESH  29 TELANGANA  WS WS FWS FWS FWS SCT SCT  30 RAYALASEEMA  SCT SCT FWS FWS SCT SCT  31 TAMILNADU & PUDUCHERRY  ISOL ISOL ISOL ISOL ISOL ISOL ISOL ISOL  32 COSTAL KARNATAKA  WS WS WS WS WS WS WS WS WS  33 NORTH INTERIOR KARNATAKA  FWS FWS FWS FWS FWS SCT  34 SOUTH INTERIOR KARNATAKA  SCT SCT FWS FWS FWS FWS FWS  SCT SCT  SCT SCT FWS FWS FWS FWS FWS  SCT SCT  SCT SCT FWS FWS FWS FWS  SCT SCT  SCT SCT FWS FWS FWS FWS  SCT SCT  SCT SCT FWS FWS  SCT SCT SCT  SCT	26	VIDARBHA	FWS	FWS	FWS	FWS	WS	WS	WS
29 TELANGANA WS WS FWS FWS SCT SCT SCT 30 RAYALASEEMA SCT SCT FWS FWS SCT ISOL ISOL 31 TAMILNADU & PUDUCHERRY ISOL ISOL ISOL ISOL ISOL ISOL ISOL ISOL	27	CHATTISGARH	FWS	FWS	FWS	WS	WS	WS	WS
30 RAYALASEEMA SCT SCT FWS FWS SCT ISOL ISOL 31 TAMILNADU & PUDUCHERRY ISOL ISOL ISOL ISOL ISOL ISOL 32 COSTAL KARNATAKA WS WS WS WS WS WS WS 33 NORTH INTERIOR KARNATAKA FWS FWS FWS WS WS FWS SCT 34 SOUTH INTERIOR KARNATAKA SCT SCT FWS FWS FWS SCT SCT 35 KERALA WS WS WS WS FWS FWS	28	COASTAL ANDHRA PRADESH	SCT	SCT	FWS	FWS	SCT	SCT	SCT
31 TAMILNADU & PUDUCHERRY  32 COSTAL KARNATAKA  33 NORTH INTERIOR KARNATAKA  34 SOUTH INTERIOR KARNATAKA  35 KERALA  36 ISOL ISOL ISOL ISOL ISOL ISOL ISOL ISOL	29	TELANGANA	WS	WS	FWS	FWS	FWS	SCT	SCT
32 COSTAL KARNATAKA  33 NORTH INTERIOR KARNATAKA  34 SOUTH INTERIOR KARNATAKA  35 KERALA  36 WS WS WS WS WS WS WS WS SCT  37 SCT SCT FWS FWS FWS SCT  38 WS WS WS FWS FWS FWS FWS FWS FWS	30	RAYALASEEMA	SCT	SCT	FWS	FWS	SCT	ISOL	ISOL
33 NORTH INTERIOR KARNATAKA FWS FWS WS WS FWS SCT 34 SOUTH INTERIOR KARNATAKA SCT SCT FWS FWS FWS SCT SCT 35 KERALA WS WS WS WS FWS FWS	31	TAMILNADU & PUDUCHERRY	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
34 SOUTH INTERIOR KARNATAKA  SCT SCT FWS FWS SCT SCT  WS WS WS WS FWS FWS FWS	32	COSTAL KARNATAKA	WS	WS	WS	WS	WS	WS	WS
35 KERALA WS WS WS FWS FWS	33	NORTH INTERIOR KARNATAKA	FWS	FWS	FWS	WS	WS	FWS	SCT
	34	SOUTH INTERIOR KARNATAKA	SCT	SCT	FWS	FWS	FWS	SCT	SCT
26 LAKSHDWEED WE WE EWE COT COT	35	KERALA	WS	WS	WS	WS	WS	FWS	FWS
30 LANSIIDWEEF WS WS FWS FWS SCI SCI	36	LAKSHDWEEP	WS	WS	WS	FWS	FWS	SCT	SCT

Legend	Category	%Stations
WS	Widespread/Most Places	76-100
FWS	Fairly Widespread/Many Places	51-75
SCT	Scattered/ A Few Places	26-50
ISOL	Isolated Places	1-25
DRY	No Rain	0

Fig. 1: Maximum Temperatures Dated 2025-08-15




Fig. 3: Minimum Temperatures Dated 2025-08-15




Fig. 2: Departure of Maximum Temp. Dated 2025-08-15






Fig. 4: Departure of Minimum Temp. Dated 2025-08-15









# National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

#### Impact & Action Suggested due to

**Extremely heavy rainfall** at isolated places over Konkan & Goa & ghat areas of Madhya Maharashtraon 17<sup>th</sup> & 18<sup>th</sup>; Gujarat Region on 18<sup>th</sup> August.

**Very heavy rainfall** over East Madhya Pradesh on 15<sup>th</sup>; Konkan & Goa during next 7 days; Ghat areas of Madhya Maharashtra & Gujarat Region during 16<sup>th</sup>-21<sup>th</sup>; Marathawada on 15<sup>th</sup> & 18<sup>th</sup>; Saurashtra & Kutch during 18<sup>th</sup> -20<sup>th</sup>; Uttarakhand on 16<sup>th</sup> & 17<sup>th</sup>; East Rajasthan & Coastal Karnataka on 18<sup>th</sup> & 19<sup>th</sup>; West Madhya Pradesh on 15<sup>th</sup>, 16<sup>th</sup>, 18<sup>th</sup> & 19<sup>th</sup>; Chhattisgarh on 15th & during 19<sup>th</sup>-21<sup>th</sup>; Telangana during 15<sup>th</sup> - 19<sup>th</sup>; Coastal Andhra Pradesh & Yanam on 17<sup>th</sup> & 18<sup>th</sup>; Arunachal Pradesh & Nagaland, Manipur, Mizoram & Tripura on 20<sup>th</sup> & 21<sup>st</sup>; Assam & Meghalaya on 16<sup>th</sup>, 20<sup>th</sup> & 21<sup>st</sup> August.

### Impact Expected

- Localized Flooding of roads, water logging in low lying areas and closure of underpasses mainly in urban areas of the above region.
- Occasional reduction in visibility due to heavy rainfall.
- Disruption of traffic in major cities due to water logging in roads leading to increased travel time.
- · Minor damage to kutcha roads.
- · Possibilities of damage to vulnerable structure.
- Localized Landslides/Mudslides/landslips/mudslips/landsinks/mudsinks.
- Damage to horticulture and standing crops in some areas due to inundation.
- It may lead to riverine flooding in some river catchments (for riverine flooding please visit Web page of CWC)

### **Action Suggested**

- Check for traffic congestion on your route before leaving for your destination.
- Follow any traffic advisories that are issued in this regard.
- Avoid going to areas that face the water logging problems often.
- Avoid staying in vulnerable structure.

### Agromet advisories for various parts of the country

In **Maharashtra**, make arrangements to drain out excess water from the fields of rice, finger millet, turmeric, groundnut, vegetables and orchards in **Konkan**; rice, maize, groundnut, soybean, vegetables and orchards specially in *ghat* areas of **Madhya Maharashtra**; and standing crops like groundnut, black gram, green gram, cotton, pigeon pea, pearl millet, turmeric, sugarcane, orchards and vegetables in **Marathwada**.

**Gujarat** - In **South Gujarat Heavy Rainfall Zone**, make arrangements to drain out excess water from rice, sugarcane, vegetables and tuber crops. Give mechanical support to sugarcane.

In MadhyaPradesh, provide adequate drainage in the fields of maize, soybean, cotton and vegetables in **Satpura Plateau Zone**; soybean, maize and vegetables in **Malwa Plateau Zone**; rice, soybean, maize, sugarcane and vegetables in **Central Narmada Valley Zone**; soybean, pigeon pea, cotton and vegetables in **Nimar Valley Zone**; and maize, soybean, black gram, cotton, and pigeon pea in **Vindhyan Plateau Zone**.

In **Telangana**, provide adequate drainage to drain out excess water in fields of rice, cotton, maize, soybean, pigeon pea, turmeric, vegetables in **Northern Telangana Zone**; and from rice, cotton, soybean, vegetables and vegetable nurseries in **Southern Telangana Zone**.

In **Andhra Pradesh**, make arrangements to drain out excess water from maize, cotton, sugarcane, paddy, mesta, red gram, green gram, black gram and groundnut fields in **North Coastal Zone**; rice, maize and vegetable fields in **High** 



# National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

### Altitude Tribal Zone.

In Odisha, make arrangements to drain out excess water from maize and cotton fields in North Eastern Ghat Zone.

In **Chhattisgarh**, make arrangements to drain out excess water from fields of *kharif* maize, rice, minor millets, pulses and vegetables in **Bastar Plateau Zone**.

In **Uttarakhand**, maintain proper drainage channels in fields of sown green gram, black gram, sugarcane, groundnut, sesame and vegetables in **Bhabar and Tarai Zon**; soybean, maize, pulses, finger millet, ginger and vegetable fields and fruit orchards in **Hill Zone**; and barnyard millet, finger millet and already sown green gram in **Sub Humid Sub Tropic Zone**.

In **Himachal Pradesh**, maintain proper drainage channels in ginger, turmeric and maize fields in **Mid Hills Sub Humid Zone** and rice, maize and vegetable fields in **Sub Montane and Low Hills Sub Tropical Zone**. Undertake harvesting of ripened tomatoes in **High Hills Sub Temperate Wet Zone** 

### **Livestock / Fishery**

Keep the animals inside the shed during heavy rainfall and provide them balanced feed.

Store feed and fodder in a safe place to prevent spoilage.

Construct an outlet with proper netting around the ponds to drain out excess water, thereby preventing fish from escaping in case of overflow.


Agromet advisories for likely impact of Thunderstorm / Gusty Winds / Squally Winds

(Based on the IBF and advisories issued by different AMFUs)

Provide mechanical support to horticultural crops and staking or support to vegetables and young fruit plants / fruit-bearing plants to avoid lodging due to strong winds.



# **LEGENDS**



### SPATIAL DISTRIBUTION (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/ A Few Places)
51-75	Fairly Widespred (FWS/ Many Places)	1-25	Isolated (ISOL)

### Subdivision Colour

# NO WARNING


WATCH (BE UPDATED)

•
ALERT (BE PREPARED TO TAKE ACTION
WARNING (TAKE ACTION)

## Probabilistic Forecast

Terms	Probability of Occurrence (%)
Unlikely	< 25
Likely	25 - 50
Very Likely	50 - 75
Most Likely	> 75

Heavy Rain








Thunderstorm & Lightning Strong surface winds








Cold Wave

Hot & Humid









		LEGENDS	
	WARNING	Probabilistic Forecast	
	WARNING (TAKE ACTION)	Terms Probability of Occurrence (%)	
	ALERT ( BE PREPARED)	Unlikely < 25  Likely 25 - 50	
	WATCH (BE UPDATED)	Very Likely 50 - 75	
- / -	NO WARNING ( NO ACTION)	Most Likely > 75	
Rain/ Snow	Heavy: 64.5 to 115.5 mm/cm * Very Heavy: 115.6 to 204.4 mm/cm * Extremely Heavy: > 204.4 mm/cm *		
	(a) Based on Departure from norm		lly region
	Heat Wave: Maximum Temperature De Severe Heat Wave: Maximum Tempera		
J+	(b). Based on Actual maximum ten		
Heat Wave	Heat Wave: When actual maximum tem		
	Severe Heat Wave: When actual maxin	/	
	<ul> <li>(c). Criteria for heat wave for coas When maximum temperature departure temperature ≥37°C</li> </ul>	stal stations is >4.5°C from normal. Heat Wave may be described provided	maximu
8.	When maximum temperature rem		
Varm Night	Warm Night: When minimum temperatu		
3	Severe Warm Night: When minimum to	amperature departure >0.4 °C.	
	(a). Based on departure	a station ≤10°C for plains and ≤0°C for hilly regio	ns.
	Cold Wave: Minimum Temperature Dep Severe Cold Wave: Minimum Temperat		_
Ų-	(b) Based on actual Minimum Ten		
Cold Wave	Cold Wave : When Minimum Temperatu		
	Severe Cold Wave: When Minimum Te	emperature is ≤ 2.0 °C	
	( c) For Coastal Stations	e is ≤-4.5 °C & actual Minimum Temperature is ≤ 15 °C	
n		station ≤10°C for plains and ≤0°C for hilly regions	
Cold Dow	Cold Day: Maximum Temperature Depart	arture from normal -4.5 °C to -6.4 °C.	
Cold Day	Severe Cold Day: Maximum Temperatu	ure Departure from normal ≤ -6.5 °C	
	Phenomenon of small droplet	s suspended in air and the horizontal visibility	< 1ki
0	Moderate Fog: When the visibility betw		
Fog	Very Dense Fog: when the visibility between Very Dense Fog: when the visibility < 5		
/-	Sudden electrical discharges man	ifacted by a fleeb of light (Lightning) and a character	nbling
**************************************	sound (thunder)	rrested by a flash of light (Lighthing) and a sharp run	
nunderstorm  Dust/Sand Storm	sound (thunder)	or sand energetically lifted to great heights by a stron	ng and
Dust/Sand	An ensemble of particles of dust of		ng and
Dust/Sand Storm	An ensemble of particles of dust of turbulent wind.		ng and
Dust/Sand	An ensemble of particles of dust of turbulent wind.  Ice deposits on ground  Air temperature ≤4°C ( over Plains)  A strong wind that rises sudd		ng and
Dust/Sand Storm	An ensemble of particles of dust of turbulent wind.  Ice deposits on ground  Air temperature ≤4°C ( over Plains)  A strong wind that rises sudd Moderate: Wind speed 52-61 kmph	or sand energetically lifted to great heights by a stron	ng and
Dust/Sand Storm	An ensemble of particles of dust of turbulent wind.  Ice deposits on ground  Air temperature ≤4°C ( over Plains)  A strong wind that rises sudd	or sand energetically lifted to great heights by a stron	ng and
Dust/Sand Storm	An ensemble of particles of dust of turbulent wind.  Ice deposits on ground  Air temperature ≤4°C (over Plains)  A strong wind that rises sudd Moderate: Wind speed 52-61 kmph  Severe: Wind speed 52-87 kmph  Very Severe: Wind speed >87 kmph	or sand energetically lifted to great heights by a stron	ng and
Dust/Sand Storm	An ensemble of particles of dust of turbulent wind.  Ice deposits on ground  Air temperature ≤4°C (over Plains)  A strong wind that rises sudd  Moderate: Wind speed 52-61 kmph  Severe: Wind speed 52-87 kmph  Very Severe: Wind speed >87 kmph  Effect of various waves in the sea	or sand energetically lifted to great heights by a stron	ng and
Dust/Sand Storm  Frost  Squall	An ensemble of particles of dust of turbulent wind.  Ice deposits on ground  Air temperature ≤4°C ( over Plains)  A strong wind that rises sudd Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph  Effect of various waves in the sea Rough to very rough: Wind speed 41-High to very high: Wind speed 63-117	pr sand energetically lifted to great heights by a strong	ng and
Dust/Sand Storm	An ensemble of particles of dust of turbulent wind.  Ice deposits on ground  Air temperature ≤4°C (over Plains)  A strong wind that rises sudd Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph  Effect of various waves in the sea Rough to very rough: Wind speed 41-	pr sand energetically lifted to great heights by a strong	ng and
Dust/Sand Storm  Frost  Squall	An ensemble of particles of dust of turbulent wind.  Ice deposits on ground  Air temperature ≤4°C ( over Plains)  A strong wind that rises sudd Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph  Effect of various waves in the sea Rough to very rough: Wind speed 41-High to very high: Wind speed 63-117	or sand energetically lifted to great heights by a strong	ng and
Dust/Sand Storm  Frost  Squall	An ensemble of particles of dust of turbulent wind.  Ice deposits on ground  Air temperature ≤4°C (over Plains)  A strong wind that rises sudd Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph  Effect of various waves in the sea Rough to very rough: Wind speed 41-High to very high: Wind speed 63-117 Phenomenal: Wind speed >117 kmph (Cyclonic Storm: Wind speed 62-87 km Severe Cyclonic Storm: Wind speed 83-117	denly, lasts for atleast 1 minute.  a over specific area 62 kmph (22-33 knots) & Wave height 2.5-6 metre kmph (34-63 knots) & Wave height 6-14 metre >63 knots) & Wave height >14 metre  ph (34-47 knots) 88-117 kmph (48-63 knots)	ng and
Dust/Sand Storm  Frost  Squall	An ensemble of particles of dust of turbulent wind.  Ice deposits on ground  Air temperature \$4°C (over Plains)  A strong wind that rises sudd Moderate: Wind speed 52-61 kmph Severe: Wind speed 52-87 kmph Very Severe: Wind speed >87 kmph  Effect of various waves in the sea Rough to very rough: Wind speed 41-High to very high: Wind speed 63-117 Phenomenal: Wind speed >117 kmph (  Cyclonic Storm: Wind speed 62-87 km Severe Cyclonic Storm: Wind speed 84-Very Severe Cyclonic Storm: Wind speed 85-Very Severe Cyclonic Storm: Wind Severe Cyclonic Storm: Wind speed 85-Very Severe Cyclonic Storm: Wind Severe Cyclonic St	denly, lasts for atleast 1 minute.  a over specific area 62 kmph (22-33 knots) & Wave height 2.5-6 metre kmph (34-63 knots) & Wave height 6-14 metre >63 knots) & Wave height >14 metre  ph (34-47 knots) 88-117 kmph (48-63 knots)	ng and