



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

2025-09-18

Time of Issue: 08:14:00 hours IST

(Morning)

ALL INDIA WEATHER SUMMARY AND FORECAST BULLETIN

Significant Weather Features

East & Central India:

Light to moderate rain/thunderstorm at most/many places with isolated **heavy rainfall** likely over Sub-Himalayan West Bengal & Sikkim on 18th & 19th; Bihar during 18th - 20th; Andaman & Nicobar Islands during 18th - 21st September.

Thunderstorm & gusty winds (speed reaching 30-40 kmph) very likely over East India during next 5-6 days.

Northeast India:

Light/moderate rain/thunderstorm at many/some places with isolated **heavy rainfall** likely over Arunachal Pradesh on 18th&19th; Assam & Meghalaya during 18th-23rd and Nagaland, Manipur, Mizoram & Tripura during 19th-23rd September.

Northwest India:

Light to moderate rain/thunderstorm at some/isolated places with **isolated heavy rainfall** likely over Uttarakhand & East Uttar Pradesh on 18th September.

South Peninsular India:

Light to moderate rain/thunderstorm at many/some places with isolated **heavy rainfall** likely over Tamil Nadu on 18th&19th; Kerala & Mahe, Coastal Andhra Pradesh & Yanam, Rayalaseema, Coastal & South Interior Karnataka on18th September.

Strong surface winds (speed reaching 30-40 kmph) very likely over Telangana, Coastal Andhra Pradesh & Yanam and Rayalaseema during next 5 days.

West India:

Light to moderate rain/thunderstormat many/some places likely over the region during next 4 days with **isolated heavy** rainfall likely over Konkan & Goa and Madhya Maharashtra on 18th September.



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Main Weather Observations:

- * Rainfall distribution (from 0830 hours IST of yesterday to 0530 hours IST of today): at most places over Assam & Meghalaya, Bihar, Uttarakhand, Telangana, East Madhya Pradesh, Arunachal Pradesh, West Uttar Pradesh, Himachal Pradesh, East Uttar Pradesh, Andaman & Nicobar Islands, Coastal Karnataka, Tamilnadu Puducherry & Karaikal, Subhimalayan West Bengal & Sikkim, Madhya Maharashtra , South Interior Karnataka, Chhattisgarh, Vidarbha and Marathawada; at many places over Jharkhand, Jammu & Kashmir and Ladakh, Odisha, Gangetic West Bengal, Nagaland, Manipur, Mizoram & Tripura, Gujarat Region, Rayalaseema, West Madhya Pradesh, Coastal Andhra Pradesh & Yanam, Haryana Chandigarh & Delhi, Konkan & Goa , Saurashtra & Kutch, North Interior Karnataka, Kerala & Mahe and Lakshadweep; Dry over rest of the country.
- ❖ Significant rainfall recorded(in cm) (from 0830 hours IST of yesterday to 0530 hours IST of today): Assam & Meghalaya: Shillong 22, NorthLakhimpur (dist Lakhimpur), Dhubri (dist Dhubri) 5 Each, Barapani/Shillong(dist East Khasi Hills) 3, Silchar (dist Cachar) 2; Manipur: Jiribam 21; Telangana: Hyderabad Airport 11, Golconda & Siddipet 10 each, Kandi 7; Nagaland: Sakshi9; Uttarakhand: DehraDun-Mokampur (dist Dehradun) 8; Tamilnadu Puducherry & Karaikal: Karaikal (dist. Karaikal) & Ranipet 6 each, Denkanikottai 5, Karur Paramathi (dist. Karur) 4, TiruchirapalliAP (dist Tiruchirappalli) 2; Andaman & Nicobar Islands: Campbell_Bay 7, Car Nicobar (vecx) (dist Nicobar) 2; East Uttar Pradesh: Fursatganj (dist. Amethi) 5, Barabanki (dist. Barabanki) 4, Gazipur (dist. Ghazipur) 3, Lucknow (amauti) AP (dist. Lucknow), Varanasi (Babatpur)AP (dist. Varanasi) 2 Each; West Madhya Pradesh: Indore 6; East Madhya Pradesh: Rewa (dist.Rewa), Seoni (dist. Seoni) 4 Each, Tikamgarh-orbs (dist. Tikamgarh) 3, Satna (dist.Satna), Chhindwara-orbs (dist. Chhindwara) 2 Each; Konkan: Ratnagiri (dist Ratnagiri) 4; Kerala & Mahe: Punalur (dist. Kollam) 4, Kochi (coal) (dist. Ernakulam) 2; Coastal Andhra Pradesh & Yanam: Ongole (dist. Prakasam) 4, Kakinada (dist.Kakinada) 2; Himachal Pradesh: Nahan (dist. Sirmaur) 4; Delhi: New Delhi (Safdarjung) (dist. South West Delhi) 5; Madhya Maharashtra: Mahabaleshwar (dist. Satara) 3, Nashik (dist Nashik) 2; Sub-Himalayan West Bengal: Malda (dist. Malda) 4, Balurghat (dist. Dakshin Dinajpur) 2; North interior Karnataka: Bijapur-orbs (dist. Bijapur), Kalaburgi (dist Kalaburagi) 2 each; Saurashtra & Kutch: Daman (dist. Daman) 2; Odisha: Angul (dist. Angul) 2; Marathawada: Udgir (dist. Latur) 2; South interior Karnataka: Bangaluru HAL (dist), Bengaluru (dist Bengaluru Urban) 2 Each..
- ♦ Heavy Rainfall observed (from 0830 hours IST of yesterday to 0530 hours IST of today): Extremely Heavy rainfall at Assam & Meghalaya, Manipur; Heavy rain at most places over Uttarakhand, at a few places over Telangana, Nagaland, Andaman & Nicobar Islands.
- ♦ Minimum Temperature Departures (as on 17-09-2025): markedly above normal(> 5.1°C) at few places over West Madhya Pradesh; at isolated places over Assam & Meghalaya, Bihar, West Uttar Pradesh and Himachal Pradesh. appreciably above normal(3.1°C to 5.0°C) at many places over East Madhya Pradesh; at few places over West Rajasthan; at isolated places over Sub Himalayan West Bengal & Sikkim, Gujarat Region and Saurashtra & Kutch. above normal(1.6°C to 3.0°C) at many places over Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad; at few places over East Rajasthan; at isolated places over Gangetic West Bengal, Odisha, Uttarakhand, Haryana-Chandigarh-Delhi, Punjab, Madhya Maharashtra, Vidarbha, Tamil Nadu, Puducherry & Karaikal, South Interior Karnataka and Kerala & Mahe. near normal(-1.5°C to 1.5°C) at many places over Jharkhand and Chhattisgarh; at most places over Andaman & Nicobar Islands, Nagaland, Manipur, Mizoram & Tripura, East Uttar Pradesh, Konkan & Goa, Marathwada, Coastal Andhra Pradesh & Yanam, Telangana, Rayalaseema, Coastal Karnataka, North Interior Karnataka and Lakshadweep; at few places over Arunachal Pradesh. The lowest minimum temperature of 14.5°C is reported at HALFLONG (ASSAM) over the Plains of India.
- ♦ Maximum Temperature Departures (as on 17-09-2025): markedly above normal(> 5.1°C) at isolated places over Odisha and Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad. appreciably above normal(3.1°C to 5.0°C) at isolated places over Chhattisgarh. above normal(1.6°C to 3.0°C) at few places over Punjab and Himachal Pradesh; at isolated places over Assam & Meghalaya, Jharkhand, West Uttar Pradesh, Haryana-Chandigarh-Delhi, East Rajasthan, West Madhya Pradesh, East Madhya Pradesh, Gujarat Region, Madhya Maharashtra, Coastal Andhra Pradesh & Yanam, Tamil Nadu, Puducherry & Karaikal and Kerala & Mahe. near normal(-1.5°C to 1.5°C) at many places over Gangetic West Bengal, Konkan & Goa, Vidarbha and Coastal Karnataka; at most places over Nagaland, Manipur, Mizoram & Tripura, Uttarakhand, West Rajasthan, Saurashtra & Kutch, Telangana and Lakshadweep; at few places over Andaman & Nicobar Islands, Sub Himalayan West Bengal & Sikkim, Marathwada, Rayalaseema, North Interior Karnataka and South Interior Karnataka; at isolated places over Bihar and East Uttar Pradesh. The highest maximum temperature of 38.8°C is reported at PALAYAMKOTTAI (TAMIL NADU).



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Meteorological Analysis (Based on 0530 hours IST)


- The **line of withdrawal of southwest monsoon** continues to pass through 31°N/74°E, Bhatinda,Fatehabad, Pilani, Ajmer, Deesa, Bhuj and 23°N/68°E.
- The **upper air cyclonic circulation** over east Uttar Pradesh & adjoining Bihar now lies over central Bihar & neighbourhood and extends upto 1.5 km above mean sea level.
- The upper air cyclonic circulation over Marathwada between 3.1 & 5.8 km above mean sea level persists.
- The **north-south trough** from North Interior Karnataka to Comorin area across Tamil Nadu at 0.9 km above mean sea level persists.
- The upper **air cyclonic circulation** over central Assam now lies over northeast Assam & neighbourhood at 0.9 km above mean sea level.
- The **trough** from central parts of Madhya Pradesh to westcentral & adjoining southwest Bay of Bengal across east Vidarbha, Telangana & south Coastal Andhra Pradesh at 0.9 km above mean sea level persists.


Weather Outlook for subsequent 3 days

Fairly widespread to widespread rainfall likely over Islands, Northeast, East, West and Central India.

Isolated to scattered rainfall likely over the South penninsular India and Isolated rainfall over the Western Himalayan region.








18 September (Day 1)


- ♦ Heavy Rainfall very likely at isolated places over Andaman & Nicobar Islands, Andhra Pradesh, Arunachal Pradesh, Assam & Meghalaya, Bihar, Coastal Karnataka, East Uttar Pradesh, Kerala & Mahe, Konkan & Goa, Madhya Maharashtra, South Interior Karnataka, Sub Himalayan West Bengal & Sikkim, Tamil Nadu Puducherry & Karaikal and Uttarakhand.
- **❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** very likely at isolated places over Andaman & Nicobar Islands.
- ♦ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Bihar, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Jharkhand, Odisha, Rayalaseema, Tamil Nadu Puducherry & Karaikal and West Bengal & Sikkim.
- ♦ Thunderstorm accompanied with Lightning very likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Chhattisgarh, Coastal Andhra Pradesh, East Rajasthan, Gujarat State, Kerala & Mahe, Konkan & Goa, Lakshadweep, Madhya Pradesh, Maharashtra, Nagaland, Manipur, Mizoram and Tripura, North Interior Karnataka, Telangana, Uttar Pradesh and Uttarakhand.
- Strong Surface Winds very likely at isolated places over Andhra Pradesh and Telangana.

Squally wind with speed reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail over some parts of southwest & westcentral Arabian Sea, along and off Somalia, Oman & adjoining Yemen coasts.

Squally weather with wind speed reaching 40 - 50 kmph gusting to 60 kmph likely to prevail along and off south Konkan, Goa coasts, over Gulf of Mannar & adjoining Comorin area, over few parts of southwest Bay of Bengal & along and off south Sri Lanka coast, and over Andaman Sea..








19 September (Day 2)


- **Heavy Rainfall** very likely at isolated places over Andaman & Nicobar Islands, Arunachal Pradesh, Assam & Meghalaya, Bihar, Nagaland, Manipur, Mizoram and Tripura, Sub Himalayan West Bengal & Sikkim and Tamil Nadu Puducherry & Karaikal.
- Thunderstorm accompanied with lightning & gusty winds(40-50kmph) very likely at isolated places over Andaman & Nicobar Islands.
- ♦ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Bihar, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Jharkhand, Odisha, Rayalaseema, Tamil Nadu Puducherry & Karaikal and West Bengal & Sikkim.
- ❖ Thunderstorm accompanied with Lightning very likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Chhattisgarh, Coastal Andhra Pradesh, East Rajasthan, Gujarat State, Madhya Maharashtra, Madhya Pradesh, Marathwada, Nagaland, Manipur, Mizoram and Tripura, Telangana and Uttarakhand.
- Strong Surface Winds very likely at isolated places over Andhra Pradesh and Telangana.

Squally wind with speed reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail over some parts of southwest & few parts of westcentral Arabian Sea, along and off Somalia coast, along and off north Oman coast & adjoining sea area.

Squally weather with wind speed reaching 40 - 50 kmph gusting to 60 kmph likely to prevail over Gulf of Mannar & adjoining Comorin area and over some parts of southwest & adjoining southeast Bay of Bengal, along and off south Sri Lanka coast and over Andaman Sea.








20 September (Day 3)


- ♦ Heavy Rainfall very likely at isolated places over Andaman & Nicobar Islands, Assam & Meghalaya, Bihar and Nagaland, Manipur, Mizoram and Tripura.
- **❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** very likely at isolated places over Andaman & Nicobar Islands.
- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Bihar, Jharkhand, Odisha, Rayalaseema and Tamil Nadu Puducherry & Karaikal.
- ❖ Thunderstorm accompanied with Lightning very likely at isolated places over Chhattisgarh, Coastal Andhra Pradesh, Gujarat State, Madhya Maharashtra, Madhya Pradesh, Marathwada, Telangana and Uttarakhand.
- Strong Surface Winds very likely at isolated places over Andhra Pradesh and Telangana.

Squally wind with speed reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail over some parts of southwest & few parts of westcentral Arabian Sea, along and off Somalia coast, along and off north Oman coast & adjoining sea area.

Squally weather with wind speed reaching 40 - 50 kmph gusting to 60 kmph likely to prevail over Gulf of Mannar & adjoining Comorin area, over many parts of south Bay of Bengal, along and off south Sri Lanka coast and over Andaman Sea.








21 September (Day 4)

- ♦ Heavy Rainfall likely at isolated places over Andaman & Nicobar Islands, Assam & Meghalaya and Nagaland, Manipur, Mizoram and Tripura.
- **❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** likely at isolated places over Andaman & Nicobar Islands.
- **❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Bihar, Jharkhand, Odisha and Rayalaseema.
- **♦ Thunderstorm accompanied with Lightning** likely at isolated places over Chhattisgarh, Coastal Andhra Pradesh, Madhya Pradesh, Telangana and Uttarakhand.
- Strong Surface Winds likely at isolated places over Andhra Pradesh and Telangana.



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences




22 September (Day 5)

- ♦ Heavy Rainfall likely at isolated places over Assam & Meghalaya and Nagaland, Manipur, Mizoram and Tripura.
- **♦ Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** likely at isolated places over Andaman & Nicobar Islands.
- **❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Bihar.



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences




23 September (Day 6)

- ♦ Heavy Rainfall likely at isolated places over Assam & Meghalaya and Nagaland, Manipur, Mizoram and Tripura.
- **❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Andaman & Nicobar Islands and Bihar.



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences



24 September (Day 7)

- Heavy Rainfall likely at isolated places over Assam & Meghalaya and Nagaland, Manipur, Mizoram and Tripura.
- **♦ Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Andaman & Nicobar Islands and Bihar.



National Weather Forecasting Centre
Indian Meteorological Department
Ministry of Earth Sciences

Table-1

7 Days Rainfall Forecast

	1 Days Railli	an i		50a	JL			
S.No.	Subdivision	18- Sep	19- Sep	20- Sep	21- Sep	22- Sep	23- Sep	24- Sep
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
1	ANDAMAN & NICOBAR ISLANDS	WS	WS	WS	FWS	FWS	FWS	FWS
2	ARUNACHAL PRADESH	SCT						
3	ASSAM & MEHGHALAYA	FWS	FWS	FWS	FWS	FWS	SCT	SCT
4	N. M. M. & T.	FWS	FWS	FWS	WS	WS	FWS	FWS
5	S.H. WEST BENGAL & SIKKIM	WS	FWS	FWS	FWS	FWS	FWS	FWS
6	GANGETIC WEST BENGAL	WS	FWS	SCT	SCT	SCT	SCT	SCT
7	ODISHA	ISOL	ISOL	SCT	SCT	ISOL	ISOL	ISOL
8	JHARKHAND	FWS	FWS	FWS	SCT	SCT	SCT	SCT
9	BIHAR	FWS	SCT	FWS	FWS	SCT	SCT	SCT
10	EAST UTTAR PRADESH	FWS	SCT	ISOL	ISOL	ISOL	ISOL	ISOL
11	WEST UTTAR PRADESH	SCT	ISOL	DRY	DRY	DRY	DRY	DRY
12	UTTARAKHAND	FWS	SCT	SCT	SCT	SCT	SCT	SCT
13	HARYANA, CHD & DELHI	SCT	SCT	DRY	DRY	DRY	DRY	DRY
14	PUNJAB	SCT	SCT	DRY	DRY	DRY	DRY	DRY
15	HIMACHAL PRADESH	SCT	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
16	JAMMU AND KASHMIR AND LADAKH	SCT	SCT	DRY	DRY	DRY	DRY	DRY
17	WEST RAJASTHAN	DRY						
18	EAST RAJASTHAN	ISOL	ISOL	ISOL	ISOL	DRY	DRY	DRY
19	WEST MADHYA PRADESH	FWS	FWS	SCT	SCT	SCT	SCT	SCT
20	EAST MADHYA PRADESH	FWS	FWS	FWS	SCT	SCT	SCT	SCT
21	GUJRAT REGION	SCT						
22	SAURASHTRA & KUTCH	ISOL						
23	KONKAN & GOA	WS	FWS	FWS	FWS	FWS	FWS	FWS
24	MADHYA MAHARASHTRA	SCT	SCT	ISOL	ISOL	SCT	ISOL	ISOL
25	MARATHWADA	SCT						
26	VIDARBHA	WS	FWS	FWS	FWS	FWS	FWS	FWS
27	CHATTISGARH	SCT	SCT	SCT	FWS	FWS	FWS	FWS
28	COASTAL ANDHRA PRADESH	SCT						
29	TELANGANA	SCT						
30	RAYALASEEMA	FWS	SCT	SCT	SCT	SCT	SCT	SCT
31	TAMILNADU & PUDUCHERRY	FWS	FWS	ISOL	ISOL	ISOL	ISOL	ISOL
32	COSTAL KARNATAKA	WS	FWS	FWS	FWS	WS	WS	WS
33	NORTH INTERIOR KARNATAKA	FWS	SCT	SCT	SCT	FWS	FWS	FWS
34	SOUTH INTERIOR KARNATAKA	FWS	SCT	SCT	SCT	FWS	FWS	FWS
35	KERALA	WS	FWS	SCT	SCT	SCT	SCT	SCT
36	LAKSHDWEEP	WS	FWS	SCT	SCT	SCT	SCT	SCT

Legend	Category	%Stations
WS	Widespread/Most Places	76-100
FWS	Fairly Widespread/Many Places	51-75
SCT	Scattered/ A Few Places	26-50
ISOL	Isolated Places	1-25
DRY	No Rain	0

Fig. 1: Maximum Temperatures Dated 2025-09-18




Fig. 3: Minimum Temperatures Dated 2025-09-18




Fig. 2: Departure of Maximum Temp. Dated 2025-09-18






Fig. 4: Departure of Minimum Temp. Dated 2025-09-18









National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Agromet advisories for various parts of the country

In **Maharashtra**, drain out excess water from fields of rice, vegetables and fruit orchards in **Konkan**; rice, sugarcane, pigeon pea, soybean, maize, vegetables and fruit orchards in **Madhya Maharashtra**; sugarcane, sorghum, soybean, turmeric, vegetables and fruit orchards in **Marathwada** and pigeon pea, cotton, soybean, maize, vegetables and fruit orchards in **Vidarbha**.

In **Sub-Himalayan West Bengal**, drain out excess water from the fields of *rice* and vegetable in **Terai Zone** and green gram, black gram, finger millet, dalley khorsani, vegetables and fruit orchardsin **Hill Zone**.

In **Bihar**, ensure proper drainage of excess rainwater from the fields of rice and vegetables in **North West Alluvial Plain Zone**.

In **Arunachal Pradesh**, maintain proper drainage in standing crops such as rice, soybean, finger millet, vegetables and fruit orchards to avoid water stagnation. Keep the harvested produce of upland paddy, maize, chillies and banana at safer places.

In **Assam**, ensure proper drainage to drain out excess water from the fields of rice, sugarcane, black gram and sesame in **Hill** Zone; rice and already sown black gram in **Barak Valley Zone** and rice, sesame and vegetables **in North Bank Plain Zone.** In **Lower Brahmaputra Valley Zone**, ensure proper drainage system in *Sali* rice fields and nursery bed of vegetables. Cover the nursery bed with thin polythene to avoid the damages due to heavy rainfall. In **Upper Brahmaputra Valley Zone**, harvest the matured vegetables and fruits and transfer it to a safer location and make arrangements to drain out excess water from the standing crop fields.

In **Meghalaya**, drain out excess water from rice, vegetable nurseries and ginger. Provide support to tall and fragile crops like banana, papaya, pumpkin, etc. to prevent lodging.

In **Uttarakhand**, ensure proper drainage in the fields of green gram, black gram, soybean, barnyard millet and finger millet in **Sub Humid Sub Tropic Zone**; and rice, pigeon pea, black gram, green gram, finger millet, maize, soybean and already sown crop of potato and radish in **Bhabar and Tarai Zone**. In **Hill Zone**, ensure proper drainage in pigeon pea and vegetable crops and keep the harvestewd produce of barnyard millet, ginger and rainfed rice at safer places.

In **Telangana**, ensure adequate drainage facilities to drain out excess rain water in fields of rice, maize, cotton, soybean, pigeon pea, turmeric and vegetables.

Livestock / Fishery

Keep the animals inside the shed during heavy rainfall and provide them balanced feed.

Store feed and fodder in a safe place to prevent spoilage.

Construct an outlet with proper netting around the ponds to drain out excess water, thereby preventing fish from escaping in case of overflow.


Agromet advisories for likely impact of Thunderstorm / Gusty Winds / Squally Winds

(Based on the IBF and advisories issued by different AMFUs)

Provide mechanical support to horticultural crops and staking or support to vegetables and young fruit plants / fruit-bearing plants to avoid lodging due to strong winds.







SPATIAL DISTRIBUTION (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/ A Few Places)
51-75	Fairly Widespred (FWS/ Many Places)	1-25	Isolated (ISOL)

Subdivision Colour

NO WARNING

WATCH (BE UPDATED)

ALERT (BE PREPARED TO TAKE ACTION

Extremely Heavy Rain 🗼 Heavy Snow

Probabilistic Forecast

WARNING (TAKE ACTION)

Heavy Rain
Thunderstorm & Lightning

derstorm & Lightning Hailstror

Strong surface winds
Cold Wave
Hot & Humid

Very Heavy Rain

Hailstrom

+ Heat Wave

Dust Strom

+ Hot Day

Dust Raising Winds

Warm Night

Cold Day



Ground Frost

FOG FOG



	<u> </u>	EGENDS
	WARNING	Probabilistic Forecast
	WARNING (TAKE ACTION)	Terms Probability of Occurrence (%)
	ALERT (BE PREPARED)	Unlikely < 25 Likely 25 - 50
	WATCH (BE UPDATED)	Very Likely 50 - 75
10	NO WARNING (NO ACTION)	Most Likely > 75
/ Ç	Heavy: 64.5 to 115.5 mm/cm * Very Heavy: 115.6 to 204.4 mm/cm * Extremely Heavy: > 204.4 mm/cm *	
	(a) Based on Departure from norma	
	Heat Wave: Maximum Temperature Depa Severe Heat Wave: Maximum Temperature	
j+	(b). Based on Actual maximum temperature	
at Wave	Heat Wave: When actual maximum temper	
	Severe Heat Wave: When actual maximu	N. A. of S.
	(c). Criteria for heat wave for coast: When maximum temperature departure is temperature ≥37°C	al stations >4.5°C from normal. Heat Wave may be described provided
a .	When maximum temperature rema	
m Night	Warm Night: When minimum temperature	
	Severe Warm Night: When minimum tem	perature departure 20.4 °C.
	(a). Based on departure	station ≤10°C for plains and ≤0°C for hilly region
	Cold Wave: Minimum Temperature Depart Severe Cold Wave: Minimum Temperature	
Ĵ-	(b) Based on actual Minimum Temperatur	
ld Wave	Cold Wave : When Minimum Temperature	
	Severe Cold Wave: When Minimum Term	
	(c) For Coastal Stations	
		s ≤-4.5 °C & actual Minimum Temperature is ≤ 15 °C
Q -	When minimum temperature of a st Based on departure Cold Day: Maximum Temperature Depart	ation ≤10°C for plains and ≤0°C for hilly regions
old Day	Severe Cold Day: Maximum Temperature	
	Dhamanan of amali danalata	
	Moderate Fog: When the visibility between	suspended in air and the horizontal visibilit
	Dense Fog: when the visibility between 5	
_	Delice Log. When the Helbinty Bethreen't	200 11101100
Fog	Very Dense Fog: when the visibility < 50	
	Very Dense Fog: when the visibility < 50	
Fog	Very Dense Fog: when the visibility < 50 s Sudden electrical discharges manife sound (thunder)	metres
Fog ## Inderstorm ust/Sand	Very Dense Fog: when the visibility < 50 sound (sound (thunder) An ensemble of particles of dust or turbulent wind.	ested by a flash of light (Lightning) and a sharp ru
Fog My nderstorm ust/Sand Storm	Very Dense Fog: when the visibility < 50 Sudden electrical discharges manife sound (thunder) An ensemble of particles of dust or	ested by a flash of light (Lightning) and a sharp ru
Fog ## nderstorm sst/Sand Storm	Very Dense Fog: when the visibility < 50 sound (sound (thunder)) An ensemble of particles of dust or turbulent wind.	ested by a flash of light (Lightning) and a sharp ru
Fog ## Inderstorm ust/Sand	Very Dense Fog: when the visibility < 50 months of the visibility	ested by a flash of light (Lightning) and a sharp ru sand energetically lifted to great heights by a stro
Fog St/Sand Storm Frost	Very Dense Fog: when the visibility < 50 months of the visibility	ested by a flash of light (Lightning) and a sharp ru sand energetically lifted to great heights by a stro
Fog Wynderstorm ust/Sand Storm Frost	Very Dense Fog: when the visibility < 50 months of the visibility	ested by a flash of light (Lightning) and a sharp runs sand energetically lifted to great heights by a stro
Fog Wynderstorm ust/Sand Storm Frost	Very Dense Fog: when the visibility < 50 months of the visibility	ested by a flash of light (Lightning) and a sharp runs sand energetically lifted to great heights by a strought, lasts for atleast 1 minute.
Fog Wynderstorm ust/Sand Storm Frost Gquall	Very Dense Fog: when the visibility < 50 most of the visi	ested by a flash of light (Lightning) and a sharp runs sand energetically lifted to great heights by a stro
Fog Wy nderstorm sst/Sand Storm Frost	Very Dense Fog: when the visibility < 50 most of the visi	ested by a flash of light (Lightning) and a sharp rules sand energetically lifted to great heights by a stro nly, lasts for atleast 1 minute. ever specific area 2 kmph (22-33 knots) & Wave height 2.5-6 metre nph (34-63 knots) & Wave height 6-14 metre
Frost Frost	Very Dense Fog: when the visibility < 50 meshadown sound (thunder) An ensemble of particles of dust or turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 52-61 kmph Very Severe: Wind speed >87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea of Rough to very rough: Wind speed 41-62 High to very high: Wind speed 63-117 km Phenomenal: Wind speed >117 kmph (>60)	ested by a flash of light (Lightning) and a sharp runs and energetically lifted to great heights by a stroinly, lasts for atleast 1 minute. Every specific area 2 kmph (22-33 knots) & Wave height 2.5-6 metre mph (34-63 knots) & Wave height 6-14 metre 33 knots) & Wave height >14 metre
Frost Frost	Very Dense Fog: when the visibility < 50 mostly sound (thunder) An ensemble of particles of dust or turbulent wind. Ice deposits on ground Air temperature ≤ 4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 52-61 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea of Rough to very rough: Wind speed 41-62 High to very high: Wind speed 63-117 km	ested by a flash of light (Lightning) and a sharp runs and energetically lifted to great heights by a stroinly, lasts for atleast 1 minute. Experimental energy and the strong area of
st/Sand Storm	Sudden electrical discharges manife sound (thunder) An ensemble of particles of dust or turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 52-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea of Rough to very rough: Wind speed 41-62 High to very high: Wind speed 63-117 km Phenomenal: Wind speed >117 kmph (>60 Cyclonic Storm: Wind speed 62-87 kmph	ested by a flash of light (Lightning) and a sharp runs and energetically lifted to great heights by a stroinly, lasts for atleast 1 minute. Ever specific area 2 kmph (22-33 knots) & Wave height 2.5-6 metre and (34-63 knots) & Wave height 6-14 metre and knots) & Wave height 5-14 metre and (34-47 knots) 1 (34-47 knots) 1 (34-47 knots) 1 (34-63 knots) 1 (34-65 kmph (64 - 89 knots)