



2025-11-16

Time of Issue: 20:11:00 hours IST

(Night)

ALL INDIA WEATHER SUMMARY AND FORECAST BULLETIN

Significant Weather Features

Weather, Forecast and Warnings:

- Light to moderate rainfall/thunderstorm at most/many places with isolated heavy rainfall very likely over Tamil Nadu during 18th -22nd, Kerala & Mahe during 16th 20th; over Coastal Andhra Pradesh & Yanam, Rayalaseema on 17th & 18th and Andaman & Nicobar Islands during 18th -21st November; with isolated very Heavy rainfall over Tamil Nadu on 16th & 17thNovember.
- Thunderstorm with lightning very likely over Tamil Nadu, Kerala & Mahe, Coastal Andhra Pradesh & Yanam and Rayalaseema during 16th -20th; on 16th-19th with gusty winds (speed reaching 30-40 kmph) likely over Andaman & Nicobar Islands during 16th -20th November.

Forecast of temperature and cold wave and cold day warnings:

- No significant change in minimum temperature likely over plains of northwest India, central, east and north Peninsular India during next three days and slight rise likely thereafter.
- Cold wave to severe cold wave conditions likely to prevail over some parts of Madhya Pradesh on 17th and over isolated parts on 18th & 19th November; cold wave conditions likely to prevail over isolated parts of West Rajasthan, Madhya Maharashtra and Vidarbha on 17th & 18th; over East Rajasthan and Chhattisgarh during 17th -19th and over Jharkhand on 17th November.
- Shallow to moderate fog conditions likely over Northeast India during the week.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Main Weather Observations:

- ❖ Rainfall distribution (from 0830 hours IST to 1730 hours IST of today): at many places over Tamilnadu Puducherry & Karaikal, Andaman & Nicobar Islands, Kerala & Mahe and Lakshadweep; Dry over rest of the country.
- ♦ Significant rainfall recorded(in cm) (from 0830 hours IST to 1730 hours IST of today): Tamilnadu Puducherry & Karaikal: Pamban (dist Ramanathapuram), Pondicherry (dist Puducherry), Kanyakumari (dist Kanyakumari), Karaikal (dist Karaikal), Cuddalore (dist Cuddalore) 1 Each.
- ♦ Fog Condition Observed (at 1730 hours of today): Shallow fog conditions: at isolated places over Assam & Meghalaya
- ❖ Visibility reported (at 1730 hours of today): Assam & Meghalaya: Halflong (dist Dima Hasao) 500.0.
- ♦ Minimum Temperature Departures (as on 16-11-2025): below normal(-1.6°C to -3.0°C) at isolated places over Odisha, Jharkhand, Haryana-Chandigarh-Delhi, East Rajasthan, Marathwada, Vidarbha and Chhattisgarh. appreciably below normal(-5.0°C to -3.1°C) at many places over Telangana. markedly below normal(< -5.0°C) at most places over West Madhya Pradesh and East Madhya Pradesh. The lowest minimum temperature of 6.0°C is reported at Rajgarh (West Madhya Pradesh) over the plains of India.
- ♦ Maximum Temperature Departures (as on 16-11-2025): below normal(-1.6°C to -3.0°C) at few places over Jharkhand, East Rajasthan, East Madhya Pradesh and Gujarat Region. The highest maximum temperature of 34.4°C is reported at KARWAR (KARNATAKA), and KOZHIKODE (CALICUT) (KERALA).



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences


Meteorological Analysis (Based on 1730 hours IST)


- The **Low-Pressure area** over Southwest Bay of Bengal off Sri Lanka coast now lies over southwest Bay of Bengal and adjoining Sri Lanka coast at 1730 hrs IST of today, the 16th November 2025. The associated upper air cyclonic circulation extending upto 7.6 km above mean sea level tilting southwestwards with height persists. It is likely to move slowly west-northwestwards during next 24 hours.
- The **cyclonic circulation** over Southeast Arabian sea and adjoining South Kerala coast at 0.9 km above mean sea level persists.

Weather Outlook for subsequent 3 days

- fairly widespread to widespread rainfall activity likely over Tamil Nadu, Kerala and Islands.
- Isolated to Scattered rainfall activity over Coastal Andhra Pradesh, Coastal Karnataka and South Interior Karnataka.









16 November (Day 1)

- Heavy to Very Heavy Rainfall very likely at isolated places over Tamil Nadu Puducherry & Karaikal.
- ❖ Heavy Rainfall very likely at isolated places over Kerala & Mahe.
- **❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** very likely at isolated places over Andaman & Nicobar Islands.
- ♦ Thunderstorm accompanied with Lightning very likely at isolated places over Andhra Pradesh, Kerala & Mahe and Tamil Nadu Puducherry & Karaikal.
- ♦ Cold wave conditions very likely at isolated places over Chhattisgarh, Jharkhand, Madhya Maharashtra, Madhya Pradesh, Rajasthan, Uttar Pradesh and Vidarbha.

Squally weather with wind speeds reaching 35 kmph to 45 kmph gusting to 55 kmph will prevail over Gulf of Mannar, adjoining Comorin area, along and off Sri Lanka, Tamil Nadu, south Andhra Pradesh coasts, adjoining areas of westcentral, southwest Bay of Bengal.









17 November (Day 2)

- Heavy to Very Heavy Rainfall very likely at isolated places over Tamil Nadu Puducherry & Karaikal.
- Heavy Rainfall very likely at isolated places over Andhra Pradesh and Kerala & Mahe.
- **❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** very likely at isolated places over Andaman & Nicobar Islands.
- ♦ Thunderstorm accompanied with Lightning very likely at isolated places over Andhra Pradesh, Kerala & Mahe and Tamil Nadu Puducherry & Karaikal.
- ♦ Cold wave conditions very likely at isolated places over Chhattisgarh, Madhya Maharashtra, Madhya Pradesh, Rajasthan and Vidarbha.

Squally weather with wind speeds reaching 35 kmph to 45 kmph gusting to 55 kmph will prevail over Gulf of Mannar, adjoining Comorin area, along and off Tamil Nadu, south Andhra Pradesh coasts.









18 November (Day 3)

- ♦ Heavy Rainfall very likely at isolated places over Andaman & Nicobar Islands, Andhra Pradesh, Kerala & Mahe and Tamil Nadu Puducherry & Karaikal.
- **❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** very likely at isolated places over Andaman & Nicobar Islands.
- ♦ Thunderstorm accompanied with Lightning very likely at isolated places over Andhra Pradesh, Kerala & Mahe and Tamil Nadu Puducherry & Karaikal.
- ♦ Cold wave conditions very likely at isolated places over Chhattisgarh, East Rajasthan and Madhya Pradesh.

Squally weather with wind speeds reaching 40 kmph to 50 kmph gusting to 60 kmph will prevail over Andaman Sea.









19 November (Day 4)

- ♦ Heavy Rainfall likely at isolated places over Andaman & Nicobar Islands, Kerala & Mahe and Tamil Nadu Puducherry & Karaikal.
- **❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Andaman & Nicobar Islands.
- ❖ Thunderstorm accompanied with Lightning likely at isolated places over Andhra Pradesh, Kerala & Mahe and Tamil Nadu Puducherry & Karaikal.

Squally weather with wind speeds reaching 40 kmph to 50 kmph gusting to 60 kmph will prevail over Andaman Sea, many parts of southeast, some parts of eastcentral Bay of Bengal.








20 November (Day 5)


- ♦ Heavy Rainfall likely at isolated places over Andaman & Nicobar Islands, Kerala & Mahe and Tamil Nadu Puducherry & Karaikal.
- **❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Andaman & Nicobar Islands.
- ♦ Thunderstorm accompanied with Lightning likely at isolated places over Andhra Pradesh, Kerala & Mahe and Tamil Nadu Puducherry & Karaikal.

Squally weather with wind speeds reaching 40 kmph to 50 kmph gusting to 60 kmph will prevail over Andaman Sea, many parts of southeast, some parts of eastcentral Bay of Bengal.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences






21 November (Day 6)


* Heavy Rainfall likely at isolated places over Andaman & Nicobar Islands and Tamil Nadu Puducherry & Karaikal.

No Fishermen Warning



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences





22 November (Day 7)

Heavy Rainfall likely at isolated places over Andaman & Nicobar Islands and Tamil Nadu Puducherry & Karaikal.

No Fishermen Warning



Table-1

7 Days Rainfall Forecast

S.No. Subdivision 16- Nov	v Nov
Day 1 Day 2 Day 3 Day 4 Day 5 Day	Dov.
	ay 6 Day i
1 ANDAMAN & NICOBAR ISLANDS FWS FWS WS WS WS	WS WS
2 ARUNACHAL PRADESH DRY DRY DRY DRY DRY	RY ISO
3 ASSAM & MEHGHALAYA DRY DRY DRY DRY DRY	RY DR
4 N. M. M. & T. DRY DRY DRY ISOL ISOL ISOL	SOL ISO
5 S.H. WEST BENGAL & SIKKIM DRY DRY DRY DRY ISOL IS	SOL ISO
6 GANGETIC WEST BENGAL DRY DRY DRY DRY DRY	RY DR
7 ODISHA DRY DRY DRY DRY DRY	RY DRY
8 JHARKHAND DRY DRY DRY DRY DRY	RY DR'
9 BIHAR DRY DRY DRY DRY DRY	RY DRY
10 EAST UTTAR PRADESH DRY DRY DRY DRY DRY	RY DR'
11 WEST UTTAR PRADESH DRY DRY DRY DRY DRY	RY DR'
12 UTTARAKHAND DRY DRY DRY DRY DRY DRY	RY DR'
13 HARYANA, CHD & DELHI DRY DRY DRY DRY DRY	RY DR'
14 PUNJAB DRY DRY DRY DRY DRY DRY	RY DR'
15 HIMACHAL PRADESH DRY DRY DRY DRY DRY	RY DR'
16 JAMMU AND KASHMIR AND LADAKH DRY DRY DRY DRY DRY	RY DR'
17 WEST RAJASTHAN DRY DRY DRY DRY DRY DRY	RY DR'
18 EAST RAJASTHAN DRY DRY DRY DRY DRY	RY DR'
19 WEST MADHYA PRADESH DRY DRY DRY DRY DRY	RY DR'
20 EAST MADHYA PRADESH DRY DRY DRY DRY DRY DRY	RY DR'
21 GUJRAT REGION DRY DRY DRY DRY DRY	RY DR'
22 SAURASHTRA & KUTCH DRY DRY DRY DRY DRY DRY	RY DR'
23 KONKAN & GOA DRY DRY DRY DRY DRY DRY	DRY DRY
24 MADHYA MAHARASHTRA DRY DRY DRY DRY DRY DRY	DRY DRY
25 MARATHWADA DRY DRY DRY DRY DRY DRY	DRY DRY
	RY DR
27 CHATTISGARH DRY DRY DRY DRY DRY DRY	DRY DRY
28 COASTAL ANDHRA PRADESH ISOL ISOL ISOL ISOL ISOL ISOL ISOL ISOL	SOL SC
29 TELANGANA DRY DRY DRY DRY DRY DRY	DRY DRY
30 RAYALASEEMA ISOL ISOL SCT SCT ISOL IS	SOL SC
	SCT SC
	SOL ISO
	RY DR'
	SOL ISO
	SCT SC
36 LAKSHDWEEP SCT SCT SCT SCT SCT S	SCT SC

Legend	Category	%Stations
WS	Widespread/Most Places	76-100
FWS	Fairly Widespread/Many Places	51-75
SCT	Scattered/ A Few Places	26-50
ISOL	Isolated Places	1-25
DRY	No Rain	0

Fig. 1: Maximum Temperatures Dated 2025-11-16




Fig. 3: Minimum Temperatures Dated 2025-11-16




Fig. 2: Departure of Maximum Temp. Dated 2025-11-16






Fig. 4: Departure of Minimum Temp. Dated 2025-11-16









Impact & Action Suggested due to

Isolated very Heavy rainfall over Tamil Nadu on 16th & 17thNovember.

Impact Expected

- Localized Flooding of roads, water logging in low lying areas and closure of underpasses mainly in urban areas of the above region.
- · Occasional reduction in visibility due to heavy rainfall.
- Disruption of traffic in major cities due to water logging in roads leading to increased travel time.
- Minor damage to kutcha roads.
- Possibilities of damage to vulnerable structure.
- Localized Landslides/Mudslides/landslips/mudslips/landsinks/mudsinks.
- Damage to horticulture and standing crops in some areas due to inundation.
- It may lead to riverine flooding in some river catchments (for riverine flooding please visit Web page of CWC)

Action Suggested

- Check for traffic congestion on your route before leaving for your destination.
- Follow any traffic advisories that are issued in this regard.
- Avoid going to areas that face the water logging problems often.
- · Avoid staying in vulnerable structure.

Impact expected due to Cold Day/Severe Cold day conditions:

 Cold wave to severe cold wave likely to prevail over some parts of West Madhya Pradesh on 16th and over isolated parts of East Madhya Pradesh on 16th November

Impact Expected:

- An increased likelihood of various illnesses like flu, running/ stuffy nose or nosebleed, which usually set in or get aggravated due to prolonged exposure to cold.
- Do not ignore shivering. It is the first sign that the body is losing heat. Get Indoors.
- Frostbite can occur due to prolonged exposure to cold. The skin turns pale, hard and numb and eventually black blisters appear on exposed body parts such as fingers, toes, nose and or earlobes. Severe frostbite needs immediate medical attention and treatment.
- Impact on agriculture, crop, livestock, water supply, transport and power sector at some places.

Action suggested:

- Wear several layers of loose fitting, light weight; warm woollen clothing.
- Cover your head, neck, hands and toes adequately as majority of heat loss occurs through these body parts. Wear several layers of loose fitting, light weight; warm Woolen clothing rather than one layer of heavy cloth.
- Eat vitamin-C rich fruits & vegetable and drink sufficient fluids preferably warm fluids to maintain adequate immunity.
- Avoid or limit outdoor activities.
- Keep dry, if wet, change cloths immediately to prevent loss of body heat. Wear insulated/waterproof shoes.
- Warm the affected area of the body slowly with lukewarm water; do not rub the skin vigorously.
- If the affected skin area turns black, immediately consult a doctor.
- Maintain ventilation while using Heaters to avoid inhaling toxic fumes.
- Take safety measures while using electrical and gas heating devices.
- Extreme care needed for vulnerable people.
- Seek medical attention as soon as possible for someone suffering from frostbite/ Hypothermia.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

· Protect livestock from cold weather.

Agromet advisories for various parts of the country

Agromet advisories for likely impact of Heavy / Heavy to Very Heavy Rainfall / Cold Wave

- In **Tamil Nadu**, keep the harvested produce of rice and groundnut crops in safe places. Make arrangements to drain out excess water from fields of rice, sugarcane, cotton, black gram, maize and vegetables and plantations of coconut, banana, cinnamon and black pepper to avoid water stagnation. Provide support to banana plants with wooden poles to prevent them from falling.
- In **Kerala**, ensure adequate drainage facilities in fields of rice, vegetables and plantations of banana, coconut, cardamom and black pepper. Carry out propping in banana plants to prevent falling due to heavy rainfall and strong winds.
- In **Andhra Pradesh**, harvest matured crops of rice, groundnut and vegetables and shift the harvested produce to safer places. Make provision for draining out excess water from fields of rice, maize, pigeon pea, cotton, vegetables and plantations of banana.
- In Andaman and Nicobar Islands, store the harvested produce of rice in well-covered elevated places to
 prevent moisture damage. Harvest matured vegetables to avoid damage and provide support to papaya plants
 with stakes to prevent lodging.
- In Uttar Pradesh, Rajasthan, Madhya Pradesh, Chhattisgarh, Madhya Maharashtra, Vidarbha and Jharkhand, apply light and frequent irrigation to the standing crops in the evening to protect the crops from low temperature stress or cold injuries. Use mulching and cover vegetable nurseries and young fruit plants with straw / polythene sheets to maintain optimum soil temperature. Cover banana bunches with 6% perforated plastic bags for protection from low temperatures.

Livestock / Poultry / Fishery

- Keep the animals inside the shed during heavy rainfall and provide them balanced feed.
- Store feed and fodder in a safe place to prevent spoilage.
- Construct an outlet with proper netting around the ponds to drain out excess water, thereby preventing fish from escaping in case of overflow.
- Keep cattle inside the sheds during night and provide dry bedding to protect them from cold.
- Keep the chicks warm by providing artificial light in the poultry sheds.

Agromet advisories for likely impact of Thunderstorm / Gusty Winds

 Provide mechanical support to horticultural crops and staking or support to vegetables and young fruit plants / fruit-bearing plants to avoid lodging due to strong winds.







SPATIAL DISTRIBUTION (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/ A Few Places)
51-75	Fairly Widespred (FWS/ Many Places)	1-25	Isolated (ISOL)

Subdivision Colour

NO WARNING

WATCH (BE UPDATED)


ALERT (BE PREPARED TO TAKE ACTION

Probability of Occurrence (%) Terms < 25 Unlikely Likely 25 - 50Very Likely 50 - 75Most Likely > 75

Probabilistic Forecast

WARNING (TAKE ACTION)

Heavy Rain Thunderstorm & Lightning









Extremely Heavy Rain 🗼 Heavy Snow





Hot Day



Dust Raising Winds Warm Night





Ground Frost



FOG FOG



		EGENDS			
	WARNING Probabilistic Forecast				
	WARNING (TAKE ACTION)	Terms Probability of Occurre	nce (%)		
	ALERT (BE PREPARED)	Unlikely < 25 Likely 25 - 50			
	WATCH (BE UPDATED)	Very Likely 50 - 75			
	NO WARNING (NO ACTION)	Most Likely > 75			
./ 💭	Heavy: 64.5 to 115.5 mm/cm *				
in/ Snow	Very Heavy: 115.6 to 204.4 mm/cm* Extremely Heavy: > 204.4 mm/cm *				
iiii onow			0 C f L		
	(a) Based on Departure from norma	tation reaches ≥40° C for plains and ≥30 al	o tor n		
	Heat Wave: Maximum Temperature Dep	arture from normal 4.5° C to 6.4° C.			
Î+	Severe Heat Wave: Maximum Temperat				
eat Wave	(b). Based on Actual maximum tem	•			
iout maro	Heat Wave: When actual maximum temp Severe Heat Wave: When actual maxim				
	(c). Criteria for heat wave for coast				
	When maximum temperature departure is	>4.5°C from normal. Heat Wave may be describe	d provide		
	temperature ≥37°C				
Ĵ+	When maximum temperature rema Warm Night: When minimum temperature				
Varm Night	Severe Warm Night: When minimum temperatur				
		station ≤10°C for plains and ≤0°C for h	illy regi		
	(a). Based on departure Cold Wave: Minimum Temperature Depart	urture from normal A 5 9C to 6 4 9C			
	Severe Cold Wave: Minimum Temperature Depa				
J-	(b) Based on actual Minimum Tem				
Cold Wave	Cold Wave : When Minimum Temperatur				
	Severe Cold Wave: When Minimum Ter	nperature is ≤ 2.0 °C			
	(c) For Coastal Stations				
	When Minimum Temperature departure	is ≤-4.5 °C & actual Minimum Temperature is ≤	15 °C		
		tation ≤10°C for plains and ≤0°C for hilly	regions		
 -	Based on departure Cold Day: Maximum Temperature Depar	ture from normal -4.5 °C to -6.4 °C			
Cold Day	Severe Cold Day: Maximum Temperatur				
	Pharaman of amall devotate		! - !!- !!!		
A	Moderate Fog: When the visibility between	suspended in air and the horizontal	VISIDIII		
•	Dense Fog: when the visibility between				
Fog	Very Dense Fog: when the visibility < 50	metres			
7.					
7,9	Sudden electrical discharges manif sound (thunder)	ested by a flash of light (Lightning) and a	sharp r		
nunderstorm	(
luliderstorm					
understorm	An annumble of continuous states	and anamatically life of to according to the	h		
Dust/Sand	An ensemble of particles of dust or turbulent wind.	sand energetically lifted to great heights	by a str		
		sand energetically lifted to great heights	by a str		
Dust/Sand		sand energetically lifted to great heights	by a str		
Dust/Sand Storm	turbulent wind.	sand energetically lifted to great heights	by a str		
Dust/Sand	lce deposits on ground [Air temperature ≤4°C (over Plains)		by a str		
Dust/Sand Storm	lce deposits on ground [Air temperature ≤4°C (over Plains) A strong wind that rises sudde	sand energetically lifted to great heights l	by a str		
Dust/Sand Storm	lce deposits on ground [Air temperature ≤4°C (over Plains) A strong wind that rises sudde [Moderate: Wind speed 52-61 kmph]		by a str		
Dust/Sand Storm	lce deposits on ground [Air temperature ≤4°C (over Plains) A strong wind that rises sudde		by a sti		
Dust/Sand Storm Frost	lce deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph	enly, lasts for atleast 1 minute.	by a str		
Dust/Sand Storm Frost	Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea	enly, lasts for atleast 1 minute.	by a str		
Dust/Sand Storm Frost Squall	Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-6	enly, lasts for atleast 1 minute.	by a sti		
Dust/Sand Storm Frost	Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-6	enly, lasts for atleast 1 minute. over specific area 2 kmph (22-33 knots) & Wave height 2.5-6 metre mph (34-63 knots) & Wave height 6-14 metre	by a str		
Dust/Sand Storm Frost Squall	Lice deposits on ground Air temperature \$4°C (over Plains) A strong wind that rises sudded Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-64 High to very high: Wind speed 63-117 kmph (>90 kmph wind speed >117 kmph wind speed >117 kmph (>90 kmph wind speed >117 kmph wind speed >117 kmph (>90 kmph wind speed >117	enly, lasts for atleast 1 minute. over specific area 2 kmph (22-33 knots) & Wave height 2.5-6 metre mph (34-63 knots) & Wave height 6-14 metre 63 knots) & Wave height >14 metre	by a str		
Dust/Sand Storm Frost Squall	turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-6 High to very high: Wind speed 63-117 k	enly, lasts for atleast 1 minute. over specific area 2 kmph (22-33 knots) & Wave height 2.5-6 metre mph (34-63 knots) & Wave height 6-14 metre 63 knots) & Wave height >14 metre h (34-47 knots)	by a str		
Dust/Sand Storm Frost Squall	Ice deposits on ground Air temperature \$4°C (over Plains) A strong wind that rises sudded Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 63-117 kmph (>Phenomenal: Wind speed >117 kmph (>Cyclonic Storm: Wind speed 62-87 kmph	enly, lasts for atleast 1 minute. over specific area 2 kmph (22-33 knots) & Wave height 2.5-6 metre mph (34-63 knots) & Wave height 6-14 metre 63 knots) & Wave height >14 metre th (34-47 knots) 3-117 kmph (48-63 knots) seed 118-165 kmph (64 - 89 knots)	by a str		