



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

2025-08-14

Time of Issue: 08:32:00 hours IST

(Morning)

ALL INDIA WEATHER SUMMARY AND FORECAST BULLETIN

Significant Weather Features

Weather, Forecast and Warnings :

Northwest India:

Isolated **heavy rainfall** likely over Jammu-Kashmir, East Rajasthan during 14th-18th; Himachal Pradesh, Uttarakhand during 14th-20th; Punjab, Haryana, Chandigarh, West Uttar Pradesh during 14th-16th; East Uttar Pradesh on 14th August with **very heavy rainfall** over Jammu- Kashmir, West Uttar Pradesh on 14th & 15th; Himachal Pradesh, Haryana, Punjab on 14th; Uttarakhand during 14th-17th August.

Light/moderate rainfall at most/many places accompanied with thunderstorm & lightning likely over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad & Uttarakhand during next 7 days.

Northeast India:

Isolated **heavy rainfall** likely to continue over Arunachal Pradesh, Assam & Meghalaya during 14th-16th; Nagaland, Manipur, Mizoram & Tripura during 14th-17th August with **very heavy rainfall** over Assam & Meghalaya on 16th August.

Light/moderate rainfall at many places accompanied with thunderstorm & lightning likely during next 4 days.

South Peninsular India:

Extremely heavy rainfall very likely at isolated places over Telangana on 14th August.

Isolated **heavy rainfall** likely over Coastal Karnataka, Coastal Andhra Pradesh & Yanam, Telangana and North Interior Karnataka during 14th-20th; South Interior Karnataka during 14th-17th; Rayalaseema on 14th; Kerala on 14th & 15th August with isolated **very heavy rainfall over Coastal Andhra Pradesh & Yanam on 14th; Telangana during 15th-17th; Coastal Karnataka during 18th-20th August.**

Strong surface winds (speed reaching 40-50 kmph) very likely over South Peninsular India during next 2 days.

Light to moderate rainfall at most/many places accompanied with thunderstorm & lightning likely over Rayalaseema, Coastal Andhra Pradesh & Yanam and Telangana during next 5 days.

East & Central India:

Isolated heavy rainfall likely over Madhya Pradesh, Vidarbha &Chhattisgarh during 14th-20th; Sub-Himalayan West Bengal & Sikkim on 14th & during 17th-20th; Bihar on 14th & 15th; Odisha during 14th-17th August with isolated very heavy rainfall over West Madhya Pradesh on 15th & 16th; East Madhya Pradesh & Odisha on 14th; Vidarbha on 14th, 17th, 18th; Chhattisgarh during 14th-17th August.

Light to moderate rainfall at most/many places accompanied with thunderstorm & lightning likely over the region during next 7 days.

West India:

Isolated heavy rainfall likely over Konkan & Goa during 14th & 15th; Marathawada on 14th, 15th & 18th; Gujarat Region during 14th-20th; Saurashtra & Kutch during 17th-20th August with isolated very heavy rainfall over Konkan & Goa, ghat areas of Madhya Maharashtra during 16th-20th August.

Light to moderate rainfall at many/some places very likely over the region during next 5 days.



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Main Weather Observations:

- * Significant rainfall recorded(in cm) (from 0830 hours IST of yesterday to 0530 hours IST of today): Coastal Andhra Pradesh & Yanam: Vijayawada-gannavaram (dist Krishna) 13, Tuni (dist Kakinada) 8, Kalingapatanam (dist Srikakulam), Kakinada (dist Kakinada), Amaravati-ap-obs2 (dist Guntur) 3 Each, Machilipatnam (dist Krishna), Narsapur (dist Medak) 2 Each; East Uttar Pradesh: Lucknow (amausi) AP (dist Lucknow) 12, Bahraich (dist Bahraich) 2; Konkan & Goa: Ratnagiri (dist Ratnagiri) 7, Panjim (dist North Goa) 5, Mumbai (santacruz) AP (dist) 2; West Uttar Pradesh: Bareilly (dist Bareilly) 7, Jhansi (dist Jhansi) 2; Uttarakhand: Dehra Dun-mokampur (dist Dehradun) 5; North Interior Karnataka: Kalaburgi (dist Kalaburagi) 4; West Madhya Pradesh: Gwalior (dist Gwalior) 3; Bihar: Patna-airport (dist Patna) 3, Gaya (dist Gaya) 2; Gujarat Region: Surat (dist Surat) 3; Chhattisgarh: Jagdalpur (dist Bastar) 3; Assam & Meghalaya: Dhubri (dist Dhubri) 3, Silchar (dist Cachar), Cherrapunji (dist East Khasi Hills) 2 Each; Odisha: Bhubaneshwar (dist Khordha), Gopalpur (dist Ganjam), Jharsuguda (dist Jharsuguda) 2 Each; Vidarbha: Akola (dist Akola), Nagpur-sonegaon Airport (dist Nagpur) 2 Each; Gangetic West Bengal: Kolkata-alipur (dist Kolkata) 2; Coastal Karnataka: Mangalore (bajpe) AP (dist Dakshina Kannada) 2; Haryana Chandigarh & Delhi: New Delhi (palam) AP (dist South West Delhi) 2; Himachal Pradesh: Sundernagar (dist Mandi) 2.
- ♦ Heavy Rainfall observed (from 0830 hours IST of yesterday to 0530 hours IST of today): Heavy to very heavy rain at isolated places over East Uttar Pradesh and Coastal Andhra Pradesh & Yanam Heavy rain at a few places over West Uttar Pradesh, at isolated places over Konkan & Goa.
- ♦ Minimum Temperature Departures (as on 13-08-2025): markedly above normal(> 5.1°C) at few places over Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad, West Madhya Pradesh and East Madhya Pradesh; at isolated places over Assam & Meghalaya, Bihar, East Uttar Pradesh, West Uttar Pradesh, Himachal Pradesh, West Rajasthan and Saurashtra & Kutch. appreciably above normal(3.1°C to 5.0°C) at few places over Sub Himalayan West Bengal & Sikkim and Uttarakhand; at isolated places over Gangetic West Bengal, Odisha and Gujarat Region. above normal(1.6°C to 3.0°C) at few places over East Rajasthan; at isolated places over Haryana-Chandigarh-Delhi, Punjab, Madhya Maharashtra, Vidarbha, Chhattisgarh and Tamil Nadu, Puducherry & Karaikal. near normal(-1.5°C to 1.5°C) at many places over Jharkhand, Coastal Andhra Pradesh & Yanam, Telangana, Rayalaseema and Kerala & Mahe; at most places over Andaman & Nicobar Islands, Nagaland, Manipur, Mizoram & Tripura, Konkan & Goa, Marathwada, Coastal Karnataka, North Interior Karnataka, South Interior Karnataka and Lakshadweep. The lowest minimum temperature of 18.4°C is reported at MATHERAN (MAHARASHTRA) over the Plains of India.
- ♦ Maximum Temperature Departures (as on 13-08-2025): markedly above normal(> 5.1°C) at isolated places over Odisha and Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad. appreciably above normal(3.1°C to 5.0°C) at isolated places over Gangetic West Bengal, East Rajasthan, Madhya Maharashtra and Chhattisgarh. above normal(1.6°C to 3.0°C) at few places over Gujarat Region; at isolated places over West Uttar Pradesh, Uttarakhand, Haryana-Chandigarh-Delhi, Punjab, Himachal Pradesh, West Madhya Pradesh, Saurashtra & Kutch, Vidarbha and Coastal Andhra Pradesh & Yanam. near normal(-1.5°C to 1.5°C) at most places over West Rajasthan and Lakshadweep; at few places over Andaman & Nicobar Islands, Sub Himalayan West Bengal & Sikkim, Jharkhand, East Uttar Pradesh, East Madhya Pradesh, Konkan & Goa, Marathwada, Telangana, North Interior Karnataka, South Interior Karnataka and Kerala & Mahe; at isolated places over Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura and Tamil Nadu, Puducherry & Karaikal. The highest maximum temperature of 37.6°C is reported at SRIGANGANAGAR (RAJASTHAN).



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences


Meteorological Analysis (Based on 0530 hours IST)


- Yesterday's low pressure area over Westcentral & adjoining Northwest Bay of Bengal off North Andhra Pradesh and South Odisha coasts persisted over the same region at 0530 hrs IST of today, the 14th August 2025. The associated upper air cyclonic circulation extends upto 7.6 km above mean sea level tilting southwards with height. It is likely to move west-northwestwards across North Coastal Andhra Pradesh and south Odisha during next 48 hours.
- The monsoon trough at mean sea level now passes through Sri Ganganagar, Churu, Guna, Jabalpur, Raipur
 and thence south-southeastwards to centre of low-pressure area over Westcentral & adjoining northwest Bay of
 Bengal off North Andhra Pradesh and South Odisha coasts.
- The **upper air cyclonic circulation** over Himachal Pradesh and adjoining Jammu between 1.5 and 3.1 km above mean sea level persisted.
- The **upper air cyclonic circulation** over Kutch & neighbourhood lay over Northeast Arabian Sea & adjoining Kutch at 3.1 km above mean sea level.
- The **east-west trough** from central parts of Bay of Bengal to northeast Arabian sea adjoining Kutch across the upper air cyclonic circulation associated with the low-pressure area over Westcentral & adjoining northwest Bay of Bengal off North Andhra Pradesh & South Odisha coast, Telangana, North Maharashtra and South Gujarat region persisted and seen between 1.5 & 5.8 km above mean sea level tilting southward with height.
- The **upper air cyclonic circulation** over northeast Assam extending upto 3.1 km above mean sea level persists.
- The **upper air cyclonic circulation** over northwest Uttar Pradesh over northwest Uttar Pradesh & adjoining Haryana lay over south Haryana Adjoining north Rajasthan extended upto 0.9 km above mean sea level.
- The **upper air cyclonic circulation** over East Uttar Pradesh & neighbourhood extended upto 1.5 km above mean sea level has become less marked.
- The **trough** from **upper air cyclonic circulation** over East Uttar Pradesh & neighbourhood to upper air cyclonic circulation associated with the low-pressure area over Westcentral & adjoining northwest Bay of Bengal off North Andhra Pradesh and South Odisha coasts across Chhattisgarh upto 1.5 km above mean sea level has become less marked.

Weather Outlook for subsequent 3 days

Fairly widespread to widespread rainfall likely over the most parts of the country.







14 August (Day 1)

- ♦ Heavy to Very Heavy Rainfall with isolated Extremely Heavy Rainfall very likely at isolated places over Telangana.
- **Heavy to Very Heavy Rainfall** very likely at isolated places over Chhattisgarh, Coastal Andhra Pradesh, East Madhya Pradesh, Haryana, Chandigarh & Delhi, Himachal Pradesh, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Odisha, Punjab, Uttarakhand, Vidarbha and West Uttar Pradesh.
- ♦ Heavy Rainfall very likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Bihar, East Rajasthan, East Uttar Pradesh, Gujarat Region, Karnataka, Kerala & Mahe, Konkan & Goa, Madhya Maharashtra, Marathwada, Nagaland, Manipur, Mizoram and Tripura, Rayalaseema, Sub Himalayan West Bengal & Sikkim and West Madhya Pradesh.
- ❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph) very likely at isolated places over Andaman & Nicobar Islands, Chhattisgarh, North Interior Karnataka and Vidarbha.
- ♦ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Bihar, Coastal Karnataka, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Jharkhand, Odisha, Rayalaseema, South Interior Karnataka and West Bengal & Sikkim.
- ♦ Thunderstorm accompanied with Lightning very likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Coastal Andhra Pradesh, East Rajasthan, Gujarat State, Konkan & Goa, Madhya Maharashtra, Madhya Pradesh, Marathwada, Nagaland, Manipur, Mizoram and Tripura, Telangana, Uttar Pradesh and Uttarakhand.
- Strong Surface Winds very likely at isolated places over Tamil Nadu Puducherry & Karaikal and Telangana.

Squally wind with speed reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail along and off Somalia,





National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Yemen, Oman coasts, most parts of westcentral Arabian sea and adjoining areas southwest, eastcentral, northwest Arabian Sea.

Squally weather with wind speed reaching 40 - 50 kmph gusting to 60 kmph likely to prevail along and off Konkan, Goa, Karnataka, Kerala coasts, over Lakshadweep, Comorin areas, Gulf of Mannar, along and off Sri-Lanka coast, over most parts of south & central Bay of Bengal & adjoining, some parts of north Bay of Bengal, over Andaman sea, along and off north Andhra Pradesh, south Odisha coasts & adjoining sea areas.







15 August (Day 2)

- ♦ Heavy to Very Heavy Rainfall very likely at isolated places over Chhattisgarh, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Telangana, Uttarakhand and West Madhya Pradesh.
- ♦ Heavy Rainfall very likely at isolated places over Assam & Meghalaya, Bihar, Coastal Andhra Pradesh, East Madhya Pradesh, East Rajasthan, Gujarat Region, Haryana, Chandigarh & Delhi, Himachal Pradesh, Karnataka, Kerala & Mahe, Konkan & Goa, Maharashtra, Nagaland, Manipur, Mizoram and Tripura, Odisha, Punjab and West Uttar Pradesh.
- ❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph) very likely at isolated places over North Interior Karnataka.
- ♦ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Andaman & Nicobar Islands, Bihar, Coastal Karnataka, Gangetic West Bengal, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Jharkhand, Odisha and South Interior Karnataka.
- ♦ Thunderstorm accompanied with Lightning very likely at isolated places over Assam & Meghalaya, Chhattisgarh, Coastal Andhra Pradesh, East Rajasthan, Gujarat State, Madhya Pradesh, Maharashtra, Nagaland, Manipur, Mizoram and Tripura, Telangana and Uttarakhand.
- **Strong Surface Winds** very likely at isolated places over Telangana.

Squally wind with speed reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail along and off Somalia, Yemen, Oman coasts, most parts of westcentral Arabian sea and adjoining areas southwest, eastcentral Arabian Sea.


Squally weather with wind speed reaching 40 - 50 kmph gusting to 60 kmph likely to prevail along and off Konkan,




National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Goa, Karnataka, Kerala coasts, over Lakshadweep, Comorin areas, Gulf of Mannar, along and off Sri-Lanka coast, over most parts of south & central Bay of Bengal & adjoining, some parts of north Bay of Bengal, along and off Tamil Nadu, Andhra Pradesh, south Odisha coasts, adjoining sea areas and over Andaman sea.







16 August (Day 3)

- ♦ Heavy to Very Heavy Rainfall very likely at isolated places over Assam & Meghalaya, Chhattisgarh, Konkan & Goa, Madhya Maharashtra, Telangana, Uttarakhand and West Madhya Pradesh.
- ♦ Heavy Rainfall very likely at isolated places over Arunachal Pradesh, Coastal Andhra Pradesh, East Madhya Pradesh, East Rajasthan, Gujarat Region, Haryana, Chandigarh & Delhi, Himachal Pradesh, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Karnataka, Nagaland, Manipur, Mizoram and Tripura, Odisha, Punjab, Vidarbha and West Uttar Pradesh.
- ♦ Thunderstorm accompanied with lightning & gusty winds(40-50kmph) very likely at isolated places over North Interior Karnataka.
- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Bihar, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Jharkhand, Odisha and South Interior Karnataka.
- ♦ Thunderstorm accompanied with Lightning very likely at isolated places over Assam & Meghalaya, Chhattisgarh, Coastal Andhra Pradesh, Gujarat State, Madhya Pradesh, Marathwada, Nagaland, Manipur, Mizoram and Tripura, Rajasthan, Telangana, Uttarakhand and Vidarbha.
- ❖ Strong Surface Winds very likely at isolated places over Telangana.

Squally wind with speed reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail along and off Somalia, Yemen, Oman coasts, most parts of westcentral Arabian sea and adjoining areas southwest, eastcentral Arabian Sea.


Squally weather with wind speed reaching 40 - 50 kmph gusting to 60 kmph likely to prevail along and off along and off Konkan & Goa coasts, over Gulf of Mannar and adjoining Comorin area, along and off Sri-Lanka coast, over some




National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

parts of southwest Bay of Bengal, along and off north Tamil Nadu, Andhra Pradesh coasts, adjoining Odisha coasts, adjoining sea areas, westcentral & adjoining areas of eastcentral & northwest Bay of Bengal.







17 August (Day 4)

- ♦ Heavy to Very Heavy Rainfall likely at isolated places over Chhattisgarh, Konkan & Goa, Madhya Maharashtra, Telangana, Uttarakhand and Vidarbha.
- ♦ Heavy Rainfall likely at isolated places over Assam & Meghalaya, Coastal Andhra Pradesh, East Rajasthan, Gujarat State, Himachal Pradesh, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Karnataka, Madhya Pradesh, Nagaland, Manipur, Mizoram and Tripura, Odisha and Sub Himalayan West Bengal & Sikkim.
- ♦ Thunderstorm accompanied with lightning & gusty winds(40-50kmph) likely at isolated places over North Interior Karnataka.
- **♦ Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Bihar, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Jharkhand, Odisha and South Interior Karnataka.
- ♦ Thunderstorm accompanied with Lightning likely at isolated places over Chhattisgarh, Coastal Andhra Pradesh, Gujarat State, Madhya Pradesh, Marathwada, Nagaland, Manipur, Mizoram and Tripura, Rajasthan, Telangana, Uttarakhand and Vidarbha.
- Strong Surface Winds likely at isolated places over Telangana.

Squally wind with speed reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail along and off Somalia, Yemen, Oman coasts, most parts of westcentral Arabian sea and adjoining areas southwest, eastcentral Arabian Sea.


Squally weather with wind speed reaching 40 - 50 kmph gusting to 60 kmph likely to prevail over Gulf of Mannar and adjoining Comorin area, along and off Sri-Lanka coast, over some parts of southwest Bay of Bengal, off north Andhra Pradesh & Odisha coasts, adjoining sea areas, many parts of westcentral Bay of Bengal, adjoining eastcentral Bay of



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Bengal.	






18 August (Day 5)


- ♦ Heavy to Very Heavy Rainfall likely at isolated places over Coastal Karnataka, Konkan & Goa, Madhya Maharashtra and Vidarbha.
- **Heavy Rainfall** likely at isolated places over Chhattisgarh, Coastal Andhra Pradesh, East Rajasthan, Gujarat State, Himachal Pradesh, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Madhya Pradesh, Marathwada, North Interior Karnataka, Sub Himalayan West Bengal & Sikkim, Telangana and Uttarakhand.
- **♦ Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Bihar, Interior Karnataka and Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad.
- ♦ Thunderstorm accompanied with Lightning likely at isolated places over Rajasthan, Telangana and Uttarakhand.

Squally wind with speed reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail along and off Somalia, Yemen, Oman coasts, most parts of westcentral Arabian sea and adjoining areas southwest, eastcentral Arabian Sea.

Squally weather with wind speed reaching 40 - 50 kmph gusting to 60 kmph likely to prevail over Gulf of Mannar and adjoining Comorin area, along and off Sri-Lanka coast, over some parts of southwest Bay of Bengal, off north Andhra Pradesh & Odisha coasts, adjoining sea areas, many parts of westcentral Bay of Bengal, adjoining eastcentral Bay of Bengal.









19 August (Day 6)

- ♦ Heavy to Very Heavy Rainfall likely at isolated places over Coastal Karnataka, Konkan & Goa and Madhya Maharashtra.
- ♦ Heavy Rainfall likely at isolated places over Chhattisgarh, Coastal Andhra Pradesh, East Rajasthan, Gujarat State, Himachal Pradesh, Madhya Pradesh, North Interior Karnataka, Sub Himalayan West Bengal & Sikkim, Telangana, Uttarakhand and Vidarbha.
- **♦ Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Bihar, Interior Karnataka and Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad.
- ♦ Thunderstorm accompanied with Lightning likely at isolated places over Rajasthan, Telangana and Uttarakhand.

No Fishermen Warning







20 August (Day 7)

- ♦ Heavy to Very Heavy Rainfall likely at isolated places over Coastal Karnataka, Konkan & Goa and Madhya Maharashtra.
- ♦ Heavy Rainfall likely at isolated places over Chhattisgarh, Coastal Andhra Pradesh, East Rajasthan, Gujarat State, Himachal Pradesh, Madhya Pradesh, North Interior Karnataka, Sub Himalayan West Bengal & Sikkim, Telangana, Uttarakhand and Vidarbha.
- **♦ Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Bihar, Interior Karnataka and Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad.
- ♦ Thunderstorm accompanied with Lightning likely at isolated places over Rajasthan, Telangana and Uttarakhand.

No Fishermen Warning



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Flash Flood Warnings

24 hours Outlook for the Flash Flood Risk (FFR) till 0530 IST of 15-08-2025 :


Moderate to High flash flood risk likely over few watersheds & neighbourhoods of following Met Sub-divisions during next 24 hours.

Jammu & Kashmir & Ladakh – Leh, Punch, Kulgam, Reasi, Ramban, Udhampur, Doda and Kathua districts.

Himachal Pradesh – Chamba, Kangra, Mandi, Kullu, Solan, Shimla, Lahaul & Spiti and Sirmaur districts.

Uttarakhand - Almora, Bageshwar, Chamoli, Champawat, Dehradun, Nanital, Pauri Garhwal, Pithoragarh, Rudraprayag, Tehri Garwal and Uttarkashi districts.

Surface runoff/ Inundation may occur at some fully saturated soils & low-lying areas over Area of Concern (AoC) as shown in map due to expected rainfall occurrence in next 24 hours.





National Weather Forecasting Centre
Indian Meteorological Department
Ministry of Earth Sciences

Table-1

7 Days Rainfall Forecast

	r Days Railli	anı		50a	JL			
S.No.	Subdivision	14- Aug	15- Aug	16- Aug	17- Aug	18- Aug	19- Aug	20- Aug
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
1	ANDAMAN & NICOBAR ISLANDS	WS	WS	WS	FWS	FWS	FWS	FWS
2	ARUNACHAL PRADESH	FWS	SCT	SCT	SCT	SCT	FWS	FWS
3	ASSAM & MEHGHALAYA	FWS	SCT	FWS	FWS	FWS	FWS	FWS
4	N. M. M. & T.	WS	FWS	FWS	FWS	FWS	FWS	FWS
5	S.H. WEST BENGAL & SIKKIM	WS	FWS	FWS	WS	WS	WS	WS
6	GANGETIC WEST BENGAL	FWS	FWS	SCT	FWS	FWS	FWS	FWS
7	ODISHA	WS	FWS	FWS	FWS	FWS	FWS	FWS
8	JHARKHAND	FWS	SCT	SCT	FWS	FWS	FWS	FWS
9	BIHAR	FWS	SCT	SCT	SCT	SCT	SCT	SCT
10	EAST UTTAR PRADESH	SCT	SCT	ISOL	ISOL	SCT	SCT	SCT
11	WEST UTTAR PRADESH	WS	FWS	FWS	SCT	SCT	SCT	SCT
12	UTTARAKHAND	WS	FWS	WS	WS	FWS	FWS	FWS
13	HARYANA, CHD & DELHI	FWS	FWS	SCT	SCT	SCT	SCT	SCT
14	PUNJAB	FWS	FWS	SCT	SCT	SCT	SCT	SCT
15	HIMACHAL PRADESH	WS	WS	FWS	FWS	WS	FWS	FWS
16	JAMMU AND KASHMIR AND LADAKH	WS	WS	SCT	SCT	FWS	FWS	FWS
17	WEST RAJASTHAN	ISOL	ISOL	SCT	SCT	FWS	SCT	SCT
18	EAST RAJASTHAN	SCT	SCT	FWS	FWS	FWS	SCT	SCT
19	WEST MADHYA PRADESH	WS	WS	WS	WS	FWS	FWS	FWS
20	EAST MADHYA PRADESH	WS						
21	GUJRAT REGION	FWS	WS	WS	WS	WS	WS	WS
22	SAURASHTRA & KUTCH	SCT	SCT	FWS	FWS	WS	WS	WS
23	KONKAN & GOA	WS						
24	MADHYA MAHARASHTRA	SCT	SCT	SCT	FWS	FWS	FWS	FWS
25	MARATHWADA	FWS	SCT	SCT	FWS	FWS	FWS	FWS
26	VIDARBHA	WS						
27	CHATTISGARH	WS						
28	COASTAL ANDHRA PRADESH	FWS	FWS	SCT	FWS	FWS	FWS	FWS
29	TELANGANA	WS						
30	RAYALASEEMA	FWS	SCT	SCT	SCT	FWS	SCT	SCT
31	TAMILNADU & PUDUCHERRY	ISOL						
32	COSTAL KARNATAKA	WS						
33	NORTH INTERIOR KARNATAKA	WS	WS	WS	WS	FWS	FWS	FWS
34	SOUTH INTERIOR KARNATAKA	WS	FWS	FWS	FWS	FWS	SCT	SCT
35	KERALA	WS						
36	LAKSHDWEEP	WS	WS	FWS	FWS	FWS	FWS	FWS

Legend	Category	%Stations
WS	Widespread/Most Places	76-100
FWS	Fairly Widespread/Many Places	51-75
SCT	Scattered/ A Few Places	26-50
ISOL	Isolated Places	1-25
DRY	No Rain	0

Fig. 1: Maximum Temperatures Dated 2025-08-14




Fig. 3: Minimum Temperatures Dated 2025-08-14




Fig. 2: Departure of Maximum Temp. Dated 2025-08-14






Fig. 4: Departure of Minimum Temp. Dated 2025-08-14









National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Impact & Action Suggested due to

- Extremely heavy rainfall at isolated places over Telangana on 14th August.
- **Very heavy rainfall** over Jammu- Kashmir, West Uttar Pradesh on 14th & 15th; Himachal Pradesh, Haryana, Punjab, East Madhya Pradesh, Odisha, Coastal Andhra Pradesh & Yanam on 14th; Uttarakhand, Chhattisgarh during 14th-17th; Assam & Meghalaya on 16th; Telangana during 15th-17th; Coastal Karnataka during 18th-20th; West Madhya Pradesh on 15th & 16th; Vidarbha on 14th, 17th, 18th; Konkan & Goa, ghat areas of Madhya Maharashtra during 16th-20th August.

Impact Expected

- Localized Flooding of roads, water logging in low lying areas and closure of underpasses mainly in urban areas
 of the above region.
- Occasional reduction in visibility due to heavy rainfall.
- Disruption of traffic in major cities due to water logging in roads leading to increased travel time.
- Minor damage to kutcha roads.
- Possibilities of damage to vulnerable structure.
- Localized Landslides/Mudslides/landslips/mudslips/landsinks/mudsinks.
- Damage to horticulture and standing crops in some areas due to inundation.
- It may lead to riverine flooding in some river catchments (for riverine flooding please visit Web page of CWC)

Action Suggested

- Check for traffic congestion on your route before leaving for your destination.
- Follow any traffic advisories that are issued in this regard.
- Avoid going to areas that face the water logging problems often.
- Avoid staying in vulnerable structure.

Agromet advisories for various parts of the country

Agromet advisories for likely impact of Heavy / Heavy to Very Heavy Rainfall

(Based on the IBF and advisories issued by different AMFUs)

- In **Sub-Himalayan West Bengal**, make provision to drain out excess water from rice, ginger, vegetable fields and fruit orchards in **Hill Zone** and *aman* paddy and vegetable fields in **Terai Zone**. Cover the chilli seedlings with plastic to protect them from heavy rains in **Terai Zone**.
- In **Bihar**, make provisions to drain out excess water from standing crops such as maize, nurseries of onion, chilli, and cauliflower in **North West Alluvial Plain Zone**; maize, finger millet, ragi, kodo, sava, china, etc. in **North East Alluvial Zone**.
- In **Odisha**, make arrangements for draining out excess water from the fields of pulses, maize, groundnut and vegetables in **South Eastern Ghat region**.
- In **Jammu and Kashmir**, do not allow water to stagnate in fields of maize, pulses, cowpea, bajra and vegetables in **Sub Tropical Zone**. Proper drainage should be ensured in the fields of paddy, maize, Pulses, horticultural and vegetable crops in **Intermediate Zone**.
- In Uttarakhand, make necessary arrangements to drain out excess water from the fields of already sown / transplanted rice, sugarcane, maize, black gram, green gram, groundnut, pigeon pea, finger millet, soybean and vegetables in Bhabar and Tarai Zone; and from barnyard millet, finger millet, green gram and black gram in Sub Humid Sub Tropic Zone. In Hill Zone, strengthen the bunds to prevent surface runoff of water. Postpone sowing of vegetable pea till soil attains optimum moisture level. Maintain proper drainage channels in vegetable and crop fields. Undertake harvesting of matured capsicum fruits. Postpone sowing of vegetable pea until the soil attains optimum moisture, especially under excessive wet soil conditions.
- In Himachal Pradesh, provide proper drainage channels in rice, maize, kidney beans, finger millet, apple,



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

pomegranate and vegetable fields in **Sub Montane and Low Hills Sub Tropical Zone**; paddy, maize, pulses, plantation and vegetable crops in **High Hills Sub Temperate Wet Zone**; andmaize, ginger, turmeric and vegetable fields in **Mid Hills Sub Humid Zone**.

- In **Uttar Pradesh**, maintain proper drainage in fields of rice, pigeon pea, sugarcane and vegetable crops **in South Western Semi Arid Zone**, **m**ake necessary arrangements for drainage of excess water from the fields pigeon pea, chilli and onion in **Bundelkhand Zone**; autumn sugarcane, spring sugarcane, paddy, pigeon pea, maize, green gram, black gram and vegetables in South Western Semi-Arid Zone; and pigeon pea, soybean, maize, groundnut, green gram, black gram and barnyard millet in Eastern Plain Zone.
- In MadhyaPradesh, provide adequate drainage in the fields of maize, soybean, blackgram, cotton, and pigeon pea in Vindhyan Plateau Zone; maize, soybean, cotton, sugarcane and vegetables in Satpura Plateau Zone; rice, soybean, maize, sugarcane and vegetables in Central Narmada Valley Zone and soybean, pigeon pea, cotton and vegetables in Nimar Valley Zone.
- In **Chhattisgarh**, drain out excess water from rice nurseries, fields of soybean, pigeon pea, green gram, black gram, maize, sugarcane and vegetables in **Plain Zone**; fields of rice, minor millets, maize, pulses and oilseeds in **Bastar Plateau Zone** and fields of pigeon pea, vegetables and transplanted rice in **North Hill Zone**.
- In Arunachal Pradesh, ensure proper drainage in rice, maize, finger millet, soybean, vegetables, and fruit
 orchards to avoid waterlogging. Provide strong support to fruit-bearing plants to prevent them from bending or
 breaking during heavy rains.
- In Assam, to prevent waterlogging, ensure proper drainage in *Sali* rice, green gram and pigeon pea fields and banana orchards in **Lower Brahmaputra Valley Zone**; *Sali* rice and sugarcane fields in **North Bank Plain Zone and** *Sali* rice fields in **Upper Brahmaputra Valley Zone**.
- In **Meghalaya**, ensure proper drainage in rice, maize, turmeric, chilli, okra and bitter gourd fields to prevent waterlogging. Provide staking/support to tall and fragile crops like banana, papaya, bottle gourd etc. to prevent lodging.
- In **Tamil Nadu**, ensure proper drainage in sorghum fields to prevent waterlogging, especially in heavy soils and low-lying areas. Ensure proper drainage around the coconut plants to avoid root rot.
- In Andhra Pradesh, provide adequate drainage in the fields of paddy, maize, groundnut, cotton, blackgram, greengram, and pigeon pea in Krishna Godavari region.
- In **Telangana**, drain out excess water from rice nurseries and recently transplanted rice as well as from fields of cotton, maize, red gram, soybean, sugarcane, and vegetables.

Livestock / Fishery

- Keep the animals inside the shed during heavy rainfall and provide them balanced feed.
- Store feed and fodder in a safe place to prevent spoilage.
- Construct an outlet with proper netting around the ponds to drain out excess water, thereby preventing fish from escaping in case of overflow.

Agromet advisories for likely impact of Thunderstorm / Gusty Winds / Squally Winds

(Based on the IBF and advisories issued by different AMFUs)

 Provide mechanical support to horticultural crops and staking or support to vegetables and young fruit plants / fruit-bearing plants to avoid lodging due to strong winds.

Legends & abbreviations:

Region wise classification of meteorological Sub-Divisions:

Northwest India: Western Himalayan Region (Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Himachal Pradesh and Uttarakhand); Punjab, Haryana-Chandigarh-Delhi; West Uttar Pradesh, East Uttar Pradesh, West Rajasthan and East Rajasthan.

Central India: West Madhya Pradesh, East Madhya Pradesh, Vidarbha and Chhattisgarh.

East India: Bihar, Jharkhand, Sub-Himalayan West Bengal & Sikkim; Gangetic West Bengal, Odisha and Andaman &



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Nicobar Islands.

Northeast India: Arunachal Pradesh, Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura.


West India: Gujarat Region, Saurashtra & Kutch, Konkan & Goa, Madhya Maharashtra and Marathawada.

South India: Coastal Andhra Pradesh & Yanam, Telangana, Rayalaseema, Coastal Karnataka, North Interior

Karnataka, South Interior Karnataka, Kerala & Mahe, Tamil Nadu, Puducherry & Karaikal and Lakshadweep.



LEGENDS



SPATIAL DISTRIBUTION (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/ A Few Places)
51-75	Fairly Widespred (FWS/ Many Places)	1-25	Isolated (ISOL)

Subdivision Colour

NO WARNING

WATCH (BE UPDATED)

•
ALERT (BE PREPARED TO TAKE ACTION
WARNING (TAKE ACTION)

Probabilistic Forecast

Terms	Probability of Occurrence (%)
Unlikely	< 25
Likely	25 - 50
Very Likely	50 - 75
Most Likely	> 75

Heavy Rain








Thunderstorm & Lightning Strong surface winds







Cold Wave

Hot & Humid









		EGENDS	
	WARNING	Probabilistic Forecas	st
	WARNING (TAKE ACTION)	Terms Probability of Occurre	nce (%)
	ALERT (BE PREPARED)	Unlikely < 25 Likely 25 - 50	
	WATCH (BE UPDATED)	Very Likely 50 - 75	
	NO WARNING (NO ACTION)	Most Likely > 75	
./ 💭	Heavy: 64.5 to 115.5 mm/cm *		
in/ Snow	Very Heavy: 115.6 to 204.4 mm/cm* Extremely Heavy: > 204.4 mm/cm *		
iiii onow			0 C f L
	(a) Based on Departure from norma	tation reaches ≥40° C for plains and ≥30 al	o tor n
	Heat Wave: Maximum Temperature Dep	arture from normal 4.5° C to 6.4° C.	
Î+	Severe Heat Wave: Maximum Temperat		
eat Wave	(b). Based on Actual maximum tem	•	
iout maro	Heat Wave: When actual maximum temp Severe Heat Wave: When actual maxim		
	(c). Criteria for heat wave for coast		
	When maximum temperature departure is	>4.5°C from normal. Heat Wave may be describe	d provide
	temperature ≥37°C		
Ĵ+	When maximum temperature rema Warm Night: When minimum temperature		
Varm Night	Severe Warm Night: When minimum temperatur		
		station ≤10°C for plains and ≤0°C for h	illy regi
	(a). Based on departure Cold Wave: Minimum Temperature Depart	urture from normal A 5 9C to 6 4 9C	
	Severe Cold Wave: Minimum Temperature Depa		
J-	(b) Based on actual Minimum Tem		
Cold Wave	Cold Wave : When Minimum Temperatur		
	Severe Cold Wave: When Minimum Ter	nperature is ≤ 2.0 °C	
	(c) For Coastal Stations		
	When Minimum Temperature departure	is ≤-4.5 °C & actual Minimum Temperature is ≤	15 °C
		tation ≤10°C for plains and ≤0°C for hilly	regions
 -	Based on departure Cold Day: Maximum Temperature Depar	ture from normal -4.5 °C to -6.4 °C	
Cold Day	Severe Cold Day: Maximum Temperatur		
	Pharaman of annul decide		! - !!- !!!
A	Moderate Fog: When the visibility between	suspended in air and the horizontal	VISIDIII
•	Dense Fog: when the visibility between		
Fog	Very Dense Fog: when the visibility < 50	metres	
7.			
75	Sudden electrical discharges manif sound (thunder)	ested by a flash of light (Lightning) and a	sharp r
nunderstorm	(
luliderstorm			
understorm	An annumble of continuous states	and annualisable life of the count but the	h
Dust/Sand	An ensemble of particles of dust or turbulent wind.	sand energetically lifted to great heights	by a str
		sand energetically lifted to great heights	by a str
Dust/Sand		sand energetically lifted to great heights	by a str
Dust/Sand Storm	turbulent wind.	sand energetically lifted to great heights	by a str
Dust/Sand	lce deposits on ground [Air temperature ≤4°C (over Plains)		by a str
Dust/Sand Storm	lce deposits on ground [Air temperature ≤4°C (over Plains) A strong wind that rises sudde	sand energetically lifted to great heights l	by a str
Dust/Sand Storm	lce deposits on ground [Air temperature ≤4°C (over Plains) A strong wind that rises sudde [Moderate: Wind speed 52-61 kmph]		by a str
Dust/Sand Storm	lce deposits on ground [Air temperature ≤4°C (over Plains) A strong wind that rises sudde		by a sti
Dust/Sand Storm Frost	lce deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph	enly, lasts for atleast 1 minute.	by a str
Dust/Sand Storm Frost	Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea	enly, lasts for atleast 1 minute.	by a str
Dust/Sand Storm Frost Squall	Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-6	enly, lasts for atleast 1 minute.	by a sti
Dust/Sand Storm Frost	Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-6	enly, lasts for atleast 1 minute. over specific area 2 kmph (22-33 knots) & Wave height 2.5-6 metre mph (34-63 knots) & Wave height 6-14 metre	by a str
Dust/Sand Storm Frost Squall	Lice deposits on ground Air temperature \$4°C (over Plains) A strong wind that rises sudded Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-64 High to very high: Wind speed 63-117 kmph (>90 kmph wind speed >117 kmph wind speed >117 kmph (>90 kmph wind speed >117 kmph wind speed >117 kmph (>90 kmph wind speed >117	enly, lasts for atleast 1 minute. over specific area 2 kmph (22-33 knots) & Wave height 2.5-6 metre mph (34-63 knots) & Wave height 6-14 metre 63 knots) & Wave height >14 metre	by a str
Dust/Sand Storm Frost Squall	turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-6 High to very high: Wind speed 63-117 k	enly, lasts for atleast 1 minute. over specific area 2 kmph (22-33 knots) & Wave height 2.5-6 metre mph (34-63 knots) & Wave height 6-14 metre 63 knots) & Wave height >14 metre h (34-47 knots)	by a str
Dust/Sand Storm Frost Squall	Ice deposits on ground Air temperature \$4°C (over Plains) A strong wind that rises sudded Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 63-117 kmph (>Phenomenal: Wind speed >117 kmph (>Cyclonic Storm: Wind speed 62-87 kmph	enly, lasts for atleast 1 minute. over specific area 2 kmph (22-33 knots) & Wave height 2.5-6 metre mph (34-63 knots) & Wave height 6-14 metre 63 knots) & Wave height >14 metre th (34-47 knots) 3-117 kmph (48-63 knots) seed 118-165 kmph (64 - 89 knots)	by a str